INDEX OF AUTHORS.

A.

Abdulla, M. M., 274.
Abrami, P., 20.
——, & Sénevet, G., 4.
Abriol, R., 254.
Accra, 210.
Aimé, H., 48.
Albert, J., 178.
Amar, J., 170.
Amblard, L. A., & Eschbach, H., 42.
Anderson, A. G., with Falconer, 27, 301.
——, H.W., 233.
Ando, R., 75.
de Andrade, A. D., 88.
Andreotti, M., 281.
Andruzzi, A., 274.
d'Anfreville, L., 38.
Antigua, 100.
Apicella, G., 14.
Appel, L., 13, 29, 303.
Aragão, H. de B., 206, 396, 421.
Arantes, J. B., with d'Utra e Silva, 428.
Arce, J. & Ribeyro, R. E., 209.
Archibald, R. G., with Chalmers, 224, 389, 398.
Armand-Delille, P., 11.
——, Gassin & Lemaire, H., 197.
——, Paisseau, G., & Lemaire, H., 40, 48, 453.
Arzt, L., 114.
Ashford, B. K., 276.
Ashigawa, B., with Yamano & Sano, 209.
Aubert, P., 45.
Aufrecht-Magdeburg, 309.

B.

Baehr, G., 133, 134.
——, with Plotz & Olitsky, 141.
Bahr, P., 65.
Bail, O., 120.
Bais, W. J., 191.
Baker, W. F., with Walters, & Koch, 250.
Balliano, A., 83
Ballner, F., & Finger, A., 138.
Banks, C., with Waddell, Watson, & King, 50.
——, H. S., & Evans, H. R., 440.
Barabás, Z., with Bardachzi, 97.
Barbosa, P., 415.
Bardachzi, F., & Barabás, Z., 97.
Barnes, W. S., 87.
Barratt, J. O. W., 66.
Bartlett, G. B., 65.
Bartolotti, C., 296.
Bass, C. C., 38.
Bassett-Smith, P. W., 456.
von Bassewitz, E., 393.
Baujean, R., 226.
Baumgarten, A., & Langer-Zuckerkandl, H., 116.
Beintker, 262.
Beneke, R., 260.
Benians, T. H. C., 444.
Bensaude, R., with Florand, 271.
Bernstorff, 400.
Bertarelli, 35.
Bharucha, E. S., 399.
Bien & Sontag, F., 140.
Birge, E. G., with Cason, 17.
Biswas, S. C., 13.
Bittorf, 24.
Blacklock, B., with Stephens, Yorke, Macfie, Cooper & Carter, 26, 27, 298.
——, with Yorke, 90.
Blake, G. A., 183.
Blanc, G., 310.
——, with Chatton, 425.
——, J., 128.
Blanchard, M., 396.
Blau, 235.
Bloch, M., with Mattéi, 55.
Bombay, 211.
Bonnard, with Malloizel, 289.
Bouchet, H., with Fuchs, 48.
Bouffard, G., 399.
Bourges, H., 432, 455.
Bouvier, J. E., with de Goyon, 306.
Bouyer, 247.
Bowman, F. B., & Saylor, P. D., 97.
——, F. H., with Torrance, 41.
Brahmachari, U., 71.
——, U. N., 152.
Branch, S., 104.
Brayne, W. F., 465.
van Breemen, M. L., 37.
Breinl, A., & Priestley, H., 90.
——, F., 58.
Brill, E. H., 272.
British Guiana, 101.
British Medical Journal, 438.
Bruce, D., 234.
Brug, S. L., 246, 252, 422.
de Brun, H., 17, 294.

Bruyère, with Carnot, 15.
Bryson, R., with Palk, 404.
de Buen, S., 404.
——, with Pittaluga, 238.
Bussière, F., 231.
Butler, C. S., & Hakansson, E. G., 217.

C.

Caillé with Monier-Vinard, 15.
Carnot, P., 33, 287.
——, & Bruyère, 15.
Carter, H. F., Mackinnon, D. L., Mat hews, J. R., Smith, A. M., & Stephens, J. W. W., 46.
——, & Matthews, J. R., 46.
——, with Stephens, Yorke, Blacklock, Macfie & Cooper, 26, 27, 298.
Carver, A. E., 38.
Cason, T. Z., & Birge, E. G., 17.
Castellani, A., 9. 115, 212.
Castelli, A., 121.
Cawston, F. G., 69, 80.
Cecikas, 65.
Ceylon, 110.
Chace, A. F., & Tasker, A. N., 62.
Chagas, C., 165.
Chalmers, A. J., & Archibald, R. G., 224, 389, 398.
——, & Innes, A., 398.
——, & Kamar, A., 398.
——, & King, H. H., 393.
——, & Pekkola, W., 63, 419, 421.
Chatton, E., 251, 252, 255, 303.
——, & Blanc, G., 425.
Chick, H., & Hume, E. M., 174, 175.
Christopherson, J. B., 153.
Christy, C., 38.
Chun, J. W. H., 180.
Ciauri, R., 244
Clapier, N., 95.
Clark, H. C., 429.
Clarke, C., with Dudgeon, 31.
Cleves Vargas, C. J., 406.
Climenko, H., 405.
Cobb, R., 178.
Cochrane, A. W. R., & Sprawson, C. A., 411.
Coghill, H. S., 409.
Cole, C. L., with Siler, 84.
Commes, C., 95, 418.
Coombs, C. F., 182.
Coonoor, 211.
Cooper, C. F., with Stephens, Yorke, Blacklock, Macfie & Carter, 26, 27, 298.
Cornwall, J. W., 211.
——, & Menon, T. K., 143, 459.
Costa Rica, 107.
Cot & Hovasse, 307.
Cox, F. E., 128.
Craig, C. B., 16.
Creel, R. H., & Simpson, F., 464.
Crowe, H. W., & Sprawson, C. A., 72.
Crowell, B. C., & Johnston, J. A., 119.
Csépai, C., 140.
Cumming, J. G., 188.
——, & Senftner, H. F., 126.
da Cunha, A. M., 430.
——, & da Fonseca, O., 53.
Curjel, D. F., 395.
Cutler, D. W., & Williamson, R., 250.
Czaplewski, 273, 409.

D.

Dadej, K., & Krahelska, M., 139.
Dale, H. H., & Dobell, C., 248.
Daniélopolu, D., 131.
Daniels, C. W., & Newham, H. B., 240, 315.
von Darányi, J., & Stransky, E., 264.
Dargein, 48.
Darwent, E. N., 396.
Davies, D. S. 464.
Debains, E., with Nicolle & Raphael, 442.
Delanoë, P., 7, 38.
Denney, O. E., 401.
Denzer, B. S., with Olitsky & Husk, 127, 136
Derivaux, R. C., 305.
——, Taylor, H. A., & Haas, T. D., 304.
Devic, A., with Dufourt, 256.
Diacono, H., 441.
Diamantis, 78, 81.
Dickson, W. E. C., 207.
Dietrich with Otto, 137.
Ditthorn, F., & Loewenthal, W., 59.
Dobell, C., 431.
——, with Dale, 248.
Doeri, B., with Hatiegan, 300.
Doflein, F., 307.
Dold, H., 276.
——, with Fischer, 66.
Douglas, S. R., 64.
Drennan, J. G., & Teague, O., 468.
Dreyer, G., Gardner, A. D., Gibson, A. G., & Walker, E. W. A., 454.
Dubois, A., 92.
Duchamp, C. J., 198.
——, J. C., 198.
Dudgeon, L. S., 202.
——, & Clarke, C., 31.
Dufourt, P., & Devic, A., 256.
Dunley-Owen, A., 20, 290.
Dutch Guiana, 102.

E.

Eberson, F., 466.
Ecker, E. E., 452.
Edwards, W. R., 71.
Eggstein, A. A., with Jobling, 205
Emrich, W., with Walker, 51.
Engel, C., 273.
Erben, E., 26.
Eschbach, H., with Amblard, 42.
Escomel, E., 428.
Espinosa-Tamayo, L., 217.

Etienne, G., 439.
Evans, H. R., with Banks, 440.

F.

Falconer, A. W., & Anderson, A. G., 27, 301.
Fantham, H. B., 417.
de Faria, G., 87.
Feldmann, I., 118.
Ferguson, A. R., 76.
——, J. E. A., 86.
Fermi, C., 283.
Fickler, A., 265.
Fiessinger, N., & Leroy, E., 268.
Figueira, L., 256.
Fildes, P., 64.
Finger, A., with Ballner, 138.
Fiorito, G., 282.
Firth, A. C. D., 14.
Fischer, H., with Sordelli, 409.
——, J. C. H., 312.
——, W. & Dold. H., 66.
Fletcher, A. A., 256.
Florand, A., & Bensaude, R., 271.
——, & Malleterre, F., 68.
Foges, A., 272.
da Fonseca, O. O. R., 424.
——, O., with da Cunha, 53.
Forbát, A., 61.
Force, J. N., & Stevens, I. M., 452.
Foreman, F. W., & Graham-Smith, G. S., 236.
Foster, Jr. G. B., & Sinclair, C. G., 84.
——, W. D., with Hall, 98.
Foulerton, A. G. R., 123.
Fourest, 232.
Fox, S. C. G., 297.
Fraga, C., 309.
França, C., 423, 425, 427.
Freeborn, S. B., 291.
Fricke, W., 97.
Fricks, L. D., 186.
Friedemann, U., 259.
von Friedrich, L., 259.
Fuchs, A., & Bouchet, A., 48.
Fuerst, T., 57.
Fuller, E. B., 290.
Fumey, M., with Hollande, 263.

G.

Gabbi, 206.
——, U., 218, 219, 245.
Galata, G., 308.
Galli-Valerio, B., 199, 311.
Ganguli, S., 222.
Garcia, F., 96.
Gardner, A. D., with Dreyer, Gibson & Walker, 454.
Garin, C., & Girard, A., 291.
——, & Pasquier, Ch., 292, 293.
——, & Sarrouy, 292
——, Sarrouy & Pouget, 292
Garrow, R. P., 446.
Gasbarrini, A., 268.
Gassin with Armand-Delille & Lemaire, 197.
Gassner-Rostock, G., 264.
Gauducheau, A., 457.
Gauss, H., & Meyer, K. A., 169.
Gay, F. P., 440.
——, & Lamb, A. R., 452.
Geiger, J. C., with Kelly, 7.
Geneeskundig Tijdschrift voor Nederlandsch-Indië, 462.
Genuardi, G., 308.
Gibson, A. G., with Dreyer, Gardner & Walker, 454.
——, H. G., 59.
Giemsa, G., & Halberkann, J., 299.
Gildemeister, E., 439.
Gill, C. A., 5.
Girard, A., with Garin, 291.
Giugni, F., 220.
Goldberg, L., 394.
González Barrio, N., 145.
Goodey, T., & Wellings, A. W., 53.
Goodhue, E. S., 402.
Gottheil, 406.
de Goyon, J., & Bouvier, J. E., 306.
Graham, D., 270.
Graham-Smith, G. S., with Foreman, 236.
Grall, 284.
de Granada, S. H., 225.
Greggio, G., 161.
Grieg, E. D. W., 115, 118, 230.
Grenada, 103.
Griffin, W. B., 297.
Griffitts, T. H. D., with Le Prince, 37.
Grothusen, 223.
Guatemala, 108.
Guerrini, G., 113.
Gupta, J. J. R., 93.

H.

Haas, T. D., with Derivaux & Taylor, 304.
Haberfeld, W., 52, 55.
Haguenau, J., with Loygue, 55.
Hakansson, E. G., with Butler, 217.
Halberkann, J., with Giemsa, 299.
Hall, M. C., 82.
——, & Foster, W. D., 98.
Hartmann, H., & Zila, L., 299.
——, M., 166.
Hata, H., 460.
Hatiegan, J., & Doeri, B., 300.
Hayashi, N., 194.
von Heinrich, H., 284.
Heinrichsdorff, 267.
Heiser, V. G., 99.
Hendley, H., 280.
Henry, H., 431.
d'Hérelle, F., 262.
Hess, A. F., & Unger, L. J., 221.
Hiatt, H. B., 279.
Hicks, J. R., 125.

Hill, C. H., 388.
——, G. F., 237.
Hirschfeld, L., 309.
Hirst, L. F., 183.
Histrowitz, H., 18.
von Hoesslin, H., 200.
Hoffmann, E., 406.
——, F. L., 15.
Hollande, A. C., & Fumey, M., 263.
van Hoof, L., 197.
Hooker, S. B., 446.
Horák, O., 438.
Hovasse with Cot, 307.
Howell, A., 271.
Huebener, E., 207.
Huelse, W., 309.
Hulshoff Pol, D. T., 180.
Hulton-Frankel, F., & MacDonald, K., 444.
Hume, E. H., 88.
——, E. M., with Chick, 174, 175.
Hunziker, 258.
Hurst, A. F., 265.
Husk, C. E., with Olitsky & Denzer, 127, 136.

I.

Ido, Y., Ito, H., Wani, H., & Okuda, K., 190.
Inada, 208.
Ingram, A., 95, 308.
Innes, A., with Chalmers, 398.
Ito, H., with Ido, Wani & Okuda, 190.
——, T,. & Matsusaki, H., 208.
Iturbe, J., 79.
Iwano, S., 220.
Izumi, G., & Kato, M., 192.

J.

Jacob, L., 58.
James, S. P., 21, 289.
Janicki, C., 93.
Jarno, L., 39.
Jeanselme, E., 19, 30.
Jepps, M. W., & Meakins, J. C., 247.
Jimura, Y., 122.
Job, E., 41.
Jobling, J. W., & Eggstein, A. A., 205.
Johnston, J. A., with Crowell, 119.
——, J. E. L., 418.
de Jong, S. I., & Martin, A., 304.
Jonomura, K., with Yamaguchi & Koizumi, 182.
Jouin, A., 226.
Journal of the Royal Army Medical Corps, 19.

K.

Kabelik, J., 283.
Kamar, A., with Chalmers, 398.
——, A. E., 295.
Kaneko, R., & Okuda, K., 189, 208.
Kato, M., with Izumi, 192.
Kaunitz, P., & Trawinski, A., 185.
Kauntze, W. H., with Ross, 60.
Keller, 286.
Kelly, F. L., & Geiger, J. C., 7.
Kelso, R. F., with Sadler, 270.
Kennard, C. P., 87.
de Kerdrel, A., with Ravaut, 24.
——, with ——, Reniac & Krolunitsky, 8.
Kermorgant, 216.
Kimmerle, 58.
Kimura, G., 304.
King, H. H., with Chalmers, 393.
——, W. W., 387.
——, W. O. R., with Waddell, Banks & Watson, 50.
——, W. V., 187.
Kirschbaum, 12.
Kisskalt, K., 283.
Kitagawa, J., 193.
——, & Mukoyama, T., 189.
Knowles, F. C., 400.
Kobayashi, H., 73.
Koch, E.W., with Walters & Baker, 250.
——, J., 196.
Koizumi, M., with Yamaguchi & Jonomura, 182.
——, S., 172.
Kon, Y., & Okazaki, 181.
de Korté, W. E., 391.
Kostoff, K. H., 202.
Kothary, P. T., 94.
Krahelska, M., with Dadej, 139.
Kraus, R., 404.
——, & Rosenbusch, F., 166.
Krediet, G. J., 121.
Krempf, A. 427.
Kritzler, 400.
Krolunitsky, with Ravaut, Reniac, & de Kerdrel, 8.
Kruse, 266.
Kuczynski, M. H., 164.
Kuelz, L., 199.
Kuenen, W. A., & Swellengrebel, N. H., 417.
Kulka, W., 273.

L.

Labadens, 308.
Labbé, M., 310.
Lacassagne, A., 288.
Lagriffoul, A., & Picard, F., 288.
Lamb, A. R., with Gay, 452.
Lambert, A. C., 248.
Lamoureux, A., 11.
Lane, C., 82.
Lanfranchi, A., 422.
de Langen, C. D., & Schut, H., 221.
—— & —— J., 414.
Langer-Zuckerkandl, H., with Baumgarten, 116.
Lankester, A., 413.
Laroche, G., with Mazet, 457.

Lassalle, C. F., 6.
Laveran, A., 70, 155, 163.
Ledingham, J. C. G., & Wenyon, C. M., 65.
Leger & Ryckewaert, P., 295.
——, L., & Mouriquand, G., 37, 310.
——, M., 7, 89, 96, 401, 415, 417.
——, & Mouzels, P., 392, 430.
Lehotay, K., 310.
Leiner, C., 296.
Leiper, R. T., 99.
Lemaire, H., with Armand-Delille & Gassin, 197.
——, with —— & Paisseau, 40, 48, 453.
——, with Paisseau, 16.
Le Prince, J. A., & Griffitts, T. H. D., 37.
Leroy, E., with Fiessinger, 268.
Le Roy des Barres, 458.
Levi della Vida, M., 258.
Levy, M. D., & Wall, D. P., 29, 94.
Lie, H. P., 402.
Lillie, D. G., & Shepheard, S., 50.
Liston, W. G., 211.
Loew, J., 255.
Loewenthal, W., with Ditthorn, 59.
Loiselet, M., 415.
Longo, A., 153.
Low, G. C., 227, 431.
Loygue, G., & Haguenau, J., 55.
Ludwig, 185.
Lutz. A., 78.

M.

MacAdam, W., 243.
MacCallum, W. G., 405.
McCoy, G. W., 403.
——, & Neill, M. H., 135.
McCrea, H. M., 207.
MacDonald, K., with Hulton-Frankel, 444.
Macfie, J. W. S., 88, 162, 203, 210, 220, 229, 238, 396.
——, with Stephens, Yorke, Blacklock, Cooper & Carter, 26, 27, 298.
MacGilchrist, A. C., 296.
Mackie, T. J., 444.
Mackinnon, D. L., with Carter, Matthews, Smith & Stephens, 46.
McMullin, J. J. A., with Vickery, 255.
McNair, J. B., 392.
McNeil, H. L., 62.
McWalter, J. C., 294.
Maer, C. M. A., 255.
Magner, W., 65.
Majoli, A., & Paoletti, F., 17.
Malcolm, R. A. G., 388.
Maldonado, I., with Morel, 77.
van Malleghem, R., with Wurtz., 295.
Malleterre, F., with Florand, 68.
Malloizel & Bonnard, 289.
Manalang, C., 179.
Manaud, A., 301.
Manlove, C. H., 274.
Manson, P., 313.
Marchand, L., 294.
Marchoux, E., 20, 288.
Margolis, A., 60.
Mariano, F., 182.
Marris, H. F., 432.
Martens, 272.
Martin, A., with de Jong, 304.
Martin, C. J., & Williams, F. E., 261.
Martinez, F. F., 245.
Martoglio, F., 422.
Marty, L., 54.
Mason, E. H., 435.
de Massary, E., & Tockmann, 310.
Masters, W. E., 84.
Mathis & Mercier, L., 53, 54, 255.
——, C., with Mercier, 253.
Matsuoka, Y., 98.
Matsusaki, H., with Ito, 208.
da Matta, A. A., 89.
Mattei, C., 48, 227.
——, & Bloch, M., 55.
——, & Ribon, E., 228.
Matthews, J. R., with Carter, H. F., 46.
——, with Carter, Mackinnon, Smith & Stephens, 46.
——, with Smith, 47.
Mayer, M., 196, 222.
Mazet, with Laroche, 457.
Meakins, J. C., with Jepps, 247.
Medical Missions in India, 218.
Medical Research Committee, 64, 432.
Meier Flégel, E., 407.
Mellanby, E., 271.
de Mello, 36, 54, 55, 61, 83.
——, F., & Menezes, C. F., 191.
Meltzer, 308.
Memmi, G., 309.
Mendoza-Guazon, M. P., 215.
Menezes, C. F., with de Mello, 191.
Menon, T. K., with Cornwall, 143, 459.
Mercier, L., & Mathis, C., 253.
——, with ——, 53, 54, 255.
Mesnil, F., & Roubaud, E., 33.
Meyer, K. A., with Gauss, 169.
Michaelis, L., 263.
Michel, C., 277, 278.
Mida, M., 257.
Miescher, G., 390.
Migliorini, 293.
Miller, C. H., 432.
Mirguet, 457.
Mitchell, J. A., 127.
Mitzmain, M. B., 32.
Miyajima, M., & Okumura, T., 194.
Mola, G., 282.
Monier-Vinard & Caillé, 15.
Montez, J., 310.
Montpellier, J., 30.
Moorhead, T. G, with Shearman, 183.
Moreau, L., 54, 290, 293, 295.
Morel, L., & Maldonado, I., 77.
Moses, A., 227.
Moulinier, 299.
Mouriquand, G., with Léger, 37, 310.

Mouriz, J., with Murillo, 118.
Mouzels, P., with Léger, 392, 430.
Muehlens, 285.
——, P., 202.
Mueller, J. H., with Pappenheimer & Vermilye, 430.
Muir, E., 151.
Mukoyama, T., with Kitagawa, 189.
Mumemoto, E., with Niowaka & Yoshizawa, 192.
Munk, F., 286.
Murakami, F., 397.
Murillo, F., & Mouriz, J., 118.
Muto, M., 76.

N.

Nakagawa, K., 74.
Nègre, L., 59.
Neill, M. H., 141.
——, with McCoy, 135.
Nemoto, T., with Yoshikawa & Yano, 179.
Netter, L., 302, 303.
Neuber, B., 140.
Neuschlosz, S., 25.
Neveu, R., with Salomon, 75.
Newham, H. B., 14.
——, with Daniels, 240, 315.
Nicaragua, 109.
Nicholls, L., 119.
Nicholson, M. A., 171.
Nicolle, Raphael, A., & Debains, E., 442.
——, C., 141, 153.
Nijland, A. H., 212.
Niowaka, I., Yoshizawa, I., & Mumemoto, E., 192.
Nobécourt, P., 269.
Noc, F., 247.
Noguchi, H., 204.
Nowicki, W., 264.
Nowlin, N., 54.
Nozoe, M., 112.
Nuttall, G. H. F., 195, 236.

O.

O'Connor, F. W., with Wenyon, 43, 314.
Oehler, R., 253.
Ohno, T., 392.
Okazaki, M., with Kon, 181.
Okuda, K., with Ido, Ito & Wani, 190.
——, with Kaneko, 189, 208.
Okumura, T., with Miyajima, 194.
Olitsky, P. K., 135.
——, Denzer, B. S., & Husk, C. E., 127, 136.
——, with Plotz & Baehr, 141.
Orenstein, A. J., & Watkins-Pitchford, W., 28.
Orticoni, A., 132.
Osler, W., 14.
Otten, L., 460.
Otto, R., & Dietrich, 137.

P.

Pain, F., 388.
Paisseau, G., with Armand-Delille, & Lemaire, 40, 48, 453.
——, & Lemaire, H., 16.
Palk, C. L., & Bryson, R., 404.
Panama, 109.
Paneth, L., 135.
Panganiban, C. S., with Schoebl, 120.
Paoletti, F., with Majoli, 17.
Pappenheimer, A. M., 430.
——, Vermilye, H. N., & Mueller, J. H., 430.
Paris, P., 39.
Parker, R. R., & Wells, R. W., 187.
Parrot, L., 201, 414.
Parry, R. C., 463.
Pasquier, C. R., with Garin, 292, 293.
Patanè, C., 145.
Paul, C. N., 388.
Pava, C. M., 228.
Peacock, W. L., 222.
Pekkola, W., with Chalmers, 63, 419, 421.
Pende, N., 25.
Pernet, G., 406.
Picard, F., with Lagriffoul, 288.
Pielsticker, F., 287.
Pijper, A., 388, 395, 397.
Pissavy, A., & Quiquandon, J., 18.
Pittaluga, G., & de Buen, S., 238.
Plotz, H., Olitsky, P. K., & Baehr, G., 141.
Pondman, A., 191.
Ponselle, A., 164.
Popper, H., 246.
Portocalis, 197.
Porto-Carrero, J., 87.
Potel, R., 131.
Potts, J. L., 77.
Pouget, with Garin & Sarrouy, 292.
Pribram, E., 261.
Priestley, H., 388.
—— with Breinl, 90.
Puglisi-Allegra, S., 206.
Punjab, 280.
Pupo, J. de A., 389.
Pyman, F. L., & Wenyon, C. M., 249.

Q.

Querens, P. L., 74.
Quiquandon, J., with Pissavy, 18.

R.

de Raadt, O. L. E., 40, 116, 462, 463.
Rangel Pestana, B., 67.
Raphael, E., with Nicolle & Debains, 442.
Rathery, F., 57.
Ravaut, P., & de Kerdrel, A., 24.
——, Reniac, de Kerdrel & Krolunitsky, 8.

Raymond, V., 289.
Razetti, L., 55.
Razzak, A., 300.
Redewell, F. H., 127.
Reichenow, E., 35.
Reinhard, P., 34.
Reniac, with Ravaut, de Kerdrel & Krolunitsky, 8.
Ribeyro, R. E., with Arce, 209.
Ribon, E., with Mattei, 228.
Richardson, C. W., 17.
Robertson, M., 123, 142.
da Rocha-Lima, H., 137.
Roche, M., 306.
Rockefeller Foundation, 100, 107.
Rodhain, J., & Van den Branden, F., 33, 425.
von Roemer, L. S. A. M., 113.
Rogers, L., 23, 113, 145, 297, 407.
Rose, F. G., 67, 91.
——, W., 100.
Rosenbusch, F., with Kraus, 166.
Ross, P. H., & Kauntze, W. H., 60.
Rossi, G., 282.
Roth, O., 397.
Roubaud, 14, 32, 36.
——, with Mesnil, 33.
Rousseau, P., 289.
Row, R., 144.
de Ruyter, J., 224.
Ryckewaert, P., with Leger, 295.

S.

Sadler, W., & Kelso, R. F., 270.
St. Lucia, 104.
St. Vincent., 105.
Sakagami, K., 455.
Sakurane, K., 397.
Salomon & Neveu, R., 75.
Salvador, 109.
Sameshima, K., 469.
Sangiorgi, G., 204, 250.
Sano, B., with Yamano & Ashigawa, 209.
Sarrouy with Garin, 292.
—— with —— & Pouget, 292.
Savage, R. E., & Young, J. R., 49.
Saylor, P. D., with Bowman, 97.
Schiff, F., 130.
Schilling, C., 301.
Schmitz, F., 393.
——, K. E. F., 260.
Schoebl, O., 120.
——, & Panganiban, C. S., 120.
Schroeder, A., 272.
Schuerer, J., & Stern, W., 139.
Schultz, W., 60.
Schut, H., with de Langen, 221.
——, J., 414.
——, with de Langen, 414.
Schwetz, 167, 168.
Scott, L. B., 154.
Sellards, A. W., 158.
Senevet, G., 37.
——, with Abrami, 4.
Senftner, H. F., with Cumming, 126.
Sergent, Ed. & Sergent, Et., 8.
——, Et., 8, 430.
Seymour, L. W., 69.
Shaklee, A. O., 171.
Shearman, C. H., & Moorhead, T. G., 183.
Shepheard, S., with Lillie, 50.
Siler, J. F., & Cole, C. L., 84.
Silva, F., 395.
da Silva, R., 62.
Simpson, F., with Creel, 464.
——, W. J., 234.
Simpson-Wells, A., 281.
Sinclair, C. G., with Foster, 84.
Sinton, J. A., 24, 154.
Skalski & Sterling, 61.
Skrjabin, K. I., 92.
Sloan, M. F., 416.
Sluka, E., & Strisower, R., 438.
Smith, A. M., & Matthews, J. R., 47.
——, with Carter, Mackinnon, Matthews & Stephens, 46.
Smits, J. C. J. C., 218.
Sontag, F., with Bien, 140.
Sordelli, A., & Fischer, H., 409.
Sotiriadès, 302.
Soucek, A., with Weil, 129.
de Sousa, L., 191.
Souter, C. H., 388.
Speares, J., 246.
Spick, 394.
Spittel, R. L., 408.
Sprawson, C. A., with Cochrane, 411.
——, with Crowe, 72.
Stannus, H. S., 388.
Starkenstein, E., 124.
Steber, 83.
Stefko, W., 182, 429.
Stephens, J. W. W., with Carter, Mackinnon, Matthews & Smith, 46.
——, Yorke, W., Blacklock, B., Macfie, J. W. S., Cooper, C. F., & Carter, H. F., 26, 27, 298.
Sterling with Skalski, 61.
——, K., with Sterling, 138.
——, S., & Sterling, K., 138.
Stern, W., with Schuerer, 139.
Stettner, E., 68.
Stévenel, L., 408.
Stevens, I. M., with Force, 452.
Stevenson, A. C., 303.
Stewart, F. H., 81, 82.
Stiles, C. W., 85.
Stockman, R., 224.
Stransky, E., with von Daránya, 264.
Strisower, R., with Sluka, 438.
Sukegawa, K., 469.
Suldey, E. W., 223, 280.
Susu, B. J., 153.
Suzuki, K., 89.
——, T., 180.
Sweet, E. M., 229.

Swellengrebel, N. H., 420.
——, with Kuenen, 417.
Synwoldt, J., 129.

T.

Taiwan Igakukai Zasshi, 52.
Takahashi, S., 399.
Takano, R., 454.
——, & Yabe, S., 114.
Takatsuki, 239.
Talbot, A., 232.
Tasker, A. N., with Chace, 62.
Taylor, F. E., 451.
——, H. A., 36.
——, with Derivaux & Haas, 304.
Teague, O., with Drennan, 468.
Teichmann, E., 162.
——, F., 21.
Terburgh, J. T., 231.
Thomson, D., 3.
——, J. D., 1.
Tielemann, E. T., with Unna, 52.
Tockmann with de Massary, 310.
Torrance, R. A., & Bowman, F. H., 41.
Torres, O., 156, 157.
Totsuka, R., 394.
Toyama, I., 391.
Toyoda, S., 203, 454.
Travis, F. M., 178.
Trawinski, A., with Kaunitz, 185.
Trinidad, 6, 106, 107.
Tsuneoka, R., 190.

U.

Ullmann, B., 291.
Umber, 259.
Umnus, O., 267.
Unger, L. J., with Hess, 221.
Unna, P. G., & Tielemann, E. T., 52.
d'Utra e Silva, O., & Arantes, J. B., 428.

V.

Van den Branden, F., 235, 399.
——, with Rodhain, 33, 425.
Velu, H., 429.
Vermilye, H. N., with Pappenheimer & Mueller, 430.
Vickery, E. A., & McMullin, J. J. A., 255.
Villa Alvarez, A., 63.
Viteček, V., 138.
Vogel, R., 307.
Vogt, V., 225.

W.

Waddell, W., Banks, C., Watson, H., & King, W. O. R., 50.
Wakisaka, F., 232.
Walker, E. L., 156.
——, & Emrich, W., 51.
——, E. W. A., with Dreyer, Gardner & Gibson, 454.
Wall, D. P., with Levy, 29, 94.
Walters, A. L., Baker, W. F., & Koch, E. W., 250.
Wani, H., with Ido, Ito & Okuda, 190.
Wanless, W. J., 411.
Washburn, B. E., 86.
Waterfield, N. E., 278.
Waters, E., 470.
Watkins-Pitchford, W., with Orenstein, 28.
Watson, H., with Waddell, Banks & King, 50.
Weber, R., 122.
Weil, E., & Soucek, A., 129.
Wellings, A. W., with Goodey, 53.
Wells, R. W., with Parker, 187.
Wenyon, C. M., with Ledingham, 65.
——, & O'Connor, F. W., 43, 314.
——, with Pyman, 249.
Werner, H., 11, 39.
Wiener, 42, 129.
——, E., 201.
Wilcox, R. L., 14.
Wilkinson, E., 412.
Willcox, W. H., 234.
Williams, F. E., with Martin, 261.
Williamson, R., with Cutler, 250.
Willis, H., 30.
Woodcock, H. M., 44.
Wright, L. T., 225.
——, T. E., 41.
Wurmfeld, A., 23.
Wurtz, 38.
——, R., & van Malleghem, R., 295.

Y.

Yabe, S., with Takano, 114.
Yamaguchi, K., Koizumi, M., & Jonomura, K., 182.
Yamano, W., Sano B., & Ashigawa, B., 209.
Yano, K., with Yoshikawa & Nemoto, 179.
Yorke, W., & Blacklock, B., 90.
——, with Stephens, Blacklock, Macfie, Cooper & Carter, 26, 27, 298.
Yoshida, S., 94.
Yoshikawa, I., Yana, K., & Nemoto, T., 179.
Yoshizawa, I., with Niowaka & Mumemoto, E., 192.
Young, J. R., with Savage, 49.

Z.

Zeiss, H., 140.
Zila, L., with Hartmann, 299.
Zuelzer, G., 293.

INDEX OF SUBJECTS.

Compiled by Miss M. H. JAMES.

The Sanitation Number (5) is indexed separately, as **Applied Hygiene in the Tropics,** and this Index follows the Index of Subjects.

Abscess, Hepatic, *see* LIVER ABSCESS, under **AMOEBIASIS**

AMOEBIASIS (AMOEBIC DYSENTERY *and* LIVER ABSCESS, *see also* **DYSENTERY**), 43–69, 243–75
AMOEBIASIS
Acute: Treatment, 43
Amoebic Infection: Need for Investigating, 45
Amoebo-Bacillary Infection with *B. para. A.*, 268–9
Diagnostic Difficulties, 269
Blood Conditions: Leucocyte Counts, Differential, 248
Bowel Ulceration, 210
Carriers of Cysts
Amoebae and other Protozoa found in, 47, 51–2
Constipation in, 255
Treatment by
Emetine hydrochloride, 43
Ol. Chenop., 51–2
With and without History of Dysentery, 243–4
E. histolytica Cysts
Percentages with and without History of the Disease, 243–4
Results with various forms of Treatment, 49–50, 50–51
Treatment by Ol. Chenop., 51–2
Chemotherapy, *see also* Emetine, *and* Treatment
Alkaloids (Emetine Derivatives and others), Action of, on *E. histolytica* in Kittens, 248–9
Ipecac. Alkaloids and Synthetic Derivatives of Cephaline; Action of, on *E. buccalis* and Paramoecia, 250

Amoebiasis—*cont.*
AMOEBIASIS—*cont.*
Complication of Malaria in Armies in the Field, 268
Concentration Method for Cysts, in Stool Examination, 46–7
Diagnosis and Diagnostic Methods, 286
Laboratory Methods, 274
Sole Safe Guide, 45
Emetine, *see also under* Treatment
Action of, on
Amoebae of Experimentally Infected Kittens, 248–9
Hosts rather than Amoebae, suggested, 249
Derivatives of, Action of, on Amoebae, 249
Effect in Cases of Irritable Heart, 247
Limitations of, 214
Urinary Elimination of, 228
Experimental Infection by Filtered Faeces, 244–5
Experimental Work with Flies, &c., 43, 44
Faeces of: Atypical: Described in Terms of Food-Stuffs, 55
Hepatitis
in Convalescence, 271
Diagnostic Methods, 246
Incidence
Age, 215
Class, Troops, 43, 44, 45, 46, 48, 214, 247, 261, 268
Geographical
Adriatic Coast, 255
Balkan Zone, 214
Brazil, 51
China (Shanghai), 66
Congo Region, 54
Eastern Fronts, 65
Eastern Regions, 45
Ecuador, 218
Egypt, 43, 44, 45, 261

Amoebiasis—*cont.*
AMOEBIASIS—*cont.*
Incidence—*cont.*
Geographical—*cont.*
England
Liverpool: from French Front, 46
France, 268
Autochthonous, 48
Epidemic, 48
in Returned Troops, 45
French Front, 46, 47, 48
Galicia, 246
Gallipoli, 45
India, 243
Indo-China (Saigon), 247
Lybia, 244
Macedonia, 244
Mesopotamia, 65, 243
Philippine Islands, 215
Spain, 245–6
Race, 43, 44, 45, 243, 248
Kidney Conditions in Relation to, 48
Mixed Infection with Amoebae and Bacilli, Shanghai, 66
Onset after Anti-Typhoid Vaccinations, 247

ORAL, Gingivitis, Pyorrhoea, &c.
Protozoal Parasites
Amoebae and Entamoebae
E. buccalis: Multiplication and Periodicity of, and Tissue Invasion by, 54
and Paramoecia, Action on, of Ipecac. Alkaloids, and Synthetic Derivatives of Cephaline, 250
E. gingivalis Food of, 53
Non-Pathogenicity of, 53
Tetratrichomonas
T. buccalis n. sp.; Morphology, 53, 54

Prophylaxis
Against
Infection, 247
Relapse, 247
in regard to Cysts, 252
Protozoological Investigation at Liverpool: Results, 46–7
Protozoal Parasites associated with
Amoebae and Entamoebae
Action on, of Emetine Derivatives, 249
Chromidia of Cysts, and Siderophile Rods as Diagnostic Points, 53
Culture of, on Pure Media, 253–4

Amoebiasis—*cont.*
AMOEBIASIS—*cont.*
Protozoal Parasites Associated with—*cont.*
Amoebae and Entamoebae—*cont.*
Cysts
Chromidia in, 53, 246, 255
Diagnosis of, 246
in French Cases, 268
I-Cysts: Egypt, 43
Resistance of, to Disinfectants, &c., Experiments on, 43, 44
Staining Methods, 52–3, 250
Variable Characteristics of, 246
Vegetative Stage of, 253
Diagnosis of, 255
Development of, in Culture with Various Bacteria, 253–4
Diagnosis of, by means of their Cysts, 52
Differentiation of Histological Points, 53
Encysted: Diagnostic Difficulties, 55
Pathogenic in Faeces: France, in Returned Troops, 45
Present in Carriers (*q.v., supra*), Varieties found, 47
Remarks on, 45
Resistant to Alcresta Treatment, &c., 46
Vitality at Different Temperatures, 52
A. limax, Effects on, of Various Reagents, 52
E. coli, see also E. dysenteriae and, *infra*
Action on, of Emetine, 54
in British and Indian Troops, 44
in Non-Dysenteric Cases. 47
Cysts
Staining Methods, 250
with more than 8 Nuclei; Nature of, 253
E. coli and *Chilomastix mesnili* in Mixed Infections, 420
Occasional Toxicity, 245
Percentage of, in Liverpool Cases, 46
Treatment; Relapse after, 43
E. coli and *E. histolytica* Cysts Bodies found in; Origin discussed, 255
Differentiation of, 246
of Amoeboid Forms: Rapid Method, 250-1

Amoebiasis—*cont.*
AMOEBIASIS—*cont.*
Protozoal Parasites Associated —*cont.*
Amoebae and Entamoebae—*cont.*
E. coli-like, in Lizard, 44
E. dysenteriae, Alone, and in Conjunction with other Protozoa, and Helminths, 67
Infection, Experimental, in Guinea-pigs: Characteristics, 251
"Strains of," do they exist? 54
E. dysenteriae and *coli*; Siderophile rods of the former as Diagnostic Point, 53
E. dysenteriae (*dissenterica*) Cysts; Staining Methods, 250
E. dysenteriae europaeae, n. sp., in Galicia, 246
E. histolytica, *see also* Cysts of, *supra, and E. coli and* in Cases of Irritable Heart; Detection and Treatment, 247
Cysts
Concentration Method for Demonstrating in Faeces, 46–7
Destroyed by
Cresol, 44
Drying, 44
in Indian Troops, 45
Maturation, Viability, &c., of, in relation to Prophylaxis, 252
in Mixed Infections, 420
Mode, Place and Time of Liberation of Contents, when Ingested by Cats, 252
Morphology, and Physiology of; Practical Deductions from, 252
Persistence and Recurrence, 243, 244
and *E. minuta*, 417
in Faeces: Accra, 210
Infection, 43, 51–2
Experimental, 44
in Kittens: Therapeutic Experiments with Various Alkaloids, 248–9
Fly-spread, 265
from French Front; Treatment, 46
Treatment by Various Forms of Emetine: Results, 49–51

Amoebiasis—*cont.*
AMOEBIASIS—*cont.*
Protozoal Parasites Associated with—*cont.*
Amoebae and Entamoebae—*cont.*
E. histolytica—*cont.*
Occurrence, in British and Indian Troops, 44–5
Percentage in
Cases from France, 47
Liverpool Cases, 46
in Stools: Egypt, 261
E. hominis, also Cysts of, in Faeces, 67
E. minuta and *E. tenuis*, 417
E. minutissima n. sp.: Differentiation of, from *Vahlkampfia nana*, and *E. histolytica*, 252
E. nana: Nomenclature, 252
E. ranarum Cysts; Stages, Sizes, Nuclei, Schizogony, 253
E. serpentis n. sp.; where found: Various Forms, 53
E. tenuis, n. sp. Cysts of, 417
Limax, Classification by Types, 417
Loeschia coli, *see E. coli*, *under* Amoebae and Entamoebae, *supra*
Paramoecia, *see E. buccalis* and, *under* Amoebae, *supra*
Vahlkampfia nana, Suggested Name for *E. nana*, 252
Rarity of, in Middle East, 65
References to Literature, i-iii, xli-iii
Relapses, 43, 46
Stool-Examination, Precautions as to Identity of Stool, 50
Summary of Knowledge on, 245
Symptoms, 45, 48, 255, 268
Transmission by
Carriers (*q.v.*, *supra*), 48
Flies, 265
Stools of Convalescent and Contact Carriers, 265
Temperature; Diagnostic Value, 246
Treatment
Experiments on Kittens; Alkaloids employed, 248
Hints on, 48
Various Methods, 45
Alcresta, in various combinations, 46, 47
Bismuth Salicylate, 43
Carpentier and De La Mothe method, 68
Dover's Powder, 61
Emetine (*q.v.*, *supra*), *passim*
Bismuth Iodide, 46–7, 49–50, 51, 227

Amoebiasis—*cont.*
AMOEBIASIS—*cont.*
Treatment—*cont.*
Various Methods—*cont.*
Emetine—*cont.*
Hydrochloride Injections, 248
Various Forms, variously administered, 43, 45, 48, 55, 268, 269
Ipecac., *Extrait total glutinisée*, 247
Methyl-psychotrine, 248
Ol. Chenop., 51–2, 99

LIVER ABSCESS
Absence of Dysenteric Symptoms, 48
Amoebae in, in French Case, 48
Autochthonous; France, 48
Diagnostic Hints, 246
Incidence,
Age, 254
Class, 48
Geographical
France, 48
Autochthonous, 54
Philippines, 254
Occupational, 254
Locale, Race, Season, and Sex, 254
Misdiagnosis of, for Malaria, 10
Post-mortem Findings, 227
References to Literature, i-ii, xli
Subtertian Malaria Simulating: Ceylon, 10
Temperature Irregularities in, 54
Treatment by
Emetine, 48, 55, 268
Rogers' Method, 55
Without Amoebae in Pus, 54

Anaemia, Pernicious, Malaria resembling; Balkan Regions, 9

Ankylostomiasis, *see under* **HELMINTHIASIS**

Ascariasis, *see under* **HELMINTHIASIS**

BERIBERI and Polyneuritis Avium, 174–81
Blood Conditions
Differential Leucocyte Count, 180
Studies of, 179
Urea Retention, 179
Cereals and Wheat in relation to
Nutritive Properties Determined, 174–5
Vitamines of
Effect on, of Heat, 174–5
Store-place of, in Grains, 174

Beriberi—*cont.*
Etiological Theories
Auto-intoxication, 178
Deficiency, 175
Food-Stuffs (*see also* Cereals, *supra, and* Rice, *infra*) as Preventives Relative Values of (*table*), 177
Incidence: All Forms
Age, 216
Class, 174, 187, 234
Geographical
America, U.S., 178
Balkan-Adriatic region, 214
Borneo, North, 178
China, 180
Dardanelles, 174
Mesopotamia, 174, 176, 234
Philippine Islands, 179
Spain (First Case), 245
Race, 234
Season, 216

INFANTILE
Amino-Acids in Urine in, 180
Forms of, 178–9
Pseudomeningitic: Cure by Tiqui-tiqui Extract, 179
Incidence
Age, 216
Geographical
Philippines, 216
Season, 216

Nerve Degeneration in, in relation to Diagnosis, 179

POLYNEURITIS AVIUM
Cure by X Acid, 180–1
Food Substances, and Amounts needed, to Prevent and Cure, 174–5 (*table*), 177
Partial Inanition in relation to, on Rice Diet, 181
Treatment by Wheat Germ in Polished Rice Diet, 174
Prophylaxis
Dietary, 174, 175, 178, 234
Yeast Extract, 234
References to Literature, iii-iv, xliii-iv
Rice in relation to, 175, 178, 181, 216
Symptoms, 178, 179
Treatment, 178
X Acid, 180–1
Urea-Retention in, 179

Vitamines
Amount Contained in Various Cereals, 174
High Temperatures as Affecting, 174–5
Wet Form; Malaria Simulating; Balkan Regions, 9

Balantidiasis, *see* **Dysentery,** CILIATE

Bilharziasis, *see* SCHISTOSOMIASIS, *under* **HELMINTHIASIS**

Biting Arthropods and Ticks, *see* **ENTOMOLOGICAL REFERENCES**

Black Fever, of the Transkei, *see under* **TYPHUS**

Blackwater Fever, 40–2
Acid Intoxication Theory, 41
Blood Phenomena, 40
Arneth Counts, 229
Complement-Increase due to Quinine, in relation to Onset, 40
Haemoglobinaemia, 42
Haemolytic Process: Causes, &c., 40, 41
Fatality, 40
Incidence
Class (Troops), 40, 42
Geographical
Albania, 42
Balkan-Adriatic region, 214
Haiti, 41
Macedonia, 40
Rumania, 287
Race, 40
Malaria in relation to, 9, 40, 41, 42
Paroxysmal Haemoglobinuria, Complement Evanishment in, 40–1
Predisposing Conditions, 40
Quinine, Complement Increase due to, in relation to Onset, 40
References to Literature, iv, xliv
Symptoms (*see also* Blood Phenomena, *supra*), 40, 41, 42
Most Menacing, 41
Temperature, Atmospheric, in relation to, 40
Tertian and Subtertian Malaria Parasites in; Albania, 42
Treatment
Hint for, 40
Methods and Means
Calomel, 41
Quinine, 41–2
Rest in Bed, 41
Sod. bicarb., 41
Turpentine, 41
Urine Phenomena, 40

Books Reviewed, *see* **REVIEWS OF BOOKS**

Brill's Disease, *see under* **TYPHUS**

Camp Jaundice, *see under* **Jaundice**

Cat-Bite Disease, *see under* **Rat-Bite Fever**

Cerebro-Spinal Meningitis
Fatality of Cases among Blacks in France, 226
Diplococcus, Intracellular, in Madagascan Cases, 223
Incidence
Geographical
France, Southern, 226
Madagascar, 223
Race, 223, 226
Malaria Simulating, 295, 310
Treatment, 223

Cestode Infections, *see under* **HELMINTHIASIS**

Chagas's Disease, *see* TRYPANOSOMIASIS, HUMAN, AMERICAN, *under* **SLEEPING SICKNESS**

CHOLERA, 113–22
Ascaris lumbricoides in relation to; Philippines, 216
Bacteriology
Bacterial Diagnosis
Methods
Bandi's, 115, 116
De Raadt's, 116
Castellani's, 115–16
Bacteriological Results of Stool Examinations; Calcutta, 115
Selective Media, 116–17; (*diagrams*), 117
Vibrio Toxins; Researches on, 120–1
Vibrios
V. cholerae
in Bile, Gall, and Faeces, 119
Chemical Affinities, 119
Distribution, in Experimental Carriers as affected by Bile, 120
and El Tor Vibrios, Specific Determination of: Test, 118
Isolation Method of Castellani, 115–16
in Stools, Calcutta, 115
V. kadikjōji Toxin; Experiments with, 120–1
Vibrios Resembling *V. cholerae*
Bacteriological Investigation of, 119
Mutations of, and Attempts to Differentiate, 118
Serological Investigation of, 118
in Stools, Calcutta, 115
Bibliography, 119

Cholera—*cont.*
Carriers and Convalescents, Helminths present in, 113, 216
Experimental
Immunity-Experiments on, 120
Influence of Bile on Distribution in, of *V. cholerae*, 120
Choleraic Diarrhoea: Balkan Region; Causation, 214-15
Diagnosis, Bacteriological, Various Methods, 115–16
Epidemiology, *see* Incidence, Geographical, *infra*
Helminth Infections Complicating, 113, 216
Incidence
Age, 215
Class, 113
Geographical
Balkan-Adriatic Zone, 214
Batavia (Epidemics of 1913–16), 113, 121
India (Calcutta), 115, 118
Japan (Epidemic), 122
Philippine Islands, 215, 216
Mortality, With and Without Alkalies, 113–14
Oxyuris vermicularis in relation to, 113
Paracholera: *V. paracholerae* in Balkan-Adriatic Case, 214
Prophylaxis
Disinfection of Fresh Fish with Dilute Hydrochloric Acid, 122
Inoculation or Vaccination, 121
Individuality of Response to, 122
Results, 113, 114–15, 122
Vaccines for
Comparisons of, 121–2
Mixed, 122
Pseudo-Cholera, Malarial
Balkan regions, 10
Ceylon, 10
Rash; Causation, 114
References to Literature, iv-v, xliv-v
Stool-Preservation for Examination; Hints on, 119
Symptoms, *see* Rash, *supra*
Treatment by
Inoculation, 121
Sod. bicarb. Injections, 113, 114
Vaccine, Sensitized, 114
Trichocephalus trichiuris: in Relation to, 113
Uraemia after; Mortality from, With and Without Alkalies, 113–14

Clonorchiasis, *see under* **HELMINTHIASIS**

Dengue, 182
Culex fatigans as Vector, 182
Desvoidea obturbans as Vector, 182
Incidence
Geographical
Adrio-Balkanic Region, 213
Australia, Northern (Darwin) (Epidemic of 1914), 238
Brazil (Epidemic 1916), 182
Turkey in Asia, 182
Locale, 182
Season, 182
Insect Vectors, 182
Pappataci Fever Mistaken for: Macedonia, 213
Post-mortem Findings, 182
Stegomyia as Vectors,
S. fasciata, 182, 238
S. scutellaris, 182

Dermal Leishmaniasis (Tropical Sore), *see under* **KALA AZAR**

Distomiasis, Pulmonary, *see* PARAGONIMIASIS, *under* **HELMINTHIASIS**

Dracontiasis, *see under* **HELMINTHIASIS**

DYSENTERY, BACILLARY, CILIATE, FLAGELLATE, MIXED or UNCLASSED (*see also* **AMOEBIASIS**), 55–69, 255–75
BACILLARY, 55–61, 255–65
Acute
Treatment, 256
Emetine: Divergent Views, 65
Bacteriology
Agglutination, 58
and Complement Fixation Tests, 57
Problems, 262
Para-agglutination Phenomena, 57, 262–3
Bacilli associated with
B. coli, in Convalescents, 57
B. dysenteriae
and *B. coli*, Differentiation of, by Combined Albumen Acid Agglutination, 263
Differentiation of, by Ovalbuminate of Soda, 263
Flexner
Agglutination Tests in Diagnosis, 57
in French Troops, 55–7, *table*, 56
in Infantile Enteritis, 67
Nature of Infection, 58
in Obstinate Case, 68

Dysentery—*cont.*
BACILLARY—*cont.*
Bacteriology—*cont.*
Bacilli associated with—*cont.*
B. dysenteriae—*cont.*
Flexner—*cont.*
in Stools after Abdominal Operation, 272
in Shanghai Cases, 66
in Swiss Cases, 259
Flexner and Shiga; Percentages in Salonica Forces, 256
Flexner-type, Predominant at Onset of Epidemics, 57
Flexner-Y-type Infection; Lodz, 60
Forms found in and on
Australian Troops in Egypt, 261
Eastern and Western Fronts, 265, 267
French Troops; Organisms associated with, 55, *table*, 56
Quebec Epidemic, 270
Salonika, 270
Forms prevalent at Onset and later, 57
Hiss, in French Troops, 55
Infection, Persistent; Treatment by Autogenous Vaccines, 266
Morgan's, in Naval Mediterranean Cases, 64
Morgan's, No. 1, 67
Rarely found in a Field Epidemic (Present War), 273
Route of Entry, 260
Schmitz, n. sp., Epidemic due to, 260–1
Shiga in French Troops, 55–7
from Sigmoid Flexure, 259
Infection, Septicaemia due to, 255–6
in Obstinate Case, 68
Ultra-visible Organisms Antagonistic to, 262
Shiga type, in Portuguese Case, 256–7
Shiga-Kruse, as *the* Causal Agent, 267
Infections
Achylia gastrica after, 272
in Troops, 259
Nature of Infection, 58
in North Italian Cases, 258
in Shanghai Cases, 66

Dysentery—*cont.*
BACILLARY—*cont.*
Bacteriology—*cont.*
Bacilli associated with—*cont.*
B. dysenteriae—*cont.*
Shiga-Kruse type
Complications (specially Arthritic), due to, 57
Predominant in later Stages of Epidemic, 57
Y., Epidemic due to among German Troops, 58
in Infantile Enteritis, 67
in Shanghai Case, 66
in Swiss Case, 259
B. dysenteriae group; postulated, 270
B. Fukuoka Paradysentery A. and B., from Infants, 257–8
B. pyocyaneus, in Service Cases from the Mediterranean Area, 64
Mannite Fermenting in Australians in Egypt, 261
Identification of, 262
Pseudo-Dysentery Bacilli, Strains of, 266
Pseudo-Dysentery group: in relation to true Dysentery Bacilli and *B. coli*, 59
Unfamiliar, Pathogenic, in Gallipoli - Contracted Naval Cases, 64
Bacteriological Control of Campaign against the Disease, 57
Diagnosis: Material for: How best Procured and Used, 58
Brilliant Green for Isolation of particular Bacteria, 65
Organisms Associated with, in Northern Italy, 258
Ultra-visible Organism Antagonistic to *B. dysenteriae* Shiga, 262
Carriers, 57, 58
Detection of: Bacteriological Methods Essential, 57
Search for, among Soldiers from Gallipoli and Egypt: Bacilli found, 66
Choleraic type: Diagnostic Difficulty, 214
Incidence
Balkan Zone, 214
Ceylon, 214
Clinical Observations, 58–9
Complications, 259
Due to Shiga-Kruse type of Bacillus, 57

Dysentery—*cont.*
BACILLARY—*cont.*
Culture Media
Metachrome Yellow, 264
Three Colour, 264
Death in Various Stages: Immediate Causes, 268
Dehydration in
Part played by, at Onset, 271
Prevention, 270, 271
Diagnostic Methods, 264, 269
Bacteriological, the Best, 58
Laboratory, 274
Sero-diagnosis, 57
Diarrhoeal Form; Recurrences; Salonika, 270
Dysenteriform Diarrhoeas due to *B. dysenteriae* (Various forms), in German War Prisoners: Treatment, 269
and Dysentery-like Diseases; Causal Organism, 277
Etiology, 267
Forms seen in Balkan Zone, 214
Haemorrhagic Colitis, Epidemic: Etiology, 260
Incidence
Age (Infants), 257
Seamen, Troops and War Prisoners, 55, 58, 64, 256, 259, 260, 264–5, 270–1
Geographical
Balkan Zone, 214
British East Africa, 60
Eastern War Fronts, 65, 267–8
France: Somme Region (epidemic 1916), 35–7, *table*, 56
Germany (epidemic), 259, 272
Egypt (Cairo), 261
Hungary, 264
Italy, Northern, 258
Lodz (epidemic 1916), 60
Mesopotamia, 65
Portugal, 257
Salonika, 256
Switzerland (Imported Case), 258–9
Race, 60, 261
Pathogenesis, 260
Prophylaxis
Accessory to Treatment, 256
Inoculation, 264–5
Rectal, 260
Rectal Infection, 260
Recurrence, 259
References to Literature, v–vii, xlv–vi
Sequelae, 214, 259, 273
Achylia gastrica, 272
Stool Examinations, 57, 58
Faeces for
Fresh, Essential, 57

Dysentery—*cont.*
BACILLARY—*cont.*
Stool Examinations—*cont.*
Faeces for—*cont.*
Temperature for, in Transit, 58
Methods, 264
Symptoms, 259, 272, 273
Arthritic, 256, 266, 271
Colitic, 267–8
Septicaemic, 255–6
Toxicity of Products of Alimentary Canal during, 271
Toxin
Antitoxin against, 261
Hitherto Unknown, in Kruse Mannite - fermenting Strains A-H, 261
Transmission by
Carriers, 57, 58
Contact, 259
Slight Cases, 58
Treatment by
Astringents, &c., 60
Atropine, 59
Calomel (Ineffective), 59
Castor Oil, and Bolus Alba, 57
Carpentier and De La Mothe method, 68
Castor Oil, 274
Emetine: Divergent Views, 65
Opium, 59
Polyvalent Anti-Dysenteric Serum, with Saline Injections, 65
Purgatives (*see also* Castor Oil, *supra*), Initial, 214
Rectal, 260
Salines, 65, 270, 274
Serotherapy, 256, 259, 265, 269, 270
Accessories, 256
Specific, 266
Tannic Acid Preparations, 57
Vaccine
Castellani's Directions for Making, 214
New form, 60
New Mode of Preparation, 59
New Multivalent Protective form, 59–60
Polemic on, 61
Polyvalent, of Ross and Kauntze, 60–1
Shiga Vaccine: Drawbacks to, 59
Value of, proved in Severe Cases, 60
Yoghurt and Animal Charcoal, 273
True, and Diarrhoeal, Bacilli relatively associated with: Treatment, &c., 269
Variability and Modification of, 266

Dysentery—*cont.*
CILIATE, or BALANTIDIASIS
Incidence: Geographical
Balkan-Adriatic Region, 214
Egypt, 44
Philippines, 274–5
Race, 274
Parasite in Filipino Case, Symptoms, Treatment, and Post-mortem Findings, 274–5
References to Literature, vii, xlviii, xlix

FLAGELLATE, 61–3, 274–5
Incidence
Class, 63
Geographical
Balkan-Adriatic Zone, 214
China (Shanghai), 66
Egypt, 43
Omdurman, 63
Race, 61, 63
Infections; Remarks on, 45
Lambliasis
Lamblia or Giardia Infection: Egypt, 43
Parasites associated with, and Present in
Amoebae, encysted, 61
Cercomonas sp., 61
C. hominus, 62
Balkan Region, 214
C. mesnili, Percentage in Liverpool Cases, 46
Enteromonas
E. hominis in European Faeces: Omdurman, 63
Giardia, *see* Lamblia, *infra*
Lamblia, 44
Action on, of Methylene Blue Combination as Duodenal Irrigation, 62
L. intestinalis, Action on, of Emetine, 54
in Balkan region, 214
and Cysts, in Faeces, 67
in Non Dysenteric Cases, 47
Percentage in Liverpool Cases, 46
Macrostoma, *see* Tetramitus, *infra*
Prowazekia resembling *P. asiatica*, 214
Tetramitus
T. mesnili
Balkan Region, 214
Egypt, 43, 44
T. mesnili, alone, and with other Parasites, in Faeces, 67
in Non-Dysenteric Cases, 47
Trichomonas sp., 62
T. hominis, 62
Balkans, 214
Egypt, 44

Dysentery—*cont.*
FLAGELLATE—*cont.*
Parasites—*cont.*
Trichomonas—*cont.*
T. intestinalis in
Liverpool Cases, Percentage, 46
Non-Dysenteric Cases, 47
References to Literature, viii
Symptoms, 61, 63
Treatment by
Calomel, Salines and Salol, 63
Duodenal Irrigation with Methylene Blue, &c., in Combination, 62
Methylene Blue, 62, 214
Castellani's, 61
with Bismuth, Ineffective, 62
Trichomoniasis
in Egypt, 43
Obstinate; Treatment by Carpentier and De La Mothe Method, 68
Parasite
Trichomonas: Pathogenicity Discussed, 63
T. hominis, alone, or with other Parasites in Faeces, 67
Treatment by Iodine Solution, 62, 63
Myxodemaas Sequel, cured by Thyroid Extract, 62, 63

MIXED AND UNCLASSED, 64–9, 200, 265–75
Amoebae and Bacilli simultaneously present, 66, 269
Associated with
Paratyphoid, 269
Typhoid, 64
Bacteriology
Bacilli acting as Causal Agents of Paradysentery, 267
Bacilli found, 67
When No Dysentery Bacillus found, 273–4
Capsulated Bacillus S., 274
Bacterium proteus in, 273
Streptococcus pyogenes in, 67
Chronic
Symptoms, 69
Treatment by
Ipecacuanha, 69
Koorchi (bark), 218
Colitis
Etiology, 274
in Indian Troops: Waziristan, 274
Treatment, 274
Haemorrhagica; Causal Agent; Diagnosis, 267
Convalescence and Complications thereof, 271
Dehydration, 271

Dysentery—*cont.*
MIXED AND UNCLASSED—*cont.*
Diarrhoea, Acute, Quebec Epidemic (1917), 270
Dysenteric types of, in Italian Troops, 268
Disease resembling; Yoghurt Treatment of, 273
Incidence
Class: 64, 65, 66, 129, 268, 269, 270, 273
Geographical
Austria, 129
Canada, 270
Eastern War Fronts, 65, 200
France, 268–9
Gallipoli, 64, 65, 66, 271
Germany (Cologne), 273
Italy, 268
Mediterranean Area, 64, 65, 66
Middle East, 65
Virgin Islands, 217
Race, 129
Sex, 270
Leucocyte Count, Abnormal, as Diagnostic of Mixed Amoebic and Bacillary Infection, 66
Masked Dysentery, Detection Methods, and Differentiation from Enteritis, 65
Paradysentery; Etiology, 267
Predisposing Conditions, 217
Protozoal Parasites in Faeces: Numerical Occurrence in 477 Cases, 67
Pseudo-Dysentery; Malaria Simulating: Balkan Regions, 10
Recurrences following Abdominal Operations, 272
References to Literature, vii-viii, xlvii-ix
Rheumatic Affection of the Joints after, with other Complications; Prognosis: Treatment, 68–9
Symptoms: Oedema, 273
Treatment by
Carpentier and De La Mothe Method, 68
Quinine and Carbolic Acid, 69
Silver Nitrate, 272
Surgical Means
Coecostomy, Early, advised, 272–3
Concomitants, 273
Yoghurt, 273
Typhoid-like in Infants: B. Guiana: Bacilli found, 67
Unripe Bael Fruit of Value in, 218

Echinococcosis, *see* HYDATID DISEASE, *under* **HELMINTHIASIS**

Elephantiasis, *see under* **HELMINTHIASIS**

ENTERIC FEVERS IN THE TROPICS, 432–58
PARATYPHOID
Bacteriology
Agglutination titres after Protective Inoculations (*tables*), 450
B. para.
Persistent Infection with; Treatment by Autogenous Vaccine, 266
Ultravisible Microbe Antogonistic to, 262
B. para. A.
Agglutination phenomena, 439
Carriers, at Parel, 211
in Gallipoli Convalescents, 66
in Mixed Dysentery: France, 57
Infection
Prophylaxis; Inoculation; Duration of Effect, 455
Spread of, in Europe by Troops, 438
Symptoms, 438–9
Observations on, 438–9
B. para. A., and A. and B., as Cause of Dysenteric Diarrhoea in Italian Troops, 268
Action on, of Normal Serum, 455
in Balkan-Adriatic Regions, 213
Cultures: Brilliant Green for, 444
in Dysentery Convalescents, 271
in Mixed Dysentery Cases on the Somme, 269
B. para. B., 440
in Carrier: Long Duration of, 439–40
Cases of long Duration with peculiar Features, 439–40
in Dysentery in War, 273
in Gallipoli Convalescents, 66
in Mixed Dysentery: France, 57
Organism resembling from Dysentery Stools, 262–3
Toxin Produced by; Pathogenic Effect, 452
Infection
Incidence
Class (Troops), 440
Geographical
Balkan-Adriatic, 213
Salonica, 440
Post-Mortem Findings, 440
on S.W. War Front, 438

Enteric Fevers in the Tropics—*cont.*
PARATYPHOID—*cont.*
Bacteriology—*cont.*
B. para. B.—*cont.*
Thrombosis of Cerebral Arteries in, 440
B. para. B. group; *B. suipestifer* from Blood, 185
Complications, Symptoms, and Technique, 432
Incidence, *see also above*
Class, 438, 453–4
Geographical
Africa, North, 438
East, The, 438
Europe, 438
Loochoo Islands, 454, 455
War Fronts, 453–4
Jaundice due to: Balkan Region, 214
Mixed Infection with Bacillary Dysentery: France, 57
Modification of, by Prophylactic Vaccination, 266, *see also* 262, 264
Prophylaxis
Re-Vaccination, 453–4
Vaccination
Value proved, 453–4
Diagram, 454
Summary of Knowledge of, 432

TYPHOID
Associated with Dysentery, 64, 66
Bacteriology
Agglutination after Protective Inoculation (with Charts), 446–7
Bacillus(i)
B. typhosus
Agglutinins: Evolutions of, 439
Antigenic Properties of Different Strains, 446
in Contaminated Water, Bile Powder Enrichment for Demonstrating Presence of, 454, 455
in Returned Dysentery Cases from Gallipoli, &c., 64, 66
and Typho-Uro-Reaction, 441–2
Bilious form, in relation to Weil's Disease, 207–8
Complicating Dysentery Convalescence, 271
Complications, Symptoms, and Technique, 432
Diagnosis
Differential, from P.U.O., and Trench Fever, 438
Serological, 438

Enteric Fevers in the Tropics—*cont.*
TYPHOID—*cont.*
Diagnostic Methods
Agglutination: Value of, and Hints on, 450
Atropin: Experiments with, 432, *sqq.*, *tables*, 434, 436–7, *& facing* 434–5
Castellani's Absorption Test, for Mixed Infections, &c., 451
Metachrome Yellow, and Three Colour Culture Media, 264
Typho-Uro Reactions, 441–2
Fevers Resembling; Balkan-Adriatic Region, 214
Incidence
Age, 216
Class and Race, 129, 453, 454
Geographical
Austria, 129
Balkan-Adriatic Region, 213
Eastern War Regions, 453–4
Ecuador, 218
Indo-China (Hanoi), 458
Philippine Islands, 216
Virgin Islands, 217
Intestinal Perforation; Suture and Cure, 458
Mixed Infection with Bacillary Dysentery; France, 57
Prophylaxis
Immunisation of an Entire Population, 455
Inoculation, 122
Duration of Effect, 455
Dysenteric Attacks following, 247
Modification Effected by, in Character of the Disease, 266
Value of, 453, 454, Diagram, 454
Seen in Gallipoli cases among Naval Seamen, 68
Rash of: Resemblance to Rash of Typhus, 213
References to Literature, viii, xlix
Sewage Disposal in relation to, 217
Stool Examination Methods in Combined work on Typhoid, Paratyphoid, and Dysentery, 264
Symptoms and Clinical Conditions, 458
Treatment by Vaccines; Polyvalent Sensitized, Sediment of, 440–1
Typhoidin Skin Reaction Test, 452–3
Water-Supplies in relation to, 217

Enteric Fevers in the Tropics—*cont.*
TYPHOID AND PARATYPHOID
Adrenalin, Effect of, in Healthy Men, Irritable Heart, Typhoid, 434, *table, ib.*
Bacteriology
Bacillus(i)
Abnormal, 442
B. typhosus and *B. para.* A. & B.; Morphology, Reactions, &c., 442, *table* 443
Agglutination Experiments 442
Differentiation of, by Dextrin-Inosite Medium, 444
Preservation of, in Stools by Emulsifying in Glycerine (with Charts), 444–6
Castellani's Absorption Test: Technique and Applications, 451
Incidence
Age, 439
Class (Troops), 432, 438, 439
Geographical
Canada (Montreal), 435
France, 432
Tirol, 438
Sex, 439
Mixed Infections with *B. para.* A., 439
Ocular Compression; Effects on Healthy Subjects and on Enteric Patients, 433
Prophylaxis
Inoculation, Triple; Intervals between, 454
Relative Prevalence in Sea and Land Services: Mediterranean Area, 64
Stool Examination Methods, 264
Widal Reaction and Atropin Test: Variability in Time of Appearance of the Former, *table*, 435; other Comparisons, *table*, 436–7

Enteritis, *see under* **MISCELLANEOUS**

ENTOMOLOGICAL REFERENCES
Amblyomma sp., Ecuador
A. cajennense, 217
A. maculatum, 217
Anopheles, *q.v. under* **MALARIA**
Nyssorhyncus annulipes
Larvae, 237
Natural Enemies of, 238
Argas miniatus in Fowl Houses, in relation to *Spirochaeta gallinarum*, 418

Entomological References—*cont.*
Bed Bugs, *see* Bugs, *and Cimex, &c.*
Bugs, in relation to Leprosy, 405
Campaign against Insects in Russia, 235
Caterpillar causing Urticaria: Rumania, 393
Cellia albimana; Ecuador, 217
Cimex rotundatus; Ecuador, 217
Cordylobiarodhaini Larva, in Native's Arm, Accra, 238
Ctenocephalus serraticeps; Ecuador, 217
Culicidae of Northern Territory, Australia, 237–8
Dermacentor sp.
D. nitens: Ecuador, 217
D. venustus, Vector of Rocky Mountain Spotted Fever, 186–8
Disinsection: Malanin's Solution for, used in Russia, 235
Ectoparasites of the Gondi, 425
Epicauta sp., Bullous Eruption in Khartoum, due to
S. sapphirina, 393
E. tomentosa, 393
Fleas of Ecuador, 217
Flies: Adults, Eggs, and Larvae; Destruction of, Method for, 236–7
Musca domestica, Herpetomonas Infection of; Accra, 238
Fly-proofing of Tents, &c., 234
Glossina (Tsetse-flies), *see under* **SLEEPING SICKNESS**
Hylesia genus; Skin-affections due to, 392
Importance of, in relation to
Armies, 15
Malaria, 15
Insects Collected at Accra (1916), 238
Leptus Akamushi, cause of Japanese River Fever (*q.v.*); Life History, 194
Lucilia Caesar Larvae, Dermatomyiasis due to, 397
Micuim, Brazilian Acaroid: Dermatitis due to, 393–4
Mites, *see Leptus Akamushi, supra*
Mosquitoes, *see also Anopheles, and Culicidae, supra and Stegomyia, infra*
Breeding Places, 238
House-Breeding, in relation to Filariasis (*q.v. under* **HELMINTHIASIS**), Virgin Islands, 217
Kerosene as Larvicide: Action of, 239
Larvae; Natural Foes, 238
Moth, Japanese; Skin-affection due to, 392

Entomological References—*cont.*
Pediculi, *see also under* **RELAPSING FEVER,** *and* **TYPHUS**
P. humanus
Biology, Prevalence, and Modes of Dissemination, 236
Russian Methods against, 235
and *Phthirus*, Bibliography: Wide scope of, 236
Periplaneta orientalis, Triconymphid Parasites of, 423
Porocephalus larvae, Accra, 210
Pulex dugesi; Ecuador, 217
References to Literature, xxxvi-viii, lxxvii-viii
Sarcopsylla penetrans; Ecuador, 217
Pycnosoma; Trypanosomidae of; Limitations of Adaptability of, 425
Stegomyia
S. fasciata, *see also under* **YELLOW FEVER**
Distribution
Australia, Northern, 238
Ecuador, 217
Gold Coast, 238
Lankesteria culicis in Larvae, 238
Resistant Egg-Stage of, 210
Termites: Triconymphid Parasites of, 423–4
Tick-spread Diseases, *see* **ROCKY MOUNTAIN SPOTTED FEVER**
Ticks, *see* Amblyomma, *and* Dermacentor, *supra*
Distribution: Ecuador, 217
Triatoma, Infected by *Trypanosoma cruzi*, 166
Tsetse-flies, *see* Glossina, *under* **SLEEPING SICKNESS**
Xenopsylla cheopis; Ecuador, 217

Espundia, *see* **Leishmaniasis,** Muco - Cutaneous, Naso-Oral, *under* **KALA AZAR**

FEVERS IN THE TROPICS, UNCLASSED (*see also* **Dengue**, and other Fevers, *under* Names), 182–5
Bacillaemia due to *B. faecalis alkaligenes* Infection: Egypt, 183
Pathogenicity and Specific Characters of the Bacillus, 183–5, *table*, 184
B. suipestifer Isolated from Blood of Supposed Enteric Case, 185
Febris Palustris Remittens, in the East: Symptoms, Diagnosis, Treatment, 185

Fevers in the Tropics—*cont.*
Fevers due to Filterable Viruses (Cryptomorphic); Clinical Points Distinguishing, 218
Fevers in Waziristan Field Force, 183
Five-Day Fever, 200
Non-Malarial Fevers, Low and High Intermittent; Balkan-Adriatic Region, 214
References to Literature, viii–ix, xlix–l
Trench Fever
Balkan-Adriatic region, 214
Is it a Spirochaetosis? 207
Recurrent: Mesopotamia, 182–3

Filariasis, *see under* **HELMINTHIASIS**

Five Day Fever, *see under* **FEVERS, UNCLASSED**

Framboesia, *see* **YAWS**

Frontier Sores, *see* **Leishmaniasis,** Dermal, *under* **KALA AZAR**

Guinea-Worm, *see* Dracontiasis, *under* **HELMINTHIASIS**

Haemoglobinuric Fever, *ee* **BLACKWATER FEVER**

HEAT STROKE,
Blood Conditions in, and after, 169, 172, 173
Body-temperatures, 169
Deep Breathing to Prevent, 170, 171
Etiology, 170
Experimental Acclimatization [of Monkeys] to Tropical Sun, 171–2
Fatigue-toxins as Cause of, 170
Incidence
Age, Class, Place, and Habit, 16
Post-mortem Findings, in
Man, 169, 172, 173
Rabbits, 172–3
Prophylaxis, 170, 171
Railway-Carriage Temperature, Reduction of, 171
References to Literature, iv, l
Symptoms, 169
Treatment by Hydrotherapy and Cardiac Stimulants, or External Heat and Sedatives, 170

HELMINTHIASIS, 73–112
DISEASES, and PARASITES associated with them, *see also* PARASITES, *infra*

ANGUILLULOSIS, due to *Strongyloides stercoralis*; Balkan Region, 215

ANKYLOSTOMIASIS
Arrest of Development in Children due to, 88
Blood-Conditions
Arneth Count, 88–9, 229
When Coexistent with Malaria, 229
Globular Resistance, 89
Correlation of, with Transmissible Diseases, 84
Hookworm Campaigns, 86, 100 *et sqq.*
Economics of, 103
Human Excrement as Fertilizer, in relation to: China, 88
Immunity; Racial, 105
Incidence
Age, 88, 95, 216
Class
Convicts, 96
Coolies, 86
Farmers, 88
Jail-prisoners, 85
Miners, 88
Naval Seamen, 87–8
Troops, 84–6
Geographical
Accra, 88–9, 95, 210
Antigua, 100–1
Brazil, 87–8
Ceylon, 110–12
China, 88
North, 97
Costa Rica, 107–8
Grenada, 103–4
Guadeloupe, 96
Guatemala, 108–9
Guiana
British, 86, 101–2
Dutch, 102–3
French, 96
Guinea, French, 95
India, 87
Martinique, 96
Nicaragua, 109
Panama, 109
Philippines, 85, 96, 97, 216
Porto Rico, 387
St. Gothard Tunnel (epidemic), 86
St. Lucia, 104–5
St. Vincent, 105–6
Salvador, 109–10
Senegal, 95
Trinidad, 86, 106–7

Helminthiasis—*cont.*
DISEASES, and PARASITES associated with them—*cont.*
ANKYLOSTOMIASIS—*cont.*
Incidence—*cont.*
Geographical—*cont.*
U.S.A., Southern States, 84–5
Virgin Islands, 217
Race, 105
Urban and Rural, 84
Military Aspects, 84–6
Morbidity-Rates as affected by, 84, 85
Parasites
Ancylostoma
Ova, in
Faeces; Accra, 95
Niger Water, 95
A. braziliense, Differentiation of, from *A. ceylanicum*, 87
A. clylanicum, 87
A. duodenale in Cats [?] and Man: French Guiana, 96
in Boys: Serbia, 213
in Faeces, 67
Ova: Ecuador, 217
Percentage: N. China, 97
Necator americanus, 89
Accra; in Fatal Cases, 210
French Guiana, 96
Porto Rico, 387
Larvae; Circuit of, in Guinea-pig, 82
Ova: Ecuador, 217
Prophylaxis, *see also* Hookworm Campaigns, *supra*
Military; French Guiana, 96
Quarantine Regulations; St. Lucia, 104
References to Literature, xi, lii-iii
Risk of Spread to Europe by American Troops, 85–6
Sanitary Improvements in connection with Hookworm Campaigns, 101 *et sqq.*
Symptoms, 88
Treatment by Various Methods
Chenopodium in Various forms, 86–7, 98, 99
Chloroform, 98, 99
Intensive, of Immigrants from India to Trinidad, 107
Quassia, 87
Thymol, 85, 98, 99
With Lactose and Sod. bicarb., 86

ASCARIASIS
Canine: treatment by Ol. Chenopod. and Chloroform, 98, 99

Helminthiasis—*cont.*
DISEASES, and PARASITES associated with them—*cont.*
ASCARIASIS—*cont.*
Incidence
Age, 83, 95, 216
Geographical
China, Northern, 97
Galicia, 97
Germany, 83
Guiana, French, 95
Guinea, French, 96
Italy, 83
Philippines, 96, 97, 216
Senegal, 95
in Man, Pig, Rat, and Mouse, 81–2
Race (Balkan Regions), 97
Infection, Direct, and *viâ* Intermediate Hosts, discussed, 81–2
Intestinal Obstruction due to, 83, 84
Parasites
Ascaris
Larvae: Passage of, to Lungs, in Pigs and Man, 81–2
Passage of, through Intestinal Perforation in Typhoid, 458
Rodents as Intermediate Hosts, 82
A. lumbricoides
Abdominal Symptoms due to, 83
in relation to Cholera: Philippines, 216
Infection in Filipino Children, 215, 216
Intestinal Obstruction due to, 84
Life-cycle; Experiments on, 82
Ova, in Faeces, 67
Where found and Percentage of, 95, 97
in Right Pleural Cavity, 83
A. suum, Extra-corporeal Vitality, 82
References to Literature, xi, liii
Symptoms, 83
Treatment by
Calomel and Santonin, 83
Fasting and Purgation, 82, 83, 84
Objects of, 82
Ol. Chenopod., 99
With Castor Oil, 83
Surgery, 83

BILHARZIASIS, *see* SCHISTOSOMIASIS, *infra*

Helminthiasis—*cont.*
DISEASES, and PARASITES associated with them—*cont.*
CESTODE INFECTIONS, *see* TAENIASIS, *infra*, and others, *under* Names
References to Literature, xi, li

CLONORCHIASIS
Complications, 74
Due to Eating Certain Fish, 73
Incidence
Geographical
China, 74
Cuba, 74
Japan, 73
Race, 74
Parasite
Clonorchis
C. endemicus
Probably Identical with *C. sinensis* in Japan, 73
C. sinensis
Life-History and Morphology, 73
Ova in Stools: Cuba, 74
Primary Intermediate Host, 76
References to Literature, ix-x
Symptoms, 74

DISTOMIASIS, Pulmonary, *see* PARAGONIMIASIS, *infra*

DRACONTIASIS or Guinea-Worm
References to Literature, xii, liii
Treatment by Iod. tinct., 93

ECHINOCOCCOSIS, *see* HYDATID DISEASE, *infra*

ELEPHANTIASIS
Co-incident with Onchocerciasis, 92–3
Incidence: Geographical
Congo, Belgian, 92–3
References to Literature, xii

FILARIASIS
Filarial Diseases Treated by Vaccines
Lymphangitis, 91, 92
Orchitis, 92
Septicaemia, 92
Synovitis, 92
Incidence
Geographical
Australia
North Queensland, 90–1
Guiana, British, 91–2
Porto Rico, 387
Virgin Islands; Percentage of, 217
Race, 90, 91
Lymphadenitis due to *F. bancrofti*, 215

Helminthiasis—*cont.*
DISEASES, and PARASITES associated with them—*cont.*
FILARIASIS—*cont.*
Parasites
Filaria and Microfilaria
bancrofti
Larval, Periodicity, 90
Lymphangitis Associated with, 91–2
in Night Blood; Accra, 95
conjunctivae, 92
loa, 92, 95
loa extraocularis, n. sp., Caucasus; Differential Characteristics, 92
nocturna; Periodicity, 90
perstans, in Night Blood: Accra, 95
volvulus, Infection by, not to be Confused with that from *bancrofti*, 93
References to Literature, xii, liii
Symptoms, 90, 91
Treatment by Vaccine, 92

GUINEA-WORM, *see* DRACONTIASIS, *supra*

HOOKWORM INFECTION, *see* ANKYLOSTOMIASIS, *supra*

HYDATID DISEASE: India, 94–5

HYMENOLEPIS Infection
Parasite
H. nana,
Balkans, 97
Ecuador, 217

NEMATODE INFECTIONS, *see* Diseases due to, *under* Names
References to Literature, xi–xii, li–iii

ONCHOCERCIASIS
Co-incident with Elephantiasis, 92–3
Incidence
Congo, Belgian, 92–3
Parasite
Onchocerca
O. volvulus, in relation to Elephantiasis, 92–3

OXYURIASIS
Incidence
Age, 216
Class, 96
Geographical
Accra, 95
China, North, 97
French Guiana, 96
Galicia, 97
Philippines, 216

Helminthiasis—*cont.*
DISEASES, and PARASITES associated with them—*cont.*
OXYURIASIS—*cont.*
Parasite
Oxyuris
in Appendices, 98
Ova in Faeces: Accra, 95
O. vermicularis
Ova, in Balkan Faeces, 97
Percentage in
Cholera Carriers and Convalescents, 113
North China, 97

PARAGONIMIASIS (Distomiasis)
Causation, 75
Incidence
Age, 74
Class, 75–6
Geographical
Formosa, Northern, 74–5
France (non-indigenous), 75–6
Race, 74, 75–6
Misdiagnosed as Chronic Bronchitis, 76
Parasite
Paragonimus westermanii
Cercariae, Free and Encysted, 74–5
Life-cycle, 74–5
Mollusc and other Hosts, 74–5, 76
Ova in French Cases in Orientals, 76
References to Literature, x, li
Summary on Distribution and Clinical Signs, 76
Symptoms, 75–6
Treatment by Emetine, 75

PSEUDOAPPENDICITIS ZOOPARASITARIA, Characteristic Signs, 98

SCHISTOSOMIASIS (Bilharziasis)
Blood-Conditions, 78
Incidence
Geographical
Brazil, 78, 79
China, 88
Cochin-China (presumed), 77
Egypt, 76–7, 81
France (Imported Cases), 77
Guiana, French, 96
South Africa, 81
Transvaal, Northern, 77
Venezuela, 79
West Africa, 77
Race, 76, 77
Modes of Infection discussed, 78

Helminthiasis—*cont.*
DISEASES, and PARASITES, associated with them—*cont.*
SCHISTOSOMIASIS—*cont.*
Parasites
Schistosoma
Cercariae : Infection Experiments, 80
Intermediate Hosts, 78–9, 80–1
Miracidia; Integument of, 99
Ova ; Location ; and Symptoms according thereto, 76–7
Pools and Rivers Infested by, 77, 79, 81
S. haematobium
Ova and Miracidia ; Viability of, 79–80
Recurrent Attacks due to, 77–8
Routes of Penetration, 78
S. japonicum ; Cercariae, Points on Heads of, 78
S. mansoni
Cercariae ; Development of, 78–9
Intermediate Host, 78, 79
Infestation of, in French Guiana, 96
Prophylaxis, 79, 81
References to Literature, x-xi, li

RECTAL ; in Egypt, in Australian Troops, 76–7

STRONGYLOIDOSIS
Incidence
Age, 96
Geographical
Balkan-Adriatic Region, 215
China, North, 97
Guinea, French, 96
Philippine Islands, 96
Parasite
Strongyloides
Elimination from U.S. Troops ; Importance of, 85–6
S. stercoralis, 215
Ova in Faeces : Accra, 95
Percentage : N. China, 97
References to Literature, liii
Treatment by Thymol and Calomel, 96

TAENIASIS
Incidence
Geographical
Philippine Islands, 96–7
U.S.A., 94
Race, 94

Helminthiasis—*cont.*
DISEASES, and PARASITES associated with them—*cont.*
TAENIASIS—*cont.*
Parasites
Bothriocephalus, *see also* Dibothriocephalus, *infra*
B. liguloides (*Ligula mansoni*) in Animals : Development, 94
Dibothriocephalus
Species probably Harboured by Dogs, 94
D. latus
Experiments on Development, 93
Ova : Difference of, from Ova of *Ligula mansoni*, 94
Typical Case of Infection, 94
Taenia. 96
in Faeces, 67
Frequent : Balkan-Adriatic Region, 216
T. saginata ; Ova in Faeces, Accra, 95
T. solium, in Balkan Faeces, 97
in Ecuador, 217
References to Literature, ix-xi,
Treatment ; All Forms, by
Male Fern Extract, 94
Ol. Chenopod., 99

TREMATODE INFECTIONS, Known Hosts transmitting to Man, 80–1, *see also* Diseases due to, *under* Names
References to Literature, ix, xi, li

TRICHOCEPHALIASIS or TRICHURIASIS
Incidence
Age, 89, 95
Class (Marines), 89–90
Geographical
Brazil, 89
China, North, 97
Galicia, 97
Guadeloupe, 96
Guiana, French, 96
Guinea, French, 95
Philippine Islands, 96
Senegal, 95
Race, 96
Intestinal, Fatal, in Child, 89
Parasites
Trichuris, 89
in Appendices, 98
Ova in
Faeces, 67
Niger Water, 95
T. trichiura, in relation to Appendicitis, 89–90

Helminthiasis—*cont.*
DISEASES, and PARASITES associated with them—*cont.*
TRICHOCEPHALIASIS—*cont.*
Parasites—*cont.*
Trichuris—*cont.*
T. trichiura—*cont.*
Ova in Faeces
Accra, 95
Balkans, 97
Percentage in
Cholera Carriers, 113
North China, 97
References to Literature, xii, liii

VESICAL or URINARY
Incidence
Egypt, 79
France (Imported Cases), 77
Transvaal, 77–8
Parasite
Early Stages of, 79–80

GENERAL AND UNCLASSED, and Miscellaneous References
Appendicitis in relation to Worm Infection, 90
Carriers, Percentages: French Guiana, 96
Chenopodium: Administration Notes, 99
and Chloroform as Anthelmintics, 98–9
Microscopical Examination of Faeces, as Elucidating Obscure Conditions, 97
Preservation of Ova in Faeces; Simple Method, 99
References to Literature, ix-xiii, li-iv
Summary of Knowledge on, 76–7
Treatment by
Emetine, 77, 81
Neo-Salvarsan, 77
Worm Canals, True and other, in the Appendix, 98

PARASITES
Distome Cercariae in Natal Snails, 80–1
Cercarial Infections of South African Snails, 80–1
in
Cholera and Carriers, 113, 216
Filipino Children. 215, 216
Natives and Europeans at Bamako, 95
Ligula
Possible Cause of Creeping Disease, 397
Metagonimus
M. yokogawai, in Korea, 76
Cercariae: Larval and Encysted, 76
Ova, 76
First Intermediate Host, 76

Helminthiasis—*cont.*
PARASITES—*cont.*
Ova
Fixed Preparations of, Mode of Making, 112
Found in Faeces, Enumerated, 67

Hookworm Infections, *see* ANKYLOSTOMIASIS, *under* **HELMINTHIASIS**

Hydatid Disease, *see under* **HELMINTHIASIS**

Hydrophobia, Malaria giving rise to Symptoms Resembling: Ceylon, 10

Japanese River Fever, 194
Reference to Literature, xxx, lxxi
Transmission by Akamushi Mite, 194
Virus, considered to be Piroplasm, 194

Jaundice
Camp, of Spirochaetal Origin; Balkan-Adriatic Regions, 214
References to Literature, lxxv
Haemorrhagic; Malaria resembling; Balkan regions, 10
Infective Epidemic (Weil's Disease), *see* SPIROCHAETOSIS, ICTEROHAEMORRHAGICA, *under* **RELAPSING FEVER**
Splenomegalic; Balkan - Adriatic Region, 214

KALA AZAR (Leishmaniasis, All Forms), 143–57
Bed-bugs as possible Vectors, 143, 144
Blood Conditions, 146–9, 151
Blood Reactions in, 152
Cimex rotundatus
Experiments with, on Transmission of Bacteria and Cocci, 143
Viability in passage through, of, Leishmania, 143
Complications, in relation to Antimony Tartrate, 151
Diagnostic Methods
Historical Account of, 144
Intensive Culture for: Technique, 144
Spleen-puncture, 150
Rules for, 151–2
Dogs as Spreaders, 153
First Indigenous Case in Cirenaica, 145
Incidence: All Forms
Age, 145–52, 214

Kala Azar—*cont.*
Incidence—*cont.*
Geographical
Anglo-Egyptian Sudan, 153–4
Brazil, 156, 157
Europe, 145, 153
India
Calcutta, 145–51
Tables, 146–9
North-West Frontier, 154
Italy, 153
Macedonia, 214
Malta, 153
North Africa (chiefly Imported), 145
Sicily, 153
Spain (Endemic), 245–6
Tunis, 153
Race, 145, 153
Insect Vectors, Actual and Suspect, 143, 144, 156
Leishmania in
Cultivable from Blood in Apyrexial Periods, 144
Effect on, of Bacteria, 143
in Faeces of *Cimex rotundatus*, 143
L. donovani
Effect on, of Bacteria, 143
in Rectum of Bugs, 143
L. donovani and *L. tropica*
Experiments with, in Bed-Bugs, 143–4
Sub-cultures, with Monkey Blood, 144
L. tropica
Inoculation Experiments with, 155
Viability in Bug Faeces, 143

Leishmaniases: Various Forms

DERMAL or CUTANEOUS (Tropical Sore, Oriental Sore), 156
Experimental in Monkeys, 155
Secondary Infection by Auto-Inoculation, 155
Leptomonas of; Forms Identical with, from Geckos: Spain, 238
Treatment by Tartar Emetic, 153–4, 156

INFANTILE, *see* MEDITERRANEAN, *infra*

INTERNAL
First Indigenous Libyan Case, 145

MEDITERRANEAN
Histology, 145
Incidence; Age and Place, 145, 153
Treatment by Tartar Emetic, 153

Kala Azar—*cont.*
LEISHMANIASES—*cont.*
MUCO-CUTANEOUS, Naso-Oral, or Espundia
Pseudo-Leishmaniasis Mistaken for, 156
Incidence
Age, Place, Class, Sex, &c., 153–4, 156
Symptoms: Cure, 156
Treatment by Tartar Emetic, 146, 151, 153, 156

Pium Flies as Vectors, in the Amazon Basin, 156
References to Literature, xiii-xiv, liv-v
Spleen-Enlargement, 146–9
With no Leishmania or Plasmodia present, 153
Treatment: All Forms, by
Antimonial Preparations, 152
Digitalis, 151
Tartar Emetic, 146, 151–2, 153, 154, 155, 156
Especially in Young Children, 145–51, *tables* 146–9

Kedani Fever, *see* **Japanese River Fever**

Laboratory Reports, *see* **Reports**

Leishmania, *see under* **KALA AZAR**

Leishmaniasis, *see* **KALA AZAR**

LEPROSY, 401–10
ANAESTHETIC
Contracted (?) on the Gold Coast, 406
in Nigeria, 409
Wassermann Reaction in, 404
Non-Infectiousness of, 403

Bacteriology
Bacillus
B. leprae
Absence of, Indication of Absence of Danger to the Public, 403
Action on, of Chaulmoogra Oil, 409
Discovery of, 409–10
in Flies fed on Sores of, 405
in Nasal Smears, 404
Bugs in relation to, 405
Culion Leper Colony, Philippines: Statistics of, 401–2
Cures: Time taken by, 406, 407, 408
Diagnosis, from Public Health Standpoint, 403
Radiographical, Early, 404

Leprosy—*cont.*
Diagnostic Difficulties, 403
Serum Reactions, 409
Duration of Disease, 402
Etiological Problems, 404
Fat Globules in Leprous Cells, 405
Flies in relation to, 405
Granules found in Lepra bacilli from Nasal Mucous Membrane, 404
Hansen, and the Discovery of *B. leprae*, 410
Incidence
Age, 401
Familial, 402
Geographical, *see also under* each form
Agua de Dios, 406
Brazil, 401
Ceylon, 408
Cuba (Havana), 407
Dutch East Indies, 405
Fiji, 405
French Guiana, 401
Hawaii, 401
India (Madras), 404
Malaya, 405
Martinique, 408–9
Norway, 401, 409–10
Philippines, 401–2
Porto Rico (decreasing), 387
Singapore, 405
Spain, 404–5
Race, 401
Sex, 402

MACULAR: Curability of, 406

MACULO-ANAESTHETIC: Transmissibility of, 402–3

Molokai Leper Settlement, account of, 402
Mortality among Children of Lepers, 402
Neisser, and the Discovery of *B. leprae*, 409–10

NERVE, *see* ANAESTHETIC, *supra*

NODULAR (Tuberous)
Incidence
Geographical
Argentina, 409
Nigeria, 409
U.S.A. (in Russian Immigrant), 406

Prophylaxis
Leproseries, 401
Segregation, 387
References to Literature, xiv-xv, lv-vi
Serological Experiments, 409
Syphilis combined with, 406, 409

Leprosy—*cont.*
Syringomyelia and Leprous Neuritis; Difficulty of Differential Diagnosis, 405
Tissue changes in, Resembling Tuberculosis, 406
Transmission, Problem of, and Theories on, 401, 402-3, 404, 405
Treatment: All Forms
Chaulmoogra Oil, 405, 406, 407, 408–9
with Sod. gynocardate, 407–8
Cuban Methods, 407
Heiser's Method, 409
Home, 401
Red Mango Decoction, 407
Sarsaparilla, &c., as Beverage, 407
Sod. gynocardate, 408
with Chaulmoogra Oil, 407
Unsolved Problems regarding, 404
Wassermann Reaction in, 403, 404–5, 406

Library of the Tropical Diseases Bureau
Journals Contained in
Current, i-vii
Out of Publication, viii

Liver Abscess, *see under* **AMOEBIASIS**

MALARIA, 1–39, 280–311.
ACUTE
Cachexia of: Cause, 284
Special Wards for, 290

AESTIVO-AUTUMNAL *see* SUB-TERTIAN, *infra*

Albumenuria Increased by Intravenous Injection of Quinine, 24
Amnesia of, 294
Amoebiasis as Complication, 284
Anaemia of, *see also under* Symptoms, *under* Various Forms
Phases of, Terminology of, and Treatment, 16
Anaesthetics in relation to, 290
Anopheles Associated with
Bionomics, 12
Breeding Places, 6–7, 11, 280, 304–5, 311
Running Water, 307
British: Infection of, by Returned or Imported Cases, 13
Carriers of, 237
Crescent passing Unchanged in Dejecta of, 32
Cold as affecting, 12, 13, 32

Malaria—*cont.*
Anopheles Associated with—*cont.*
Development in, of Subtertian Parasite; Effect on, of Low Temperature, 32
Distribution
Albania, 11
America, U.S.
Arkansas, 304–5
North, 32
South, 37
Australia, 237–8
England, 13, 37, 289–90
France, 32–3, 37, 39
German East, and North-East Fronts, 11, 12, 13
Gold Coast, 308
India (Punjab), 280
Italy, 281, 282
Java, 37–8
Macedonia, 306, 307
Malaya, 307
Morocco, 7
Philippines, 291
Rumania, 287
Russia, 12
Switzerland, 311
Examination of, after Feeding on Crescent Containing Blood, 3
Flight-distances of, 37
Found in Stables, 307
Haunts of Predilection, 12, 307
Hibernation of, as
Adults, 37
Larvae, 37
Infectivity as affected by, 32
Infectibility of *A. rossi* considered, 280
Infection
Hereditary, postulated, 12
by Military Malaria Carriers: Prophylactic Suggestions, 30–1
Infectivity of, Dependent on Number of Bites taken from HumanCarrier,32
List of those referred to
annulipes, 237–8
barbirostris, 37
bifurcatus, 37, 282, 307, 311
crucians, 32
maculatus, 307
maculipennis, 7, 13, 32–3, 37, 282, 287, 289, 306, 307, 311
Proved Efficient host of *P. vivax* in England, 289–90
pseudopictus, 287
punctipennis, 32
Haunts, and Flight-distance Powers, 37
quadrimaculatus, 32, 304, 305
Haunts and Flight Powers, 37
rossi, 280, 291

Malaria—*cont.*
Anopheles Associated with—*cont.*
List of those referred to—*cont.*
rossi (var *indefinitus*) 37
rossii (Giles) 37
rossii (myzomyia), 38
sinensis, 37
superpictus Gr., 307
var. *macedoniensis*, 307
of Non-Marshy regions, Infectivity of; Experiments on, 32–3
of North America, Plasmodia borne by, 32
Swarming, in relation to Relapses, 13
Twelve Species on Gold Coast, 308
Anopheles Stations: French Savoy, 310
Anopheles Survey: Trinidad, 6–7
Anti-malarial Campaign work, &c., *see under* Prophylaxis, *infra*

ASTHENIC; Treatment by Adrenalin, 290, 292

Barcoo Rot in relation to, 388
Blackwater Fever in relation to, 40, 41, 42, 287
Blood-Conditions
Arneth Count (Index), 80, 89, 229, 230, 239, 292, 293, 309
Arterial Tension, Diminished, and Variable, 15
During and Between Paroxysms, 291–2
Embolism, in Sub-tertian, 4
Erythrocytes Present During and after Paroxysms, Number of, 292
Globular Resistance during, 302, 303
Leucocyte Count, 281, 291, 309
Leucocytes: Melaniferous, in relation to Determination of Endemic Index, 281
New Blood-Symptom, 309
Quinine Concentration Estimation 299, 300
Blood-Examination of Returned Soldiers from Malarial Regions, 287
Blood-Smears for Diagnosis; Thick and Thin, 36
Bone Marrow as Site of Undamaged Plasmodia, 283, 285
Brauer's Injection, for Bringing out Latent Malaria, 39
Bronchitis, Dry, Malarial; Balkans, 10

Malaria—*cont.*
Carriers, *see* Anopheles, Mosquitoes, &c.
Human, 14
Age at which Percentage highest: California, 7
Infectivity of Mosquitoes Dependent on Numbers of Bites taken from, 32
Native; Quininisation of: Algeria, 8
Prophylactic Treatment, 305
Returned Troops, *see* Incidence, Class, Troops, *infra*
Surgery in relation to, 290
Cases in which Plasmodia are not Demonstrated, Showing Globular Resistance, 303
in Children: Determination of Endemic Index, 280–1
Cinchona Alkaloids, Lethality of, 24
Cinchonidine the least Lethal of Cinchona Alkaloids, 24
Sulphate; Idiosyncracy to, 24

Chronic
Cold, Sudden, an Exciting Cause of Relapses, 284, 285
Gametocyte Persistence in, 3
Complications; Suprarenal, 292
Dormant; Awakened by Surgery, 290
Globular Resistance in, 302, 303
Mononucleosis in, 39
Race Incidence, 40
Reinfections in, 284
Relapses in; Periodicity; Causation, 13, 284
Special Wards for, 290
Splenomegaly of, 56
Symptoms, 16, 19, 50
Treatment by
Arsenic and Iron with Quinine, 19
Quinine with
Arsenicals, 25, 287
Neosalvarsan, 25
Tartar Emetic, 301

Coincident with
Ankylostomiasis; Arneth Count in, 239
Relapsing Fever (possibly), 200
Cold, Sudden, as Exciting Cause of Relapses, 12, 13, 32, 231, 284, 285
Compendia of Facts on, 38
Complications, 9, 10, 14, 167, 286, 292, 293–4, 296
Control Experiments, 304–5
Convalescents; Agricultural Colonies for, in Anopheles-free Districts, Suggested, 30–1

Malaria—*cont.*
Cutaneous Affection due to: Balkans, 10
Danger of, to and from Armies, 5–6, 13, 14, 15
Diagnosis, 310
Blood Smears for, Thick and Thin: Comparative Study of, 36
Modern Methods, 3–4
Differential, from
Acute Mania, 295
Cerebro-Spinal Meningitis, 295
Diseases Simulated by, 9–10, 17, 281, 290, 295, 300
of the Reproductive System due to: Balkans, 10
Double Infections; Treatment by Quinine Bihydrochloride, Intravenously, 27
Endarteritis due to, 295
Endemic Index, in Children; Methods of Determining, 280–1
in French Guiana, 7
of School Children; California, 7
Entamoeba histolytica Infection present in, 47
Erythrocytes, Parasitised; Alteration in; Methods for Studying, 38
Ether as Anaesthetic for Malaria Carriers, 290
an Exanthema; with Erythema, 17
Febrile crises; Globular Resistance during, 302, 303
Fever due to, Occurring after Admission for Other Complaints, 286
Gangrene due to, 16, 296
Gonorrhoea, Complicated by, 286
Haematuria due to, Arsenico-Quinine Oral Treatment for, 24
Haemorrhage in
Retinal, 293
Secondary, 294
Health of Cases Treated as In- and Out-patients, 19
Immunity
Acquired, 284, 287
Negro, 35
Researches on, 4–5
Incidence, All forms
Age, 16, 216
Class
Fighting Forces, 5–6, 8, 11–13, 14–15, 17, 18, 21, 24, 25, 38, 183, 235, 280, 281, 282, 283, 284, 286, 287, 288, 294, 306, 308, 310
Geographical
Accra, 88–9, 210
Africa, Central, with Relapsing Fever, 198

Malaria—*cont.*
Incidence—*cont.*
Geographical—*cont.*
Albania, 11, 26, 310
Indigenous, 296
Algeria, 288
Epidemics, 8
America U.S.
Arkansas, 304–5
California; Endemic, 7
North Carolina, 36
S. E. States, 305–6
Balkan-Adriatic, Mediterranean, Eastern Fronts, 9, 10, 13, 29, 198, 212, 215
with Relapsing Fever, 190
Bosnia-Herzegovina (Sarajevo), 284–5
Brazil (Madeira River), 35
British East Africa, 38
Ceylon, 9, 10
China, 88
Taiping, 297
East Africa, 297
Rufigi Basin, 306
Ecuador, 218
England
Acquired Abroad, 2, 13, 14, 19
Acquired in England, 13, 14
Sheerness, 289–90
France
Acquired at Home, 14, 16, 32–3, 289
Acquired on Service or Abroad, 18, 288
Anticipated Recrudescence, 38, 39
Latent or Potential Areas in, 39
French Guiana, 7
German Eastern and North-Eastern Front, 11 *et sqq.*
Germany, Contracted Elsewhere, 286–7, 301
Prussia, East, 283
Haussa district, 35
India, 24
Punjab, 5, 280
Italy, 14–15, 281, 282–3, 287
Brindisi district, 308
Libya (rare), 145
Macedonia, 8, 11, 14, 15, 18, 20, 26, 27, 29, 31, 284, 287, 288, 289, 290, 295, 306, 307
Madagascar, 280
Malaya, 307
Perak, 297
Manzal, 183
Morocco, 38, 288
Western, 7
Muscat, 6
Philippines, 216, 291
Poland, 286
Portugal, 310

Malaria—*cont.*
Incidence—*cont.*
Geographical—*cont.*
Portuguese India (Goa), 36
Rhodesia, 20
Rumania, 287
Russia, 300
North-Western, 12–13
Russo-German War-Front, 235
Slavonia, 25
Switzerland (possible), 311
Trinidad, 6–7
Turkey, 21
Virgin Islands, 217
West Africa, 220
Wolhynia, 286
Increase due to Presence of War Forces, 308
Race, 17–18, 24, 35, 40, 284, 302
Season, 281, 285, 287, 288
Sex, 293
Temperature and Humidity as affecting, 8, 12–13
Influence of Locality in Resistance of Patient, 288
Jaundice due to; Balkan Region, 214
Labour Corps, suggested, for Malaria Convalescents; Italian Army, 14–15
LATENT
Activation of, by
Brauer's Method, 39
Cold, *see* Cold, *supra*
Surgery, 290
Ultra Violet Light, 34–5, 285

LETHARGIC; in ex-Macedonian Patient, 18

Leukaemia after, in Natives: West Africa, 220
Liver Percussion in; Detection by, of Impending Relapse, 293

MACEDONIAN
Gravity of, to what ascribed, 288
Parasitology of, 11
Treatment of, and of Relapses, 20

Malaria Survey in Albania, 11
Malarial Fevers; Balkan Regions, 212, 213
Flea-bite Rash associated with; Errors caused by, 213
Jaundice, Transition of, to Black-water Fever, 40
Mastitis, in, and after, 15–16
P. vivax present, 16
Pigment; Solubility of, 303–4
Pleurisy: Balkans, 10
Syndromes of Central Nervous System: Balkan Regions, 9
Mastoiditis, Simulated by, 17

Malaria—*cont.*
Medical Entomology in relation to, 15
Microscopical Investigations, Post-mortem, in Macedonian Military Cases, 31
Middle Ear Suppuration Complicated by, 286
Military Considerations concerning, *see also* Incidence, Class, *supra*, 6–7, 13, 14, 15
Mixed Infections, 2, 7, 284–5, 287, 288
Effect in, of Luargol, 30
Treatment by Tartar Emetic; Results, 2, 30.
Mosquito Exclusion from Tents, 234
Mosquitoes, Essay on, in relation to the Disease, 39
Hibernation of, Innocuousness, possible, during, 32
Measures against, *see under* Prophylaxis, *infra*
Natural History, and relation to the Disease, 38, 39
of Trinidad: List of, 6
Negro Immunity, 35

OBSTINATE, Specific for, 309

Parasites, *see* Plasmodia, *infra*
Parasitology of Macedonian form, 11
Parotitis in, 293–4
Pathogeny and Pathology, 283
Percentage of Replies to Circulars on Prevention (U.S.A.) 306

PERNICIOUS, *see* SUB-TERTIAN, *infra*

Personal Observations, by Dr. Schilling, 301
Plasmodia
Action on, of
Novoarsenobenzol, 290
Quinine Bihydrochloride Intravenously, 27
Tartar Emetic, 28–29
Alternating Prevalence of Forms, 284, 287, 290
Anopheles Hosts of: North America, 32
in Blood: Disappearance of, 33-4
in Erythrocytes; Changes due to; Modes of Studying, 38
Percentages in Hausas, 35
Speedy Methods for Detection, 36
in Bone-Marrow, 283, 285
Crescents of, considered as Cysts, 4, 5
Final Developmental Phases, 3
Passing Unchanged with Mosquito Dejecta, 32

Malaria—*cont.*
Plasmodia—*cont.*
Different forms, 35
Enumeration-Methods, 39
Gametogony, Precocious, in Moroccan Cases, 7
German Observations on, 291
in Mixed Infections; Action on, of Tartar Emetic, 301–2
in Mosquitoes, Effects on Development of, of Low Temperatures, &c., 32
Non-Sexual, Reduced by Quinine, 19
Parthenogenesis of, in relation to Relapses, discussed, 2-3
Present in
Blackwater Fever, 41, 42
Clonorchiasis case: Cuba, 74
Quinine Fastness, 4
Apparent, 21 *et sqq.*
Determination of, 286
in relation to Relapses, 12
Sexual Phases of, in relation to Relapses, 20
Schizogony of, 4, 5
Staining Methods, 37, 303
Substances with Subversive Effect on, 34
Undamaged by Spleen action; Site of, 283
P. caucasicum, 35
P. falciparum, 210, 288, 306
Action on, of
Galyl, 2
Luargol, 30
Quin. bihydrochloride, Intravenously, 1
Quinine Acid Hydrobromide, 297
Salvarsan, 222
Tartar Emetic, 301
in Ankylostomiasis Cases: Accra, 88–9
Anopheles Hosts, 32
in Blood during Epidemic, 11, 284
Coexistent with *P. vivax*, 284
Disappearance from Blood on return to France, 288
Infection, *see* SUB TERTIAN, *infra*
in Macedonia, Alternation of, with *P. vivax* (*q.v.*, *infra*), 11
Phases of: Causation Problem, 4–5, 11
Sporulation by, 2
Place of, 4
Seasonal Prevalence, Macedonia, 287
P. malariae
Distribution of, in Fatal Case, 295
Infection, *see* QUARTAN

Malaria—*cont.*
Plasmodia—*cont.*
P. praecox (*falciparum*, *q.v.*) in Autochthonous French Case, 288
P. tenue, 35
P. tenue-like in Earliest stages, later changes in, 36
and Other Atypical forms: Accra, 210
P. vivax, 288, 306
Action on, of
Luargol, 30
Optochin, 23–4
Quin. bihydrochlor, Intravenously, 1
Quinine, Orally for two Consecutive Days only, 298
Tartar Emetic, 301
Alternating with *P. falciparum* (*q.v.*, *supra*), 11, 296
Anopheles Hosts of, 32
in Blood on Admission and before Discharge, 284
Co-existent with *P. falciparum*, 284–5
Experiments on, with Various Substances; Technique, 34
Infection, *see* TERTIAN, BENIGN
Near Lake Presba, Albania, 11
Seasonal Prevalence: Macedonia, 287
P. vivax, var *minuta*, 35
Polyneuritis as Disguise of, 9
Post-mortem Findings in
Macedonian Military Cases, 31
Quartan Case, 295
Primary Infections: Seasonal Differences between, 284
Prophylaxis, 38, 284, 308
Antimalarial Measures, Campaigns, Surveys, &c., 8, 38, 282, 283, 286, 304–5, 305–6
Carrier Control, U.S.A., 305
in Cases with Parotitis, 294
Culicifuges, 289
Drainage, &c., 283, 304, 305
Intensive Culture, relative Value of, to Anti-Mosquito Campaigns, 283
Larvicides
Ducks: Failures, 280
Fish: Failures, 280
Saprol, 307
Military, in the Field, 5–6, 289
Netting, 289
Oiling, 305
Principles governing, 6, 38
Quinine and Quininisation, 4, 6, 21, 23, 279, 280, 282, 283, 286, 287, 289, 290, 297, 305, 306, 308

Malaria—*cont.*
Prophylaxis—*cont.*
Quininisation
Military for Armies in the Field, 6
Muscat Plan, 6
of Native Carriers: Algeria, 8
Occasional Failure of, 21
Rules for Adults, 309
Screening, 289
Chimneys Capped, 305
Protean character in Balkan Regions, 9–10
Pseudo-Appendicitis, simulated by, Balkans, 10
Pseudo-Peritonitis simulated by: Balkans, 10
Pseudo-Relapses in, 4

QUARTAN
Incidence
Class: Troops, 284
Geographical
California, 7
France (Indigenous), 289
French Guiana, 7
Morocco, 7
Sarajevo, 284–5
Fatal Case, 295
Transmission Experiments with Flying Foxes, 33

Quinine, *see also under* Prophylaxis, *and* Treatment
Behaviour in Human Body, 299
and Cinchonine; Salts of, Experiment on, 23
Recent Conclusions on, 19, 286
Quinine Concentration in Blood; Estimation of, 299–300
Quinine Excretion in Urine, in Habitués and others, 299–300
Quinine Habituation; Drawbacks of, 20, 21 *et sqq*
Quinine Idiosyncracy, Cases of, 24
Quinine-Rash, 308

QUOTIDIAN
Plasmodial changes in; Goa, 36

Rash in, 17, 293, 308
Recognition of, 285
References to Literature, xv-xxi, lvi-lxii
Re-Infections in Chronic Cases; Characteristics of, 284
by Reiterated Mosquito-bites, 288
Relapses and Relapse Cases, 12–13, 27, 287
Causation Theories, 2–3, 4, 5, 13, 21, 283, 285
Form of Quinine Administration as concerned with, 21
Impending: Detection by Liver Percussion, 293

Malaria—*cont.*
Relapses, &c.—*cont.*
Optochin not Suppressive of, 300
Pathogeny of, and Post-mortem Findings, 283
Prophylaxis, 19, 20
Treatment
Arsenic and Iron, 20
Hygiene, 20
Quinine: Small doses: Prolonged course, 23
Quin. bihydrochlor. 21
Quinine-Neosalvarsan, 24–5
Relapsing Fever in relation to, 198, 200
Rice-culture in relation to, 291, 310
Schüffner's Granules and Maurer's spots in: Evolution of, 303
Special Wards for Acute and Chronic, 290
Spleen Census, Trinidad, 6
Spleen-Index in relation to *A. rossi*; Khewra, 280
of Children: French Guiana, 7
Spleen-Examination: Military Importance, 6
Splenomegaly
in Apparently Healthy Indian Soldiers, 5
in Rumania, 287

Sub-Tertian
Alternating with Benign Tertian: Macedonia, 11
A. maculipennis of Paris Region Infectible with, 33
Arneth Index in, 292
Associated with Rice Culture and Irrigation in Portugal, 310
Cerebral
Treatment by Galyl and Quinine, 27–8
with Coma, &c., Treatment: Recovery, 17–18
Cure by Quin. Ac. Hydrobrom, 297
Disguise forms, 9
Fatal, in Wounded Man: Possible Errors indicated, 296
Gangrene in, in Young Men, 16
Globular Resistance during, 302, 303
Incidence
Class, 282
Geographical
Accra, 210
California, 7
France, 289
French Guiana, 7
Italy, 282, 308
Macedonia, 11, 288, 306
Morocco, 7, 288

Malaria—*cont.*
Sub-Tertian—*cont.*
Incidence—*cont.*
Geographical—*cont.*
Portugal, 310
Virgin Islands, 217
Season, 11
Maurer's dots in, 303
Plasmodia of
P. falciparum
Action on, of
Luargol, 30
Salvarsan, 222
in Blackwater Fever: Albania, 42
in Brazil, 35
Phases of, How Conditioned, 4–5
in relation to Police Court Cases in Tropics, 295
Symptoms
Myocarditis, 20
"Pernicious," Causation-Theory, 4
Tetanic, 17
Transmission Experiments on Flying-foxes, 33
Treatment of, by
Atoxyl, 20
Galyl, 2
Luargol, 30
Optochin, 24
Quinine, 1, 21, 22, 27, 282, 297
Soamin, 20
Tartar Emetic, 2, 28–9, 301

Sunlight in relation to Relapses, 283, 288
Suprarenal Complications: Symptoms and Treatment, 292, 309
Surgery in relation to, 290
Symptoms: All forms, 9–10, 15, 16, 17, 19, 20, 31, 215, 281, 293–4, 295–6, 302, 309, 310
in Atypical Cases, 17, 18–19
Irregularity and Disguise of, 8–10
New Blood Symptom, 309
Spurious Acute Abdomen, 290
Unusual, 281
Urticarial, 293
Temperature, Scheme of, as Basis for Treatment, 310

Tertian, Benign
Acquired in France, 14
A. maculipennis of Paris Region Infectible with, 33
Arneth Index in, 292
Arterial Tension in, 15
Chronic: Failures in, of Splenox. 297
Diagnostic Difficulties, 18–19
Double; Diagnostic Difficulties, 18

Malaria—*cont.*
TERTIAN, BENIGN—*cont.*
Incidence
Class, 282, 283
Geographical
Albania, 296
England, 13
Sheerness, 290
France, 289
French Guiana, 7
Germany (East Prussia), 283
Italy, 282, 308
Macedonia, 11, 295, 306
Morocco, 7
Portugal, 310
Rumania, 287
Russia, North-West (Epidemic), 12–13
Season, 11
Maurer's dots in, 303
Plasmodia of
P. vivax
Action on, of
Luargol, 30
Optochin, 23–4
Appearing in Tropical Malaria after Quininisation, 21
in Blackwater Fever: Albania, 42
Development of, in Mosquito as influenced by Low Temperature, &c., 32
Rapid Method of Detecting, 36
Relapse, in Mixed Infection with Subtertian, induced by Tartar Emetic, 2
Quinine-fastness, in relation to, 12
Schüffner's Granules in, 303
Symptoms: Cerebral, Severe, 295–6
Transmission Experiments on a Chimpanzee, 33
Treatment by
Amylopsin and Trypsin, 27
Luargol, 30
Optochin, 300
Quinine, 1, 26–7, 297, 298
Salvarsan, 286
Tartar Emetic, 28–9, 301

Thrombosis of Arterioles due to, 295
Transmission by
Anopheles (*q.v.*, *supra*), 32–3, 280, 281–2, 283, 287, 289–90, 291, 304, 305, 306, 307, 310, 311
Human Carriers, 32
Returned Soldiers, 13, 14, 15
Transmission-Experiments on Animals, 33
Traumatism as affecting Malarial Diathesis, 290, 296

Malaria—*cont.*
Treatment, 12, 38
Drugs, &c., Employed
Adrenalin, 8, 290, 292
Aethylhydrocuprein, 23–4
Amylopsin and Trypsin, 27
Antihaemolytic, 302
Arrhenal, 8
Arsalyt, 202–3
Arsenicals, 287
Arsenicals with Quinine, 8, 299
Atoxyl, 20
and Quinine, 8
Autohaemotherapy, 8
Bleeding, 281
Blood-restorative Method, 30
Luargol, 30
New Specific, 30
Galyl, 281
and Quinine, 27–8
Hectine, 30
Hydrotherapy, 38
Iron and Arsenic, 292
Lemon-Sodium Combination, of Willis, 30
Luargol, 30
Methylene Blue, 23, 29
Neosalvarsan, 23, 29
Death from, 296
Quinine-Combined, 25
New "Specific," 30
Novarsenobenzol, 290
and Quinine, 8
Nucleo-hexyl, 286
Optochin, 23–4, 300
Quinine
Post-Discharge, 301
Rules concerning Adults, 309
Views on Use of, 21–3, 29, 30
Quinoidine, 300
Serotherapy, 302
Soamin, 20
Tartar Emetic, 20, 28–9, 301–2
Experiments in, 8
Principles Governing, 10
Provisional Instructions for, in U.K., 19
Scheme of Temperature as Basis for, 310
Tremor in, 191, 294
Tropical (*P. falciparum* Infection), *see* SUB-TERTIAN, *supra*
Uric Acid and Purin Excretion, 309
Urine-Excretion of Quinine in Quinine Habitués and Others, 299–300
Warnings on Prospective Recrudescence of the Disease in France, 38
Wassermann Reaction in, 304
Wounds as Arousing Latent or Dormant, 290, 296

Malta Fever, *see* **UNDULANT FEVER**

MISCELLANEOUS, 210–39
Acute Inflammation of Outer Ear Passage in Man; East Africa, 223
Appendicitis, 98
Rare at Accra, 210
Arisaema Poisoning: China, 225
Arneth Counts in Children; North and East Australia, 229
Bael Fruit, Unripe, Medicinal Use of, 218
Blastocystis: Egypt, 43
B. enterocola: Accra, 210
B. hominis and Ova in Faeces
Brazil, 67
Omdurman, 63
Blastomycosis: Complement-Fixation Methods in, 227
Blood
Reducing Power of, in the Tropics, 221
Sugar Content of, in the Tropics, 221–2
Blood Conditions, *see* Arneth Counts, *and* Leukaemia
Bronchial Catarrh, 200
Broncho-Mycosis: Balkan-Adriatic Region, 215
Broncho-Pneumonia, 200
in Filipino Children, 215, 216
Cardiac Affections of Filipino Children, 216
and Vascular Complications due to Malaria, 10
Cellulitis, Diffuse, Heliotherapy for, 232
Chemotherapy
Emetine, *see also under* **AMOEBIASIS**
Diarrhoea due to, 227
Diseases in which of Service, 228
Proper Employment of, 228–9
Santonin-Substitute, 218
Children's (Native) Diseases, in the Philippines, 215–16
Cholecystitis Syndrome, Malaria simulating: Balkans, 10
Cod-Liver Oil in Rickets-Prevention, U.S.A., 221
Cold, Effect of, on Tropical Natives; Prophylaxis, 231
Colitis, Muco-Membranous; Emetine in, 228
Creosote for Destruction of Flies at all Stages, 236–7
Diabetes Innocens, in the Tropics, 221–2
Diarrhoea: Emetine-caused, 227
Diarrhoeal Diseases; Yeasts Isolated from: U.S.A., 233
Diphtheria: Schick Test for, with Special reference to Negroes, 225

Miscellaneous—*cont.*
Enteritis
Influence on, of Anti-Typhoid Inoculation, 64
Prior to Mixed Dysenteries, 61
Eye-Affections, *see* Iritis, Presbyopia, *and* Trachoma, *infra*
Fistula in Ano, Heliotherapy for: Tunis, 232
French Dispensaries and Hospitals in China and Siam, 216–17
Fruit-Eating Bat, as Laboratory Animal in Tropical Africa, 235
Fungi, *see also Monilia, under* **Sprue**
Nocardia, undetermined sp. from Accra, 210
Thrush-Causing: Sprue Fungus Similar to, 233
Funiculitis, Endemic: Macedonia, 215.
Glycosuria (*Diabetes innocens*) in the Tropics, 221–2
Race-Incidence, 222
Haemorrhage in Filipino Infants, 215
Heliotherapy, Applications of: Tunis, 232
Indigenous Drugs, &c., 218
Influenza, 200
Brazil (Epidemic, 1916), 182
Iritis, Syphilitic; Arneth Counts in, 230
Koorchi, Medicinal Use of, 218
Lathyrism in Man and Animals, 224
Leukaemia in Natives of West Africa, 220
Linseed Oil as Substitute for Cod Liver Oil, 218
Liver Cirrhosis, with Ascites and Rectal Dropsy: Balkans, 10
Infantile Biliary: Bengal; Symptoms, Mortality, and Treatment, 222–3
Congestion, Emetine in, 228
Low Fever in the Tropics, attributable to Glycosuria, 222
Meningitis, *see also* **CEREBRO-SPINAL MENINGITIS**
Suppurative and Tuberculous, in Filipino Children, 216
Olive Oil not Substitute for Cod Liver Oil, 221
Pancreatitis, form of Simulated by Malaria: Balkans, 10
Phthisis Haemoptysis of: Emetine in, 228
Plant-Poisoning, *see* Arisaema Poisoning, *and* Lathyrism, *supra*
Plantain Leaves, Medicinal Uses of, 218

Miscellaneous—*cont.*
Pneumococcal Infections among Blacks employed in France; Symptoms; Fatality; Post Mortem Findings; Treatment, &c., 226–7
Pneumonia, in
Black Troops in Europe, Albuminuria and Pneumococcus present, 231
Black Workmen: Toulon; Fatality; Post Mortem Findings: Treatment, &c., 226–7
Croupous, in Coal Miners: Dutch Indies, 225
Double Malaria Complicating, 286
Lobar and Lobular, in Filipino Children, 216
Poliomyelitis, Acute, Anterior, Summary of Recent Information on, 128
Presbyopia, in Natives: Dutch Indies, 224
Purpura Haemorrhagica, Epidemic Scorbutiform, in Italian Troops in Alps, 220
Rheumatic, Scorbutiform on Italian Front, 219
Quartan, Non-Malarial, Fever
Incidence
Ceylon, 214
Europe, 214
Rabies Statistics of
Pasteur Institutes at
Coonor, 211–12
Weltevreden, 212
Rash, due to Flea Bites; Balkan Region; Possible Mistakes regarding, 213
Rations in relation to Disease in Mesopotamia, 234
References to Literature, xxx–xl, lxx–vii
Respiratory Diseases in Filipino Children, 215, 216
Rickets in Negroes: New York district: Prophylactic Treatment, 221
Scarlet Fever; Differentiation from Erythema Scarlatiniforme, 398
Sciatica, 200
Scorpion Poison; Experiments on, 220
References to Literature, xxx, lxxi
Septicaemia, Pneumococcal, in Blacks in France: Fatality, 226
Skin-Grafts; Heliotherapy Beneficial to, 232
Sporotrichosis; Tissue Changes in, resembling those in Tuberculosis, 406

Miscellaneous—*cont.*
Sprouting of Grains, issued as Troop-Rations: Anti-Scorbutic Value of, 230
Still Births, Causes of
Java, 219
Philippines, 216
Sugar Content of Blood in the Tropics, 221–2
Thrush: Fungus Causing, Sprue Fungus Similar to, 233
Trachoma: Heredity in relation to, 232–3
Incidence
Geographical
Japan, 232
Tonkin (Hanoi), 233
Sex, 233
Proposed Methods of Combating, 232
Relationship of Patients, 232–3
Trench Nephritis; Relapse Case; Contra-indication for Inoculation for Bacillary Dysentery (*q.v.*), 59
Tumours, Rare in Filipino Children, 216
Urethritis, Non-Gonorrhoeal; Six Varieties, in Balkan-Adriatic Zone, and in the Tropics, 215
Uro-Genital Organs, Diseases of; Balkan-Adriatic Zone, 215
Vaccine Preparations, Bombay Laboratory, 211
Vaccinia, Generalised, in Sudan Natives, 224
Venereal Disease, *see also* Gonorrhoea, *supra, and* **Syphilis**
Etiology, 217
Prophylaxis: for Coolies Imported into Sumatra, 218–19
in Virgin Islands, 217
Yeast-like Fungi of the Human Intestinal Tract, 233

Moniliasis, *see* **Sprue**

Mycotic Diseases, *see under* **MISCELLANEOUS, SKIN DISEASES** *and* **Sprue**

Nematode Infections, *see under* **HELMINTHIASIS**

Onchocerciasis, *see under* **HELMINTHIASIS**

Oriental Sore, *see* DERMAL LEISHMANIASIS, *under* **KALA AZAR**

Oxyuriasis, *see under* **HELMINTHIASIS**

Pappataci Fever
Diagnostic Differentiation from Typhus, 213
Incidence
Class, 183
Geographical
Balkan-Adriatic Region, 213, 214
Waziristan, 183
Insect Vectors, *see* Phlebotomus, *infra*
Leucopenia as Diagnostic, 213
Misdiagnosed as Dengue: Macedonia, 213
Phlebotomus sp. as Vectors
P. legeri; Where found, 238
P. minutus; Where found, 238
P. papatasii; Day and Night Biting, Balkan-Adriatic Region, 213
Where found, 238
Rash, 213
References to Literature, lxii

Paragonimiasis, *see under* **HELMINTHIASIS**

Paratyphoid Fever, *see under* **ENTERIC FEVERS IN THE TROPICS**

Pellagra
Disease Resembling (Chichismo); Ecuador, 218
Etiology, 217
Incidence
Geographical
America, U.S., 233
Porto Rico, 387
Spain, 245
Virgin Islands, 217
References to Literature, xxi–iv, lxii–iii
Serological Reaction in, 278
Sprue Misdiagnosed for, 276
Tests with Cultures of *Monilia psilosis*, 278
Uncinariasis Associated with, 387
Yeasts Isolated from, 233

Phlebotomus Fever, *see* **Pappataci Fever**

PLAGUE, 459–69
Anti-Anaphylatoxin, and Proteotoxin-Resistance; Experiments on, 466–7
Anti-Plague Vaccine Manufacture: Bombay, 211
Bacteriology
Bacillus (i)
B. pestis
in Cat: Japan, 469
Selective Medium for Isolating, 468

Plague—*cont.*
Bacteriology—*cont.*
Bacillus (i)—*cont.*
B. pestis—*cont.*
Transmission Experiments on, with
Bugs, 459–60
Rat-Fleas (Indian), 460
Black Fever (Typhus) misdiagnosed as (in Epidemic of 1900), 127
Bugs as Possible Vectors; Experiments with, 459–60
Fleas (*see also* Rat-Fleas, *infra*) as Vectors, 460 *sqq.*, *tables*, 461, 462
Indian: Duration of Infection of, 460
Infection-Duration in Indian Fleas and Rats, 460
Incidence
Case: Various Districts, Java, 462
Geographical, *see also under* Each Form
Dutch East Indies, 462–3

PNEUMONIC
Cause (Tibetan epidemic), 463
Incidence
Geographical
Manchuria, 463
Tibetan Border, 463
Treatment
Eusol, Intravenously, 465–6

Prophylaxis
Methods Disliked in Java, 463
Rat Destruction on Ships; New Orleans Fumigants' Efficiencies, 464–5
Tar dipped Shirts, 235
Tibetan Border Methods, 463
Rat-Fleas; Percentages on *Mus decumanus* and *Mus rattus grisieventer*: Java, 460
Rats as Agents of Spread, 462–3
Rats, Indian; Duration of Infection in, 460
References to Literature, xxii, lxiii-iv
Transmission by
Bugs; Experiments on, 459–60
Fleas, 460 *sqq.*, *tables*, 461, 462
House-Rat: Java, 462
Migration, 463
Treatment *see also* Each Form
Quinine and Carbolic Acid, 69

RAT-PLAGUE
Incidence
England (Bristol), 464
Japan, 460–2, 469
Java, 462
Septicaemic; *B. pestis*-like Organism in: Japan, 469

Polyneuritis Avium, *see under* **BERIBERI**

PROTOZOOLOGY (excluding Amoebae and Most Trypanosomes), 417–31
DISEASES OF PROTOZOAL ORIGIN AND THEIR PARASITES
Anaplasmosis, Bovine, in
Russia, 429
Turkey in Asia, 429
Parasite
Anaplasma centrale, 429
Blastocystis, in Mixed Infection, 420
Chilomastix mesnili Infection; Other Parasites present, 420
Coccidiosis, in the Balkan-Adriatic Zone, 214
Nuttalliasis, Equine: Morocco, 430
Parasite, *Nuttallia equi*, 430
Piroplasmosis
Bovine
Carrier, 429
Incidence
Panama, 429
Russia, 429
Turkey in Asia, 429
Mortality, 429
Parasites
Piroplasma
P. annulatum, 429
P. bigeminum, 429
Probably Tick-spread, 429
Equine; Morocco, 429–30
Parasite
Piroplasma
P. caballi, 430
Prophylaxis: Sole Means of Securing Efficient, 417
Toxoplasmosis of Gondis: Parasite, 425
Trench Fever: Organisms found in, 430–1
Trichomoniasis
Arneth Counts in, 230
Parasites
Trichomonas
T. intestinalis: Accra, 210, 230
T. vaginalis: Accra, 210
PROTOZOA
Balantidium, in Horses, 430
Blastocystis, Product of Cell-Necrobiosis, 417
Bodies in Blood of African Snakes, 418–19
Calonympha, 423
Chilomastix genus; History of, 420
C. mesnili; in Brazil: alone, and with *Enteromonas hominis*, 424
Cysts, 417
Formation, 420

Protozoology—*cont.*
PROTOZOA—*cont.*
Chilomastix genus—*cont*
C. mesnili—*cont.*
Description, 420
Distribution, 420
History, 420
Pathogenicity and Treatment, 419–20
Synonyms, &c., 420
Coccidia: Egypt, 43, 44
Copromastix
C. prowazeki, n.g., n. sp.; Description and Diagnosis of genus, 421
Enteromonas genus, 420, 421
E. hominis in
Woman: Sudan; Characteristics: Symptoms due to, 421–2
Mixed Infections with *Chilomastix mesnili*: Brazil, 424
Euflagellata: Diagnostic Tables of, 420
Flagellata
Causation by, of Dysentery, or Diarrhoea, not proven, 270
of Invertebrates: Plurality of, 425
Parasitic: Brazil, 424
from Vaginitis Cases: Accra, 210
Gymnonympha, 424
Haemamoebidae: Franca's Classification, 426
Haematozoa of Birds, 417–18
Haemogregarina
Franca's Classification, 426
Haemogregarine in *Phyllodactylus gerrhopygus*, Described, 428–9
H. bicapsulata, Cyst-formation in Cells infected with, 427
H. didelphydis, n. sp., in Opossums, 428
H. hominis n. sp., in Chinese, Described, 427–8
H. unnamed, of Trench Fever: Discussed, 431
Schizogony of, 427
Haemoproteus; Avian Hosts of, 418
H. tinanculi; Schizonts of, in relation to *Schizo. cruzi*, 167
Haemosporidia
Biology of, 427
Classification of, 425–7
Haemotrichomonas
H. columbae, 423
H. gallinarum: Eritrea, 422–3
H. ophidium, 423

Protozoology—*cont.*
PROTOZOA—*cont.*
Hepotazoa; Franca's Classification, 426
Herpetomonads in Bugs: Survival to reach Rectum, 143
Herpetomonas Infection, of *Musca domestica*: Accra, 238
Holomastigotoides, 424
in Human Faeces; relative Numbers in 477 Cases, 67
Intestinal, *see also* Amoebae, *Lamblia, &c., under* **AMOEBIASIS**, *and* **DYSENTERY**, FLAGELLATE
Joenia, 423
Lankesteria culicis, in *Stegomyia fasciata* Larvae: Accra, 238
Leidya n.g., 423, 424
L. metchnikovi n. sp., 423, 424
Leucocytozoa
L. Martyi, in Birds: Bamako, 418
Lophomonas, 423
Mastigophora: Diagnostic Tables of, 420
Fantham on, 417
Microfilaria in Birds, 418
M. bernardi: Bamako, 418
Monozoa; Diagnostic Tables of, 420
Octomitus dujardini: Where Found, 424
Parasitic to Man; Probable Evolution, and need for Study of, 417
Phylogenetic Relationships of Genera, with Diagram, 419, 420
Piroplasmata
Organism provisionally Classed with, found in Trench Fever, 430–1
Ticks acting as Vectors, 429
Proteosoma, Unpigmented, of Canaries and Ducks, 430
Protomonadina: Diagnostic Tables of, 420
Pseudotriconympha, 424
Spirochaetes, *q.v., also under* **RELAPSING FEVER**
Considered as Protozoa, by Nuttall, 196
Experimental Infection with, of Fowls (Spiroschaudinnia), 422–3
Fantham on, 417
Symbiosis of, with Fusiform Bacilli, 222
Spiroschaudinnia, see Spirochaetes, *supra*
Stephanonympha, 423
Tetramitidae fam.; genera of, 420

Protozoology—*cont.*
PROTOZOA—*cont.*
Tetramitidinae, 420
Theileria parva, Schizonts of, indistinguishable from those of *T. cruzi*, 167
Trichomastix saurii, n. sp.; Brazil; Described, 424
Trichomonas
Cysts: Researches on, 422
Mode of Entry into Mucous Membrane of Caecum of Turkeys, 251
Triconympha, 424
Triconymphidae: Franca's Classification, 423, 424
T. agilis, 423, 424
Toxoplasma gondii; Possible Insect Vectors, 425
Waskia wenyoni, n. sp., of *Cebus curaya*: Brazil, 424

References to Literature, xxxviii–ix, lxxviii–ix

Pyrexia of Uncertain Origin
Arneth Counts in, 230
Differential Diagnosis from Typhoid, 438

Rat-Bite Fever, or Sodoku, 189–93
Cat-Bite Caused, 191
Cat-Bite Disease: Japan 192–3
Identity with Rat-Bite Disease, 192, 193
Spirochaete present, 193
Symptoms, 192
Treatment by Salvarsan, 193
Etiology: Spirochaetal Infection, 189–90
Immunity Substances in Serum, 190-1
Incidence
Geographical
Balkan-Adriatic Region, 214
Dutch Indies, 191–2
Portuguese India (Goa), 191
Pathology, 190–1
References to Literature, xxx, lxxi
Spirochaetes in: Two types, 189, 190
Spirochaetosis in Guinea-pigs: Causal Agent believed Identical with that in Rat-Bite Fever, 192
Treatment by
Neo-Salvarsan, 191, 192
Salvarsan, 189
Water of Holy Well, &c., 191

RELAPSING FEVER & other Spirochaetoses, 195, 209
Atypical, Albania, 201
Parasite of, and Spirochaetes in, .. 201
Post-mortem Findings, 201
Treatment, 201
Bed-bugs as Vectors, 195

Relapsing Fever—*cont.*
Co-incident with Typhus; Balkan Region, 213
Comparison of, with Weil's Disease, 407
Complications, 197, 199, 200
Concurrent with Malaria, 198
Diagnosis, 200
Gait as Hint for, 199
Leucocyte Formula useful in, 197
Mistakes in, 200
Diagnostic Difficulties at Onset, 213
Diet Deficiency in relation to, 199
Fleas as Vectors, 199
Gait as Early Diagnostic Sign, 199
Incidence
Class, 197, 199, 200
Geographical
Africa, Central (with Malaria), 198
Albania, 201
Algeria, 201–2
Balkan-Adriatic Region, 198, 199, 213
Bulgaria, 202
German East Africa, 197
German Eastern War-Front, 199, 200
Macedonia, 197, 202
Manchuria, 203
Perso-Turkish War Front, 199
Turkey, 202
Victoria Nyanza Region, 222
Race, 199, 222
Incubation Period, 196
Infective Jaundice (Weil's Disease), *see* SPIROCHAETOSIS ICTEROHAEMORRHAGICA *infra*
Insect Vectors, *see* Fleas, *supra, and* Pediculi, *infra*
Malaria in relation to, 198, 200
Other Diseases Coincident with, 213
Pediculi as Vectors, 213
P. humanus, 195–6
Mode of Infection by, 196
References to Literature, xxiii–iv, lxiv–v
Rash in, 213
Spirochaetes referred to
Action on, of Emetine, 54
Causing, in Manchuria
Experiments on, 203
Fission Method: Investigation of, 203
Considered to be Protozoa, by Nuttall, 196
in Fever free Intervals: Albanian Case, 201
of Human Intestine: Cultivation of, *in vitro*, 204
Length as means of Distinguishing Smaller ones, 203–4
Morphology of those of Vagina, Throat, and Bladder, 203–4

Relapsing Fever—*cont.*
Spirochaetes referred to—*cont.*
Nodosities on: Italian War-Front, 206
Persistence of, in Lice; Infectivity of the Latter, during Invisibility of Former, 195, 196
S. bronchialis; Coryza-like Affection due to, 215
S. icterohaemorrhagiae
American, Japanese, and Belgian; Probable Identity of, 205
as Causal Agent, 210
Culture Media for, 205
Vitality of, in Kidney, after Death of Patient, 208-9
in Wild Rats
America U.S., 204–5
Bibliography, &c., 205
Morphology, 205
Brazil, 206
Japan, 209
S. marchouxi; Length-Measurements of, 204
S. recurrentis: *Pediculus humanus* as Carrier of, 195
S. vaginalis, Length of, 203
in Urine, 202
Spirocheto-Plasmodic Fever of the Serbs, 198
Symptoms, 197, 198, 199, 200
Psychical, with Delirium: Algeria, 201–2
Transmission by
Fleas, 199
Pediculi, 195–6, 213
Treatment, 196, 197, 199
Arsalyt, 202–3
Kharsivan, 202
Neo-Salvarsan; Inefficacy of, with Rumanians, 199
Salvarsan, 222
with Tartar Emetic, 213
Treatment by Galyl, 207
Wassermann Reaction in, 207
Vitamine Deficiency in Relation to, 199

OTHER SPIROCHAETOSES

AVIAN
Parasites associated with
S. gallinarum. Mortality due to, 418
Spiroschaudinnia: Eritrea, 122

BRONCHIAL, 199–200
Incubation-period; Symptoms; Spread; Treatment, 200

BRONCHO-SPIROCHAETOSIS, in Balkan-Adriatic Zone, 215

Relapsing Fever—*cont.*
OTHER SPIROCHAETOSES—*cont.*
RHINOPHARYNGITIS SPIROCHAETICA, Coryza-like: Balkan-Adriatic Region, 215

SPIROCHAETOSIS ICTEROHAEMORRHAGIA, or Weil's Disease
Bilious Typhoid, in relation to, 207–8
Characters of, on Italian War-Front, 206
Experimental Means of Infection, 208
Immune Body in Serum: Efficacy of, 191
Incidence
Geographical
Balkan-Adriatic Region, 214
Brazil (possible), 206
Eastern War Front, 200
Italo-Austrian War Front, 206
Japan, 208, 209
Peru (in a Japanese), 209
Post-mortem Vitality of *S. icterohaemorrhagiae* in Kidney, 208–9
Spirochaetes in: Locale of, 189, 190
Transmission, 207
Treatment by Serotherapy: Methods used, 208

TRENCH FEVER—Is it a Spirochaetosis? 207

Tropical types; Locales of, 206

REPORTS OF LABORATORIES, &c., *see also* Separate INDEX TO APPLIED HYGIENE
Accra (1916), 210, 229, 238
Bombay Bacteriological (1915 & 1916), 211
Pasteur Institute
of Southern India, Conoor, 1916–17, 211–12
Weltevreden (1916), 212
References to Literature, xxxii, lxxii
Vaccination Bureau Weltevreden (1916), 212

REVIEWS OF BOOKS, 70–2, 158–9, 240–2, 312–16, 470–1
Consumption, Treatment at Home and Rules for Living (Crowe & Sprawson), 72

Reviews of Books—*cont.*
Diabetes, Its Causation and Treatment (with Special Reference to India), (Waters), 470–1
Human Intestinal Protozoa in the Near East [British Troops and Native Carriers], with Special Reference to the Carrier Question, Diagnosis and Treatment of Amoebic Dysentery, and an Account of Three New Human Intestinal Protozoa (Wenyon & O'Connor), 314
Kala Azar, Its Treatment (Brahmachari), with foreword by Hon. Surgeon-Gen. W. R. Edwards, 71–2
Laboratory Studies in Tropical Medicine (Daniels & Newham), 240–2, 315–16
Leishmanioses, Kala Azar, Bouton d'Orient, Leishmaniose Américaine (Laveran), 70–1
Maatregelen tegen Malaria [Prevention of Malaria]. (Fischer), 312–13
Principles, The, of Acidosis, and Clinical Methods for its Study (Sellards), 158–9
Tropical Diseases, A Manual of the Diseases of Warm Climates (Manson), 313–14

Ringworm, *see* Tinea, *under* **SKIN DISEASES, TROPICAL**

Rocky Mountain Spotted Fever, 186–8
Bodies in Blood in, 186–7
Incidence
Geographical
America U.S.
California, 186–7
Montana, 186–7
Pathological Conditions, Experimental, 126
Prophylaxis, 186, 187
References to Literature, xxx, lxxi
Resemblance to Typhus, and Non-Identity of, 141, 188
Ticks as Vectors, 186–8
Hosts of, 186–8
Virus: Laboratory Investigations of, 186–8

Round-Worm Infection, *see* ASCARIASIS, *under* **HELMINTHIASIS**

Sandfly Fever, *see* **Pappataci Fever**

Sandwith, Dr. F. M., C.M.G., Death of, 242

Schistosomiasis, (Bilharziasis), *see under* **HELMINTHIASIS**

Scurvy
Anti-Scorbutic Advantage of Causing Food-Grain to Sprout, 230
Antiscorbutics, 234
Anti-Scurvy Vitamines: Experiments on, 175–6
Barcoo Rot, and, 188
Etiological Theory (Deficiency), 175
Food Stuffs as Preventives of, and of Beriberi: Relative Values (*table*), 177
Gait in, 199
Incidence
Class, 234
Geographical
Mesopotamia, 176, 234
Race, 176, 234
Malaria Resembling: Balkan Regions, 9
Meat Diet as Prophylactic, 176
Preparation of Germinating Legumes for Prophylactic Diet, 177

Seven-Day Fever, *see* **DENGUE**

SKIN DISEASES, TROPICAL (*see also* DERMAL LEISHMANIASIS *under* **KALA AZAR,** *and* **YAWS),** 387–400
Acnitis, in Negro, 400
Ainhum in Hindu, possibly Syphilitic, 399
Barcoo Rot (Veldt Sore), New South Wales; Causation: Treatment, 388
Blastomycosis, 387
Bullous Eruption due to Blister Beetles: Khartoum, 393
Cheloid, Giant, in Dahomey Native, 399
Creeping Disease; Japan; Characteristics: Possible relation to Ligula Infection: Treatment, 397
Craw-Craw: Etiology, 397–8
Dermatitis, Caused by
Butterflies and Moths; French Guiana, and Japan, 392
Micuim Insect: Brazil, 393
Symptoms: Treatment, 394

Skin Diseases, Tropical—*cont.*
Dermatitis, Caused by—*cont.*
Rhus-Poisoning, 391–2
Non-Bacterial Nature of the Poison, 392
Occupational, *see* Oil Eczema, *infra*
Dermatitis Scarlatiniforme, Differentiation of, from Scarlet Fever, 398
Erythema Scarlatiniforme, Nature of, 398
Gangosa; Dutch East Indies, 400
Granuloma Venereum
Etiology, 395
Incidence
Geographical
Brazil, 396
India, 395
South Africa, 395
Race, 395
Sex, 395
Organisms Associated with, 395
Treatment by Tartar Emetic, 395, 396
Keratodermia Punctata; Differentiation of, from Yaws, and from Keratodermia plantare sulcatum, 398
Lacquer Dermatitis: Japan: Cause: Treatment, 391–2
Larbish, *see* Oerbiss, *infra*
Leptothrix, *see* Trichomycosis, *infra*
Mycetoma
Classification and Description, 389–90
Actinomycoses, 389, 390
Treatment, 390
Maduromycoses, 389
Treatment, 390
Mycetoma pedis nostras: Switzerland, in Italian: Causal Agent; Treatment, 390–1
Paramycetoma, 389, 390
Pseudomycetoma, 389, 390
Treatment, 390
Oerbiss or Larbish: West Africa; Cause: Symptoms; Treatment, 396
Oidiomycosis: Porto Rico, 387
Oil Eczema: Etiology; Sex-Incidence, 394
Orange Coloured Skin Disease: Associated Symptoms, 399
Otomycosis due to *Nocardia cylindracea,* S. Africa: Treatment; Cultural Experiments, 391
Pediculosis: Porto Rico, 387
Plant Poisoning, *see* Rhus, *under* Dermatitis, *supra*
Pneumococcal Skin Infection in Blacks in France, 266

Skin Diseases, Tropical—*cont.*
Pruriginous Dermatitis, due to Butterfly, 392
Psoriasis: Porto Rico, 387
Simulated by Syphilide in Negro, 399
Pyosis Tropica: Porto Rico, 387
References to Literature, xxiv-v, lxv-vi
Ringworm, *see* Tinea, *infra*, 387
Scabies, Secondary, among poor Turks, 400
Rare in Porto Rico, 387
Scarlet-Fever Like Eruptions, in the Tropics, 398
Simulated by Malarial Infections; Balkan Regions, 10
Sporotrichosis: San Paulo, Brazil; Parasite: Treatment, 389
Streptothrix verrucosa, n. sp., 390
Syphilide, with Psoriasic Eruption in Negro: Treatment by Salvarsan, 399
Tinea
Forms met at Porto Rico, 387
Fungi Associated with, 387, 388
Classification, 388
New Type, 388
in Australia, 388
T. imbricata in South Africa in Kaffir, 388–9
Trichomycosis: Porto Rico, 387
Tumours, Malignant, as Pseudomycetomata, 390
Ulcus tropicum, 387
Organisms Associated with, 394, 395
Treatment, 394, 395
Urticaria due to
Caterpillar: Rumania, 393
Moth: Japan, 392
Vaccinia, Localised Gangrenous, at Khartoum: Symptoms, Treatment, 398–9
Veldt Sore, *see* Barcoo Rot, *supra*

SLEEPING SICKNESS, and other Trypanosomiases, 161-8
General References
Average Duration of Life of Natives Infected with Trypanosomes, 161–2
Diagnosis by Gland Puncture, 161
Fruit-Eating Bat as Reservoir of Virus, 235
Triatoma Infected by *P. cruzi*, 166

Glossina
Distribution in Belgian Congo, 167–8
Game, Big, in relation to, 167–8
G. brevipalpis; Distribution, Belgian Congo, 167

Sleeping Sickness—*cont.*
Glossina—*cont.*
G. morsitans
Big Game in relation to, 167–8
Distribution, Belgian Congo, 167–8
G. pallidipes, Distribution, Belgian Congo, 167
G. palpalis, Distribution, Belgian Congo, 167
Trypanosomes of, Limits of Adaptability of, 425

References to Literature, xxvi, lxvii

Trypanosomes
Culture Media, 164
Divisional Processes in, Compared with those in related Flagellates and *Prowazekella lacertae*, 164
Infection with; Average Duration of Life after, 161–2
Monomorphic, of Man: Comparisons with *T. vivax*, 162
Schizotrypanum cruzi, *see T. cruzi*, *infra*
T. ardea, in Birds: Distribution, 418
T. berberum: Variety of *T. soudanense* (*q.v.*, *infra*), 164
T. brucei, 164
Division Processes in, 164
T. congolense: Schizogony of, 164
T. cruzi (*Schizotrypanum cruzi*), Schizogony of, 166–7
Triatoma Infected by, 166
T. equiperdum: Schizogony of, 164
T. evansi, 164
T. gambiense Infection in *Cynonycteris straminea*, 235
T. lewisi: Division Processes in, 164
T. marocanum; Equine Disease due to, 163
T. of Mazagan: Virus of, 163
T. rhodesiense, 163
T. rotatorium; Culture-Studies on, 164
T. soudanense, 164
T. vivax: Biometric curves of, 162

Trypanosomiasis
Animal
Debab
Infection Experiments, 163

Equine
Moroccan forms; Identification of, Virus Causing, from Two Sources, 163–4

Sleeping Sickness—*cont.*
TRYPANOSOMIASIS—*cont.*
ANIMAL—*cont.*
NAGANA: Strains of: Sensitiveness to Arsenic, and to Antimony, 162–3

SURRA: Immunity to, Acquired, by Goats, 163–4

HUMAN
AFRICAN
Incidence
Geographical
Belgian Congo, 161
Hausaland, 35
Sex, 161
Malarial Infection resembling, 10
Prophylaxis
Protective Headpiece against Glossina, &c., 234–5
Treatment: Ambulatory and Hospital: Results, 162
by Arsenic, 162

AMERICAN, *T. cruzi* Infection, or Chagas's Disease
Acute form, 165
Chronic Form, 165
Criticism in relation to, 165, 166
Goitre in relation to, 166
Histo-pathology of, 165–6
Incidence
Age, 165
Geographical
Argentina, 166
Symptoms, 165–6
in Acute form, 165

Tsetse-flies, *see* GLOSSINA, *supra*

Small Pox
Incidence
Geographical
Germany (Epidemic, 1917), 266
Java, 231
Prophylaxis
Vaccination and Re-vaccination: Results: East Java, 231
References to Literature, lxxii

Sodoku, *see* **Rat-Bite Fever**

Sprue, 276–9
Blastomycetes Associated with, 276–7
Causal Organism; Distinguishing Features, 233
Diagnosis, 279
Etiology, 276–7, 279
Experimental, 276–7

Sprue—*cont.*
Incidence
Age, 276
Familial, 276
Geographical
American Continent, and U.S.A., 233, 279
Mecca, 278
Serbia, 215
Locale, 276
Race, 276
Sex, 215, 276
Misdiagnosed as Pellagra, 276
Monilia associated with, 276, 277, 278
M. enterica, 278
M. psilosis
Postulated as Specific Agent, 276
Toxicity and Serological Reactions, 277–8
Oidia associated with, 276, 277
Pathology, 279
References to Literature, xxvii, lxvii
Symptoms, 276, 278, 279
Treatment, 279
Dental, 278
Dietetic, 278
Medical, 278
Monilia Vaccine, 278

Strongyloidosis, *see under* **HELMINTHIASIS**

Syphilis
Diagnostic Serum Reactions Indicating, 409
Incidence
Geographical
Porto Rico, 387
Sumatra, 218–19
Race, 218–19
Sex, 219
Indications of, 281
in Malarial Patients: Wassermann Reactions in relation to, 304
in relation to
Leishmaniasis, 145
Pseudo-Leishmaniasis, 156
Still-births, 219
References to Literature, xxxvi, lxxv
Tissue Changes in, resembling those of Tuberculosis, 406
Treatment by Luargol, 30
Type Prevalent in Porto Rico, 387

Taeniasis, *see under* **HELMINTHIASIS**

Three-Day Fever, *see* **Pappataci Fever**

Trematode Infections, *see under* **HELMINTHIASIS**
References to Literature, ix

Trench Fever, *see under* **FEVERS UNCLASSED**

Tricocephaliasis, or **Trichuriasis,** *see* TRICOCEPHALIASIS, *under* **HELMINTHIASIS**

Tropical Sore, *see* DERMAL LEISHMANIASIS, *under* **KALA AZAR**

Trypanosomiases, *see under* **SLEEPING SICKNESS**

Tsutsugamushi Disease, *see* **Japanese River Fever**

TUBERCULOSIS IN NATIVE RACES, 411–16
Alleged Fatality to Tropical Natives, 414
Alleged greater Mildness in EuropeansControverted,414
Bacteriology
Bacillus
B. tuberculosis
Madagascar Strains, Mildness of: Cures Frequent,415
in Sputa: Accra, 210

of BONES: Heliotherapy for, 232

BOVINE: Rare in India, 413

Diagnosis by Cuti-Reaction Test, 414

GENERALIZED, in Filipino Infants, 215
Gland Index in School Children, 413–14
Incidence
Age, 216, 414
Class
Jail Prisoners (Indian), 413
Soldiers, 232, 413
Geographical
Andamans, 413
Brazil
Rio de Janeiro, 415
Burma, 413
Constantine Steppe, 414
Dutch East Indies, 414
Ecuador, 218
France, Southern, 226
French Guiana, 415–16
India, 411–13
Madagascar, 415
Philippine Islands, 216
U.S.A.
Southern States, 416
Race, 226, 232, 414, 416
Indian Statistics on, 412–13

Tuberculosis in Native Races —*cont.*
Mortality from
Bombay, Calcutta, Madras, 412
French Guiana, 416
Rio de Janeiro, 415
Prophylaxis, 415
Hospital Facilities for U.S.A. Negroes, 416
Suggested, for India, 411–13
Tuberculosis Dispensaries, 412
References to Literature, xxvii, lxvii
Spread of, in India, 411, 412

TESTICULAR: Heliotherapy for, at Tunis, 232

Tissue Changes in, Simulated by Syphilis, Leprosy, and Sporotrichosis, 406
Treatment by
Creosoted Oil, 415
Heliotherapy, 232
Tuberculin of Denys, 415
Transmission by
Migration, 411, 413
Overcrowding, &c., 411, 412
Spitting, 412, 413, 415
von Pirquet's Reaction Invalid in Tropical Races, 414

Typhoid Fever, *see under* **ENTERIC FEVERS IN THE TROPICS**

TYPHUS, 123–42
Abscesses as Complications, 131
Ambulant Cases, 124
Bacteriology
Agglutination in, 133–4, *diag.*, 133, *table*, 134
Agglutination Curves for all Organisms Associated with, 135
Virus-passage through 100 Guinea-pigs: full retention of Virulence, 141
Bacillus(i)
B. typhi-exanthematici
Agglutinins, &c., for, Present in Convalescents,133–4
Cultivation from Infected Pediculi (*P. corporis*), 136
Organism of Mexican form Identical with, 127
Plotz-Baehr-Olitsky Bacillus in relation to, 123
of Proteus group
Isolated by Zeiss, 140
Used in Weil-Felix Reaction, 138–40
Coccus in Blood and Urine in, 142
Bed-bugs as Vectors, *see Cimex, infra*

Typhus—*cont.*
Black Fever or Mbetalala of the Transkei: Epidemics, and Increasing Virulence of, 127–8
Blood Conditions and Changes during, 130
Brill's Disease, Infection with, as Protection against more Virulent forms, 127
Cimex lectularius as Vector, 124
Coincident with Relapsing Fever: Balkan Regions, 213
Complications, 133, 134
Causes, Characters, &c., 123, 124, 131
Mortality due to, 134
Conditions favouring Outbreaks and Endemicity, 128
Contacts
Antibody Development in, 134–5
Negative Weil-Felix Reactions given by, 140
Course, 213
Death rates of Radom Epidemic, 124
Diagnosis
Blood Picture, 130
Differential, 128, from
Relapsing Fever, 199
Rocky Mountain Spotted Fever, 188
Various Methods
Agglutination Test; When of Service, 133
Colour Reaction of Urine, 129
Serology; Researches: Results, 139–40
Weil-Felix Reaction, 125, 138–40, 200
Double-Infection, 123
Erysipelas, &c., as Complications, 131, 134
Etiology
Organism of Proteus Group Isolated by Zeiss, 140
Researches into, 123–4
Experimental
Scrotal Lesion in Guinea-pigs, 141
Experimental Inoculation Results, 126
Fleas as Vectors, *see* Pulicidae, *infra*
Gait as Distinguishing from Early Relapsing Fever, 199
Histological Changes, 141
Immigrant Disinfection: Port of New York, 125–6
Immunization, *see also* Vaccination, *under* Prophylaxis
Experiments, with *B. typhi-exanthematici* Cultures, 135–6
Incidence
Class, 124, 125, 126, 129, 131, 134

Typhus—*cont.*
Incidence—*cont.*
Geographical
America U.S., 135, 136
California, 126
Austria, 129, 135
Balkan-Adriatic Regions, 136, 141, 213
Bulgaria, 135
Germany, 123
Mexico, 126, 127, 135, 141
Morocco, 141
Poland, 136
Radom Epidemic, 124–5
Roumania, 132
Russia, 135, 141
Serbia, 124, 135
Tunis (Sidi-Abdullah Epidemic, 1916), 131
U.S. Africa
Cape Province, 127–8
Volhynia, 133
Race, 123, 124, 129, 131, 134
Season, 124, 127
Incipient, Resemblance to Pappataci Fever, 213
Incubation Period, 129
Insect Vectors, *see* Cimex, *supra*, *and* Pediculi, *and* Pulicidae, *infra*
Kerosene as Vermicide, 125
Lice in relation to, *see* Pediculi, *infra*
Mexican form or Tabardillo: Etiology: Causal Agent Identified, 127
Pediculi in relation to
Infection Experiments on, with Rickettsia, 137
Sulphur Dioxide Ineffective with, 126
as Transmitters, 123–4, 195, 213
When Infectible, 123, 124
When Infectious, 123
Varieties harboured by Mexican Immigrants, 126
P. corporis, *B. typhi-exanthematici* Cultivated from Infected, 136
Pneumonia as Complication, 134
Prophylaxis, 128, 213
Californian Methods, 126
Disinfection of Contacts: Port of New York Methods, 125–6
Infection with Brill's Disease, 127
Inoculation or Vaccination, 141–2
With Human-derived Coccus, 142
Lice-Destruction; Efficacy of, 199
Measures for Stamping out Epidemics, 132
Military, in the Field, 128
Quarantine, 125
Post Epidemic, 124

Typhus—*cont.*
Prophylaxis—*cont.*
Tar- and Butter-soaked Body Linen, 235
Pulicidae as Vectors, 124
Rash, 127, 128, 141, 213
References to Literature, xxvii-ix, lxviii-lxx
Resemblance of, to Rocky Mountain Spotted Fever, 141
Rickettsia in relation to Experiments on, 137
R. prowazeki
and Organisms Resembling, in, 137–8
as Phase in Evolution of Virus, 123–4
Sequelae, 213
Sera-Variation as to Height of Agglutination titre, 139
Summary of Recent
Information on, 128
Work on, 127
Symptoms, Cerebral, with Meningeal Permeability, 129–30
Tabardillo, *see* Mexican, *supra*
Transmission by
Dirt, 128
Overcrowding, 128
Pediculi, 123–4, 128, 195, 213
Pulicidae, 124
Treatment by
Adrenalin, 128
Camphorated Oil, 128
Serotherapy, 131–2
by Intra-arachnoid Injections, 132
Silver Colloids, 128
Some Injurious Effects, 125
Spartein, 128
Vaccines for
Nature of, 142
Vermicides, Effective and Other, 125, 126
Virus
Pediculi in relation to Evolution of, 123–4, 125
Vigour Maintained after 100 passages, 141
When Transmissible to Pediculi, and When Re-Transmissible by them, 123, 125

Typhus—*cont.*
Virulence not Lessening Towards end of Epidemics, 125
Weil-Felix Reaction in: Clinical Significance, 138, 139, 140
With Urine, 138–9
Widal Reaction in, in Typhoid-ex-patients or Inoculees, 134

Ulcers, *see under* **SKIN DISEASES, TROPICAL**

Uncinariasis, *see* ANKYLOSTOMIASIS, *under* **HELMINTHIASIS**

Undulant Fever (Malta Fever)
Incidence
Geographical
Macedonia, 214
Malaria resembling: Balkan Regions, 9

Weil's Disease, *see* SPIROCHAETOSIS ICTEROHAEMORRHAGICA, *under* **RELAPSING FEVER**

YAWS
Incidence
Geographical
Porto Rico, 387
Keratoderma differentiated from, 398
as Pseudomycetomata, 390

YELLOW FEVER
Arneth Counts in, 8, 230
Incidence
Geographical
Ecuador (almost extinct), 218
Malaria resembling: Balkan Regions, 9
Possibly a Spirochaetosis, 210
References to Literature, xxix, lxx
Resemblance to, of Weil's Disease, 210

APPLIED HYGIENE IN THE TROPICS.

(Sanitation No. of *Tropical Diseases Bulletin*, Vol. 11, No. 5.)

CONTENTS.

SECTIONS.

	PAGES.
Book Review	384–5
Disease Prevention	319–43
Reports	317–18
Sanitary Organisation	344–54
Sanitary Rulings	355
Sanitary Works	361–79
Treatment of Waste	356–60
Vital Statistics	380–3
CORRESPONDENCE	386

DIAGRAMS.

Breakpressure Column, Section of	366
Infiltration Tunnel at Mazzara, Sicily	375
Khazana	
(a)—Section through	364
(b)—Plan	364
Vegetable Bazaars: Madras. Plan, Details, and Sections .. *facing*	353
Water Conveyed across River by Siphon Principle (Malik Umber Works)	366

TABLES.

Return of Officials who Left the [East African] Service during 1916 ..	381
Statement of Results of Pumping of Certain Water Works in the Madras Presidency	368–9

APPLIED HYGIENE IN THE TROPICS.

INDEX OF AUTHORS.

Allan, —, 327, 329

Balfour, A. H., 330
Bannerman, —, 370
Bentley, C. A., 376
Bolduan, C. F., & C. Krumwiede, 337
Buchanan, W. J., 339, 353
Bunker, G. C., 371
Burrows, D., 328
Burton, —, 382

Clemesha, —, 358
Cole, A., & E. Muir, 359
Curry, T. A., 322

Durnall, C. R., 341

Eijken, P. A. A. F., & G. Grijns, 356

Fanning, —, 374 *n*
Fearnside, —, 333
Fretz, W, H., 382

Gifford, L., 338
Greening, W. R., 324
Grijns, G., *see* Eijken & Grijns
Grubbs, S. B., 336

Haddon, —, 333
Harrison, W. H., 321
Hodgson, —, 326
Hormasji, —, 333, 336
Howard, A. H., 321
Hutchinson, F. H. G., 327, 332
Hutton, W., 370

Justice, —, 344, 350 *n.*, 370

King, W. G., 317, 384
Krumwiede, C., *see* Bolduan & Krumwiede

Low, G. C., 330
Luiggi, L., 374
Lynch, G. W. A., 382

McCay, —, 339
McLean, W. H., 351
Maloney, —, 364
Marrett, W., 374
Maury, D. H., 361
Mauté, —, 330
Mhaskar, K. S., 334
Mills, R. G., 318 *n*
Moseley, C. A., 330
Muir, E., *see* Cole & Muir

Nesfield, —, 341

Ozzard, A. T., 319

Parker, H. B., 336
Partridge, —, 362
Poore, G. V., 359
Price, A. B., 377

Rao, K. R., 325, 331

Saville, C., & H. W. van Hovenbery, 323
Schmidt, H. F., 372
Scott, H. H., 327, 330, 335, 337
Stanley, A., 333

Tappan, J. W., 350
Thompson, J. E., 338

van Hovenbery, H. W., *see* Saville & van Hovenbery

Watson, M., 319
Westfield, —, 341
White, N., 334
Williams, —, 333
Woods, F. W., 322

Young, W. A., 328, 330

APPLIED HYGIENE IN THE TROPICS.

INDEX OF SUBJECTS.

Bacteriology
B. coli, Persistence of, in Sewage-Polluted Water, 356-7
Bacteria-Elimination from Water-works Filters, 372–3

Chemotherapy
Drugs Tested for Yaws: Jamaica, 330–1

Correspondence
Letter from Messrs. Bale, Sons & Danielsson, on Daniel's & Newham's *Laboratory Studies in Tropical Medicine*, 386

Countries Referred to
Afghanistan: Waterworks, 374
America, U.S.
Anti-Malaria Measures: Dallas, 323–4
Anti-Plague Fumigation of Ships, 336–7
Camp Sanitation, 351
Diseases Prevalent, 323–4, 332–3, 337
Interstate
Quarantine, 351
Sanitation, 350–1
Water Purity: Massachusetts, 342–3
Water-Supply of Cantonments, 361–2
California: Woodstave Water Pipes, 363
New York City: Typhoid Epidemic, 337
Anguilla
Vital Statistics, 382
Water Scarcity, 382
Australia
Queensland
Anti-Venereal Measures, 355
Leprosy in: Treatment, 338
Burma
Diseases Prevalent, 333, 336
Markets in, 352
Cameroons: Dysentery in Troops at, 329

Countries Referred to—*cont.*
China
Shanghai: Beriberi at, in Jail, 333
Dutch Indies
Persistence of Microbes in Soil; Tests of, 356 *sqq.*
East Africa
Death Rates, 380
Invaliding Rates, 381
Eastern War-Front
Amoebiasis prevalent, 330
Ecuador
Diseases Prevalent, 336
Egypt
Municipalities, 352
Town Development in, 351–2
England and Wales
Public Health Act, Provision of, for Financing Private Improvement Expenses, 351
Fiji: Vital Statistics, 382–3
Guiana, British
Malaria in relation to Agriculture in, 319–21
India
Reclamation of Water-Logged Tracts, 322–3
Reinforced Concrete Roofs, 377–8
Urine-Filtration by Sawdust, 359–60
Waterworks, 374
Wood-Stave Pipes for, 362-3
Bengal
Anti-Malaria Measures, 319
Experimental, 376–7
Death, and Sickness Rates for Malaria, 319
Diseases Prevalent, 319 *sqq.*, 339
Jail Death Rate Diminution, 353
Jail Diet; Grains in, 339
Jail Diseases, 339
Quinine Prophylaxis, 327
Bombay
Diseases Prevalent, 327-8, 332
Loans for Sanitary Building Purposes, 351
Quinine Prophylaxis, 326–7

Countries Referred to—*cont.*
India—*cont.*
Bombay—*cont.*
Poona
Diseases Prevalent, 327–8
Type Conservancy System, 359
Deccan
Malik Umber Water Works, 363 *sqq.*
Madras City
Anti-Malaria Measures, 325–6
Arboriculture, 354
Death Rate, as Influenced by Water-Supply, 340
Diseases Prevalent, 331–2
Madras Presidency
Children's Act (1917), 355
Diseases Prevalent, 325–6, 333–5
Economy in Structure of Market Building Roofs, 378
Grains used for Food, 339–40
Irrigation Control, 321–2
Markets, 352–3
Sanitary Inspectors and Staffs, 344–9
Water-Control in Irrigation, 321
Overcrowding, and need of Tramway Extension, 378
Water-Storage and Purification Methods, 370
Punjab
Arboriculture, 353–4
Canal Wastage, 322
Town Destruction by Rain: Re-planning after, 379
Italy; Waterworks, 374
Jamaica; Diseases Prevalent, 327, 330, 335–6, 338–9
Korea
Control of
Leprosy, 318
Meat-Supplies, 317
Public Resorts, 317
Veterinary Matters, 318
Water-Supplies, 317
Diseases Notifiable, 317
Diseases Prevalent, 317, 318
Sanitary Progress, 317–18
Vital Statistics, 317
Mexico; Delousing, at El Paso, 350
Nyasaland
Death Rates, 380
Invaliding Rates, 381
Panama Canal Zone
Water-Purification Plant, Laboratory Control of, 371–3
St. Kitts-Nevis; Vital Statistics, 382
Sierra Leone
Diseases Prevalent, 328, 330
Mosquitoes of, and their Breeding Places, 327
Somaliland
Death Rates, 380
Invaliding Rates, 381
Spain: Waterworks, 374

Countries Referred to—*cont.*
South Africa
Anti-Malaria Campaign (1915): Results, 324–5
Diseases Prevalent, 324–5
Turkey: Waterworks, 374
Uganda
Death Rates, 380
Invaliding Rates, 381
Venezuela
Diseases Prevalent, 327, 383
Vital Statistics, 383
Zanzibar
Death Rates, 380
Invaliding Rates, 381

Disease Prevention, 319–43
DISEASES AND CONDITIONS REFERRED TO
Amoebiasis, 317, 328–30, 336
Ankylostomiasis, 333–5
Ascariasis, 334, 335
Beriberi, 333
Blindness, 355
Bowel Complaints, 338, 339
Chicken-pox, 336
Cholera, 317, 328 *n.*, 353
Diarrhoea, 327–8
Diphtheria, 317
Dysentery, 327, 330
Bacillary, 317, 336
Helminthic Infestations, 330, 334, 335, 336
Leprosy, 318, 338
Lunacy, 355
Malaria, 319 *sqq.*, 329, 336, 338, 374
Mental and Nervous, 355, 388 *& n.*
Paratyphoid, 317
Plague, 336–7
Pneumonia, 338
Poliomyelitis, 336
Rocky Mountain Spotted Fever, 332–3
Scarlet Fever, 317
Smallpox, 317, 331–2, 336
Syphilis, 355
Tetanus, 383
Tuberculosis, 336
Typhoid, 317, 336, 337, 338
Typhus, 317, 350
Venereal, 351, 355
Vomiting Sickness, 327, 335–6
Yaws, 330–1
Yellow Fever, 329, 336
Presumed, 327

METHODS EMPLOYED
Anti-Dysentery Measures, 328–30
Anti-Malaria Campaigns and Measures, 319 *sqq.*, 327, 376–7
Economics of, 324
Water-Works as, 373 *sqq.*
Anti-Plague Measures, 336–7

Disease Prevention—*cont.*
METHODS EMPLOYED—*cont.*
Anti-Small-pox Measures, 331–2
Anti-Venereal Measures, 355
Control of Chronic Carriers, 337
Delousing, 350
Disinfection of [Helminthic] Faeces, 335
Food
Fixed Diets in Jails, Bengal, 339
Food-grains in relation to Disease, 339
Physical powers, 340
Food Preparation, Precautions as to those Employed therein, 337–8
Hospital-Provision, 318
Larvicides
Fish, 323, 326
Oil, 323, 324, 325
Lectures, Public, 350 *& n*
Leper Hospital provision, 318
Prophylactic Institutions, U.S.A., 350–1
Quinine Prophylaxis, 326–7
Sheep-grazing, for Eradication of *Dermacentor orientalis*, U.S.A., 332–3
Ship Fumigation, 336–7
Subsurface Water Tunnels, 374
Vaccination, Prophylactic for Small-pox, 331, 350
Re-vaccination urged, 332
Widal's Reaction, for Safe-guarding the Preparation of Food, 337–8

General References
Ackee-Poisoning, as Cause of Vomiting Sickness, 336
Agriculture as Anti-Malaria Measure, 319 *sqq.*
Anopheles
Breeding-places, 320, 323, 324–5, 327
Carriers of, 325
Flight-Range Questions, 321, 376
Caste, Indian, and Sanitary Staffing, 344–5
Cattle as Carriers of Anopheles, 325
Cesspools near Wells, in relation to Intestinal Disease, 329, 357, 358
Chlorine for Water-Sterilization, 341
Culicidae of Sierra Leone: Well-Breeding, 327
Drainage as Anti-Malaria Measure, 319 *sqq.*
Drainage Areas in relation to Anopheline Flight Distances, 321
Flies as Carriers of
Diarrhoea and Dysentery, 328
Yaws, 331

General References—*cont.*
Insect Vectors, postulated, of Beri-beri and Similar Diseases, 332
Irrigation-Control, 321–2
Mosquitoes, *see* Anopheles, Culicidae, Stegomyia, &c.
Practical Demonstration of Benefits of Sanitation, Value of, 323
Quinine-Tablet Making: Bengal Jails, 327
Rat-Destruction: Rangoon, 336
Rat-Flea Theory of Plague Spread, 336
References to Literature, xl, lxxix
Stegomyia of Sierra Leone: Tree-Breeding, 327
Tick-Eradication by Sheep-Grazing, 332–3
Veterinary Control: Korea, 318
Wyman Sanitary Railway Car, U.S.A., for Supervising Interstate Water-Supplies, 349

Reports, 317–18; for Details, *see under* **Countries**

Review of Book
Standard Methods for the Examination of Water and Sewage (Anon.), 384–5

Sanitary Organisation, 344–54
Arboriculture: India, 353–4
Delousing Travellers from Mexico, 350
Interstate, U.S.A., 350–1
Jails, Indian, Death-Rate decline in, 353
Markets
Burma, 352
Egypt, 352
Madras, 352–3
Municipalities: Egypt, 352
Sanitary Dwellings, Loans for Building, 351
Sanitary Staffs for India, 344–9
Education and Discipline: Madras, 345–9
Town Development in Egypt, 351–2

Sanitary Regulations
Korean, 317–18

Sanitary Rulings, 355
Eugenics, 355
Madras Children's Act. (1917), 355
Tank Clearing (Suggested for Madras), 326

Sanitary Works, 361–79
Anti-Malarial Measures, Experimental; Bengal, 376

Sanitary Works—*cont.*
Market Buildings; Roofs, and Economy in Structure; Madras, 378
Meteorology and Town Planning; Punjab, 379
Overcrowding and Tramways; Madras, 378
Roofs of Reinforced Concrete India; 377–8
Water-Storage: Sun-action on Tanked Water, 370
Water-Purification
Laboratory Control of: Panama, 371–3
Aeration, influence of, on Carbon Dioxide, 371–2
Carbonic Acid Free Waste from: How Dealt with, 371–3
Filters, 371
Treatment by
Alum, 371
Alum and Lime, 372
Chlorine, 373
Water-Purification Plant, 370, 371–3
Water-Supplies
as Anti-Malaria Measure, 373 *sqq.*
Cost of, for Pumping and Disposal, 364–7, *table*, 368–9
Waterworks
Makeshift with
Pipes of
Earthenware, 363–4
Wood Staves, 362–3
16th Century Indian (Malik Umber), details of, 363 *sqq.*
Water-Waste Prevention, 370

Treatment of Waste, 356–60
Sawdust for Urine Filtration, 359–60
Self-Depuration of Water and Soil, 357–9
Septic Tank Latrines, 358–9
Soil, and Night Soil, Persistence in, of Microbes: Experiments on, 356 *sqq.*
Type Conservancy System, 359

Vital Statistics, 380–3 *see also under* **Countries**
Anguilla, St. Kitts, and Nevis, 382
Death-Rates, as influenced by Water-Supplies, 340
East Africa, 380–2. *table*, 381
Fiji, 382–3
Venezuela, 383

Water
Sterilization, for Travellers' Use, 340–2
Chlorogen for Soldiers' Use, 341–2
Electrolytic Methods, 341

Water Supplies
in relation to
Amoebiasis, 328–30
Diarrhoea and Dysentery, 328
Malaria, 373 *sqq.*
of Cantonments, U.S.A., 361–2
Interstate: Protection of, 342–3, 340
Madras City: Fall in Death-Rate due to, 340
Purity of: Massachusetts, 342–3
Water Troughs, Open, Danger from, 328 *n*
Well-Pollution, 329, 357, 358

INDEX NUMBER.

Title page and Index.] [January-June, 1918.

TROPICAL DISEASES BULLETIN

IMP. BUR.
7 - OCT. 1918
EDITOR.

Vol. 11. (Nos. 1-6 & Reference Number.)

ISSUED UNDER
THE DIRECTION OF THE
HONORARY MANAGING COMMITTEE
OF THE
TROPICAL DISEASES
BUREAU.

General Editor:
THE DIRECTOR OF THE BUREAU.

London:
TROPICAL DISEASES BUREAU,
Imperial Institute, S.W. 7.

Sold by BAILLIÈRE, TINDALL & COX,
8, Henrietta Street, Covent Garden, W.C. 2.

pp. i-lxxix.] [March & June, 1918.

TROPICAL DISEASES BULLETIN

Vol. 11.

LISTS OF REFERENCES

ISSUED UNDER
THE DIRECTION OF THE
HONORARY MANAGING COMMITTEE
OF THE
TROPICAL DISEASES
BUREAU.

General Editor:
THE DIRECTOR OF THE BUREAU.

London:
TROPICAL DISEASES BUREAU,
Imperial Institute, S.W.7.

Sold by BAILLIÈRE, TINDALL & COX,
8, Henrietta Street, Covent Garden, W.C. 2.

Price 2/- net.] *Entered as Second Class Matter* [*All Rights Reserved.*

HONORARY MANAGING COMMITTEE.

Chairman:

The Right Honourable Sir J. West Ridgeway, G.C.B., G.C.M.G., K.C.S.I., LL.D.
(who is also Chairman of the Advisory Committee of the Tropical Diseases Research Fund).

Sir John Rose Bradford, K.C.M.G., C.B., F.R.S.
(representing the Royal Society).

Surgeon-General Sir David Bruce, K.C.B., F.R.S.
Surgeon-General Sir R. Havelock Charles, I.M.S., G.C.V.O.
Col. Sir William B. Leishman, K.C.M.G., C.B., F.R.S., K.H.P.
Sir John M'Fadyean, M.R.C.V.S.
Sir Patrick Manson, G.C.M.G., F.R.S.
Sir S. Stockman, M.R.C.V.S.

Mr. R. A. C. Sperling.
(representing the Foreign Office and Sudan Government).

Sir H. J. Read, K.C.M.G., C.B.
(representing the Colonial Office),
with

of the Colonial Office, as Secretary.

STAFF OF THE BUREAU.

Director:
A. G. Bagshawe, C.M.G., M.B., D.P.H. Cantab.,
of the Uganda Medical Staff.

Assistant Director:

Librarian and Secretary:
R. L. Sheppard.

Sectional Editors:
P. S. Abraham, M.D., B.Sc.
Andrew Balfour, C.B., C.M.G., M.D., D.P.H. Cantab.
Deputy Surg.-Gen. P.W. Bassett-Smith, R.N., C.B., C.M.G., F.R.C.P.
B. Blacklock, M.D., D.T.M. & H.
R. T. St. John Brooks, M.D., D.T.M. & H.
Edward Hindle, Ph.D.
Colonel W. G. King, C.I.E., I.M.S. (retd.).
J. C. G. Ledingham, C.M.G., M.B. Ch.B., D.Sc.
R. T. Leiper, D.Sc., M.D., Ch.B.
E. G. Graham Little, M.D., F.R.C.P.
J. B. Nias, M.D., M.R.C.P.
H. Schütze, M.D.
Lt.-Col. J. H. Tull Walsh, I.M.S. (retd.).
C. M. Wenyon, C.M.G., M.B., B.S., B.Sc.
Warrington Yorke, M.D.

Editor of the Tropical Veterinary Bulletin:
Captain J. T. Edwards, B.Sc., M.R.C.V.S.

BUREAU NOTICES.

Works in the Bureau Library may be consulted between 10 and 5.

The Director can be seen between 10 and 1; for a later hour an appointment should be made.

The Director will be glad to receive early copies of works or reprints on Tropical Diseases for notice in the *Bulletin* and for the Library. To be addressed—TROPICAL DISEASES BUREAU, IMPERIAL INSTITUTE, LONDON, S.W. 7. Inclusion in the "Reprints and Pamphlets Received" should be taken as acknowledgment of their receipt.

(Telephone:—Kensington, 5188.)

The Annual Subscription for the Tropical Diseases Bulletin is TWENTY-ONE SHILLINGS post free.

Subscriptions should be sent to Messrs. BAILLIÈRE, TINDALL and COX, 8, Henrietta Street, Covent Garden, London, W.C. 2, who are also the advertisement agents.

Cloth cases for binding the Bulletin can be obtained from Messrs. BAILLIÈRE, TINDALL and COX, price One Shilling and Sixpence post free.

The Tropical Diseases Bureau publishes also the TROPICAL VETERINARY BULLETIN, quarterly, Annual Subscription Ten Shillings, single numbers Three Shillings post free; to be obtained from the above agents.

TO ADVERTISERS.

To ensure the insertion of an Advertisement in any particular number of the Bulletin the copy must reach Messrs. BAILLIÈRE, TINDALL & COX not later than fourteen days before the date of publication.

For CONTENTS, see pp. iii and iv of Cover.

pp. 1-72. List of Journals pp. i-viii.] [January 15, 1918.

TROPICAL DISEASES BULLETIN

Vol. 11. 1918. No. 1.

ISSUED UNDER
THE DIRECTION OF THE
HONORARY MANAGING COMMITTEE
OF THE
TROPICAL DISEASES
BUREAU.

General Editor:
THE DIRECTOR OF THE BUREAU.

London:
TROPICAL DISEASES BUREAU,
Imperial Institute, S.W.7.

Sold by BAILLIÈRE, TINDALL & COX,
8, Henrietta Street, Covent Garden, W.C. 2.

Price 2/- net.] Entered as Second Class Matter

HONORARY MANAGING COMMITTEE.

Chairman:

The Right Honourable Sir J. West Ridgeway, G.C.B., G.C.M.G., K.C.S.I., LL.D.
(who is also Chairman of the Advisory Committee of the Tropical Diseases Research Fund).

Sir John Rose Bradford, K.C.M.G., C.B., F.R.S.
(representing the Royal Society).

Surgeon-General Sir David Bruce, K.C.B., F.R.S.
Surgeon-General Sir R. Havelock Charles, I.M.S., G.C.V.O.
Colonel Sir William B. Leishman, C.B., F.R.S., K.H.P.
Sir John M'Fadyean, M.R.C.V.S.
Sir Patrick Manson, G.C.M.G., F.R.S.
Sir S. Stockman, M.R.C.V.S.

Mr. E. C. Bleck, C.M.G.
(representing the Foreign Office and Sudan Government).

Sir H. J. Read, K.C.M.G., C.B.
(representing the Colonial Office),
with

of the Colonial Office, as Secretary.

STAFF OF THE BUREAU.

Director:
A. G. Bagshawe, C.M.G., M.B., D.P.H. Cantab.,
of the Uganda Medical Staff.

Assistant Director:

Librarian and Secretary:
R. L. Sheppard.

Sectional Editors:
P. S. Abraham, M.D., B.Sc.
Andrew Balfour, C.B., C.M.G., M.D., D.P.H. Cantab.
Deputy Surg.-Gen. P.W. Bassett-Smith, R.N., C.B., M.R.C.P.
B. Blacklock, M.D., D.T.M. & H.
R. T. St. John Brooks, M.D., D.T.M. & H.
Edward Hindle, Ph.D.
Colonel W. G. King, C.I.E., I.M.S. (retd.).
J. C. G. Ledingham, C.M.G., M.B. Ch.B., D.Sc.
R. T. Leiper, D.Sc., M.D., Ch.B.
E. G. Graham Little, M.D., M.R.C.P.
J. B. Nias, M.D., M.R.C.P.
F. M. Sandwith, C.M.G., M.D., F.R.C.P.
H. Schütze, M.D.
Lt.-Col. J. H. Tull Walsh, I.M.S. (retd.).
C. M. Wenyon, C.M.G., M.B., B.S., B.Sc.
Warrington Yorke, M.D.

Editor of the
Tropical Veterinary Bulletin:
Captain J. T. Edwards, B.Sc., M.R.C.V.S.

CONTENTS—*continued.*

MALARIA—*continued.*

PAGE.

ORENSTEIN & WATKINS-PITCHFORD; LEVY & WALL: Tartar Emetic in Treatment 28–29
APPEL: Treatment by Methylene Blue and Salvarsan 29
MONTPELLIER: Treatment by Luargol 30
WILLIS: A New "Specific" for Malaria 30
JEANSELME: The Segregation of Malarial Convalescents .. 30
DUDGEON & CLARKE: The Microscopical Histology of Malaria at Salonika 31
MITZMAIN: The Effect of Low Temperature on the Malaria Parasite in the Mosquito. *Anopheles punctipennis* as Host for *Plasmodium falciparum* 32
ROUBAUD: The Aptitude of Anopheles in France for Transmitting Malaria 32
MESNIL & ROUBAUD: Malaria Transmitted to the Chimpanzee.. 33
RODHAIN & VAN DEN BRANDEN: Attempts to transmit Malaria to a Flying Fox 33
CARNOT: The Action of Serum, Leucocytes and Splenic Extracts in Lysis of the Schizonts 33
REINHARD: The Activation of Latent Malaria by Irradiation. 34
REICHENOW: The Immunity of Negroes towards Malaria .. 35
BERTARELLI; DE MELLO: Different Forms of Malaria Parasite.. 35–36
ROUBAUD; TAYLOR; SENEVET: Methods of Blood Examination 36–37
LEPRINCE & GRIFFITTS: Bionomics of Anopheles 37
LÉGER & MOURIQUAND: The Hibernation of Anopheles in Dauphiny 37
VAN BREEMEN: Anopheles occurring at Sourabaya .. 37
BASS; CHRISTY; WURTZ; CARVER; D'ANFREVILLE; DELANOË; WERNER; JARNO; PARIS: Miscellanea 38–39

BLACKWATER FEVER.

ARMAND-DELILLE, PAISSEAU & LEMAIRE; DE RAADT; TORRANCE & BOWMAN; WRIGHT; JOB; AMBLARD & ESCHBACH; WIENER 40–42

AMOEBIASIS AND DYSENTERY.

WENYON & O'CONNOR: The Spread of Amoebiasis in Egypt .. 43
WOODCOCK: Percentage of *E. histolytica* and Other Protozoa in Cases of Dysentery 44
AUBERT: Amoebiasis in the Eastern Army 45
CARTER, MACKINNON, MATTHEWS, SMITH & STEPHENS: Protozoological Investigations of Dysentery at Liverpool.. .. 46
CARTER & MATTHEWS: Concentration of Cysts in Examination of Stools for Amoebae 46
SMITH & MATTHEWS: Occurrence of Intestinal Protozoa in Non-Dysenteric Cases 47
FUCHS & BOUCHET; DARGEIN: Amoebiasis and Liver Abscess occurring in France 48
MATTEI: Symptoms of Cholera and Renal Insufficiency in Amoebiasis 48
ARMAND-DELILLE, PAISSEAU & LEMAIRE: Treatment of Liver Abscess by Emetine 48
AIMÉ: Treatment of Amoebic Dysentery with Emetine and Atoxyl 48

AMOEBIASIS AND DYSENTERY—*continued.* PAGE.

SAVAGE & YOUNG ; WADDELL, BANKS, WATSON & KING ; LILLIE & SHEPHEARD : Treatment by Emetine and Emetine Bismuth Iodide 49–50
WALKER & EMRICH : Treatment of Carriers of *E. histolytica* with Oil of Chenopodium 51
UNNA & TIELEMANN : Effect of Reagents on *Amoeba limax* .. 52
HABERFELD ; TAIWAN IGAKUKAI ZASSHI : A Study of Cysts of Pathogenic Amoebae 52
MATHIS & MERCIER : The So-Called Chromidium of Cysts of Entamoebae 53
DA CUNHA & DA FONSECA : *Entamoeba serpentis*, N. Sp... .. 53
GOODEY & WELLINGS ; NOWLIN : Entamoebae of the Human Mouth 53–54
MARTY ; MATHIS & MERCIER ; MOREAU ; DE MELLO ; RAZETTI ; MATTÉI & BLOCH ; HABERFELD : Miscellanea : Amoebic Dysentery 54–55
LOYGUE & HAGUENAU : An Epidemic of Bacillary Dysentery on the Somme 55
RATHERY : Sero-Diagnosis of Dysentery 57
FUERST : Bacteriological Control in Dysentery 57
KIMMERLE : An Epidemic of Dysentery due to the Y Bacillus.. 58
BREINL : Bacteriological Diagnosis of Dysentery 58
JACOB : Clinical Observations on Bacillary Dysentery 58
NÈGRE : The Pseudo-Dysenteric Group 59
GIBSON ; DITTHORN & LOEWENTHAL ; SCHULTZ : Dysentery Vaccines 59–60
MARGOLIS ; ROSS & KAUNTZE ; FORBÀT ; SKALSKI & STERLING : Vaccine Therapy in Bacillary Dysentery 60–61
DE MELLO ; CHACE & TASKER ; MCNEIL ; DA SILVA : Flagellate Dysentery and its Treatment 61–62
CHALMERS & PEKKOLA : Infection with *Enteromonas hominis* .. 63
VILLA ÁLVAREZ 63
MEDICAL RESEARCH COMMITTEE ; LEDINGHAM & WENYON ; BAHR ; BARTLETT ; MAGNER : Dysentery in the Mediterranean 64–65
CECIKAS : Masked Dysentery 65
BARRATT : Soldiers from the East as Dysentery Carriers .. 66
FISCHER & DORD : Simultaneous Infection with Dysentery Bacilli and Dysentery Amoebae 66
ROSE : Infantile Enteritis in British Guiana 67
RANGEL PESTANA : Protozoal and other Parasites in Human Faeces in Brazil 67
FLORAND & MALLETERRE : Obstinate Dysentery and its Treatment 68
STETTNER : Rheumatic Joints and Dysentery 68
CAWSTON : Ipecacuanha and Chronic Dysentery.. 69
SEYMOUR : Treatment by Antiseptics 69

BOOK REVIEWS.

LAVERAN : Leishmanioses, Kala-azar, Bouton d'Orient, Leishmaniose américaine 70
BRAMACHARI : Kala Azar and its Treatment 71
CROWE & SPRAWSON : Consumption. Treatment at Home and Rules for Living 72

LIST OF JOURNALS IN THE BUREAU LIBRARY .. i–viii

For CONTENTS, See pp. ii and iv of Cover.

pp. 73-159.] [February 14, 1918.

TROPICAL DISEASES BULLETIN

EXD.

Vol. 11. 1918. No. 2.

IMP. BUR.
2 FEB 1918
ENTOM.

ISSUED UNDER
THE DIRECTION OF THE
HONORARY MANAGING COMMITTEE
OF THE
TROPICAL DISEASES
BUREAU.

General Editor:
THE DIRECTOR OF THE BUREAU.

London:
TROPICAL DISEASES BUREAU,
Imperial Institute, S.W.7.

Sold by BAILLIÈRE, TINDALL & COX,
8, Henrietta Street, Covent Garden, W.C. 2.

HONORARY MANAGING COMMITTEE.

Chairman:

The Right Honourable Sir J. West Ridgeway, G.C.B., G.C.M.G., K.C.S.I., LL.D.
(who is also Chairman of the Advisory Committee of the Tropical Diseases Research Fund).

Sir John Rose Bradford, K.C.M.G., C.B., F.R.S.
(representing the Royal Society).

Surgeon-General Sir David Bruce, K.C.B., F.R.S.
Surgeon-General Sir R. Havelock Charles, I.M.S., G.C.V.O.
Colonel Sir William B. Leishman, C.B., F.R.S., K.H.P.
Sir John M'Fadyean, M.R.C.V.S.
Sir Patrick Manson, G.C.M.G., F.R.S.
Sir S. Stockman, M.R.C.V.S.

Mr. R. A. C. Sperling.
(representing the Foreign Office and Sudan Government).

Sir H. J. Read, K.C.M.G., C.B.
(representing the Colonial Office),
with

of the Colonial Office, as Secretary.

STAFF OF THE BUREAU.

Director:
A. G. Bagshawe, C.M.G., M.B., D.P.H. Cantab.,
of the Uganda Medical Staff.

Assistant Director:

Librarian and Secretary:
R. L. Sheppard.

Sectional Editors:
P. S. Abraham, M.D., B.Sc.
Andrew Balfour, C.B., C.M.G., M.D., D.P.H. Cantab.
Deputy Surg.-Gen. P.W. Bassett-Smith, R.N., C.B., M.R.C.P.
B. Blacklock, M.D., D.T.M. & H.
R. T. St. John Brooks, M.D., D.T.M. & H.
Edward Hindle, Ph.D.
Colonel W. G. King, C.I.E., I.M.S. (retd.).
J. C. G. Ledingham, C.M.G., M.B. Ch.B., D.Sc.
R. T. Leiper, D.Sc., M.D., Ch.B.
E. G. Graham Little, M.D., F.R.C.P.
J. B. Nias, M.D., M.R.C.P.
F. M. Sandwith, C.M.G., M.D., F.R.C.P.
H. Schütze, M.D.
Lt.-Col. J. H. Tull Walsh, I.M.S. (retd.).
C. M. Wenyon, C.M.G., M.B., B.S., B.Sc.
Warrington Yorke, M.D.

Editor of the Tropical Veterinary Bulletin:
Captain J. T. Edwards, B.Sc., M.R.C.V.S.

CONTENTS—*continued.*

CHOLERA.

PAGE.

VON ROEMER : Cholera in Batavia in 1915 and 1916 113
GUERRINI : Intestinal Parasites and Cholera 113
ROGERS : Reduction in Mortality through Intravenous Injection of Sodium Bicarbonate.. 113
ARZT : Cholera Rash 114
TAKANO & YABE : Sensitised Vaccine Treatment 114
GREIG : Bacteriological Examination of 659 Stools 115
CASTELLANI ; DE RAADT ; BAUMGARTEN & LANGER-ZUCKERKANDL : Diagnostic Methods (Figs.) 115–16
GREIG : Cholera-Like Vibrios from Cholera Stools in Calcutta 118
MURILLO & MOURIZ : Differentiation of Cholera and El Tor Vibrios 118
FELDMANN : Cholera-like Vibrios and Mutation 118
NICHOLLS : Chemical Affinities of *Vibrio cholerae* 119
CROWELL & JOHNSTON : The Bile in Cholera Cases and Cholera Carriers 119
SCHOEBL & PANGANIBAN : Experimental Cholera Carriers .. 120
BAIL : Researches on Vibrio Toxins 120
KREDIET ; CASTELLI ; WEBER : Cholera Inoculation 121–2
JIMURA :, Disinfection of Fish as a Prophylactic against Cholera 122

TYPHUS.

ROBERTSON ; FOULERTON : Recent Researches 123
STARKENSTEIN : An Epidemic in Poland 124
HICKS ; CUMMING & SENFTNER : The Prevention of Typhus .. 125–6
OLITSKY, DENZER & HUSK : The Etiology of Typhus in Mexico 127
REDEWELL : 127
MITCHELL : Typhus in the Cape Province 127
COX : Recent Literature on Typhus 128
BLANC : Clinical Study of Typhus.. 128
WIENER : Prophylaxis 129
WIENER ; SYNWOLDT : Colour Reaction of the Urine 129
WEIL & SOUCEK : Permeability of the Meninges in Typhus .. 129
SCHIFF : The Blood Picture in Typhus 130
DANIÉLOPOLU : Streptococcal Complications 131
POTEL : The Use of Nicolle's Anti-Typhus Serum 131
ORTICONI : The Use of Serum of Convalescents 132
BAEHR ; PANETH : Agglutination and Development of Antibodies in Typhus (Fig.) 133–5
McCOY & NEILL ; OLITSKY : Immunisation against Typhus .. 135
OLITSKY, DENZER & HUSK : Isolation of *B. typhi exanthematici* from the Louse 136
OTTO & DIETRICH : DA ROCHA-LIMA : Rickettsia in the Louse and in Typhus Patients 137
VITEČEK ; STERLING ; BALLNER & FINGER ; DADEJ & KRAHELSKA ; SCHUERER & STERN ; ZEISS ; NEUBER ; CSÉPAI ; BIEN & SONTAG : The Weil-Felix Reaction 138–40
NEILL : Scrotal Lesions in Guinea-Pigs infected with Mexican Typhus 141
NICOLLE : 100 Successive Passages of Typhus Virus 141
PLOTZ, OLITSKY & BAEHR ; ROBERTSON : Prophylactic Immunisation 141–2

CONTENTS—*continued.*

KALA AZAR.

PAGE.

CORNWALL & MENON : Laboratory Study of Kala Azar in India 143
ROW : Intensive Culture of Leishmania from the Finger Blood.. 144
PATANÈ : Indigenous Case of Leishmaniasis from Libya .. 145
GONZÁLEZ BARRIO : The Pathological Anatomy of Infantile Kala Azar 145
ROGERS ; MUIR ; BRAHMACHARI ; LONGO : Treatment with Antimony Preparations 145–53
NICOLLE : Kala Azar in Tunis 153
CHRISTOPHERSON ; SUSU : Naso-Oral Leishmaniasis and Kala Azar in the Sudan 153
SCOTT ; SINTON : Treatment of Oriental Sore by Antimony .. 154
LAVERAN : Oriental Sore transmitted to a Monkey and a Mandrill 155
WALKER : Leishmaniasis and Pseudo-Leishmaniasis of the Amazon Basin 156
TORRES : A Case of Destructive Leishmaniasis in Brazil .. 156
TORRES : Leishmaniasis in the Province of Bahia 157

BOOK REVIEW.

SELLARDS : The Principles of Acidosis and Clinical Methods for its Study.. 158

For CONTENTS, see pp. iii and iv of Cover.

pp. 161-242.] [March 15, 1918.

TROPICAL DISEASES BULLETIN

IMP. BUR. 22 MAR 1918 ENTOM.

Vol. 11. 1918. No. 3.

ISSUED UNDER
THE DIRECTION OF THE
HONORARY MANAGING COMMITTEE
OF THE
TROPICAL DISEASES
BUREAU.

General Editor:
THE DIRECTOR OF THE BUREAU.

London:
TROPICAL DISEASES BUREAU,
Imperial Institute, S.W.7.

Sold by BAILLIÈRE, TINDALL & COX,
8, Henrietta Street, Covent Garden, W.C. 2.

HONORARY MANAGING COMMITTEE.

Chairman:

The Right Honourable Sir J. West Ridgeway, G.C.B., G.C.M.G., K.C.S.I., LL.D.
(who is also Chairman of the Advisory Committee of the Tropical Diseases Research Fund).

Sir John Rose Bradford, K.C.M.G., C.B., F.R.S.
(representing the Royal Society).

Surgeon-General Sir David Bruce, K.C.B., F.R.S.
Surgeon-General Sir R. Havelock Charles, I.M.S., G.C.V.O.
Colonel Sir William B. Leishman, C.B., F.R.S., K.H.P.
Sir John M'Fadyean, M.R.C.V.S.
Sir Patrick Manson, G.C.M.G., F.R.S.
Sir S. Stockman, M.R.C.V.S.

Mr. R. A. C. Sperling.
(representing the Foreign Office and Sudan Government).

Sir H. J. Read, K.C.M.G., C.B.
(representing the Colonial Office),
with

of the Colonial Office, as Secretary.

STAFF OF THE BUREAU.

Director:
A. G. Bagshawe, C.M.G., M.B., D.P.H. Cantab.,
of the Uganda Medical Staff.

Assistant Director:

Librarian and Secretary:
R. L. Sheppard.

Sectional Editors:
P. S. Abraham, M.D., B.Sc.
Andrew Balfour, C.B., C.M.G., M.D., D.P.H. Cantab.
Deputy Surg.-Gen. P.W. Bassett-Smith, R.N., C.B., M.R.C.P.
B. Blacklock, M.D., D.T.M. & H.
R. T. St. John Brooks, M.D., D.T.M. & H.
Edward Hindle, Ph.D.
Colonel W. G. King, C.I.E., I.M.S. (retd.).
J. C. G. Ledingham, C.M.G., M.B. Ch.B., D.Sc.
R. T. Leiper, D.Sc., M.D., Ch.B.
E. G. Graham Little, M.D., F.R.C.P.
J. B. Nias, M.D., M.R.C.P.
H. Schütze, M.D.
Lt.-Col. J. H. Tull Walsh, I.M.S. (retd.).
C. M. Wenyon, C.M.G., M.B., B.S., B.Sc.
Warrington Yorke, M.D.

Editor of the
Tropical Veterinary Bulletin:
Captain J. T. Edwards, B.Sc., M.R.C.V.S.

CONTENTS—*continued:*

RAT-BITE FEVER.

PAGE.

KITAGAWA & MUKOYAMA; KANEKO & OKUDA; TSUNEOKA: Spirochaetes as Cause of Rat-Bite Fever 189–90
IDO, ITO, WANI & OKUDA: Circulating Immunity Principles in Rat-Bite Fever 190
DE MELO & MENEZES; DE SOUSA: Cases at Goa 191
BAIS; PONDMAN: Cases in the Dutch Indies 191
NIOWAKA, YOSHIZAWA & MUMEMOTO; Spirochaetosis in the Guinea-Pig 192
IZUMI & KATO; KITAGAWA: Cat-Bite Disease 192–3

JAPANESE RIVER FEVER.

MIYAJIMA & OKUMURA; HAYASHI: 194

RELAPSING FEVER.

NUTTALL; MAYER; KOCH: The Louse Transmission of Relapsing Fever 195 6
VAN HOOF: Relapsing Fever in Belgian Troops in German East Africa 197
ARMAND-DELILLE, GASSIN & LEMAIRE; PORTOCALIS; DUCHAMP: Relapsing Fever in the Balkans 197–8
KUELZ: Relapsing Fever on the Eastern (German) Front .. 199
GALLI-VALERIO: Bronchial Spirochaetosis 199
VON HOESSLIN; WIENER; PARROT: Clinical Studies on Relapsing Fever 200–1
DUDGEON: The Urine in Relapsing Fever in Macedonia.. .. 202
MUEHLENS; KOSTOFF: Arsalyt Treatment in Relapsing Fever 202
TOYODA: Relapsing Fever in Manchuria 203
MACFIE: The Morphology of Spirochaetes 203
SANGIORGI: The Cultivation of Spirochaetes of the Human Intestine 204
NOGUCHI; JOBLING & EGGSTEIN: *Spirochaeta icterohaemorrhagiae* in American Wild Rats 204–5
ARAGÃO: *S. icterohaemorrhagiae* in Rio Rats 206
GABBI: Ictero-Albuminuric Spirochaetosis in Italy 206
PUGLISI-ALLEGRA: The Infective Jaundice of the Italian War Zone 206
McCREA: Is Trench Fever a Spirochaetosis? 207
HUEBENER: Weil's Disease and Bilious Typhoid.. 207
ITO & MATSUSAKI; INADA; KANEKO & OKUDA; YAMANO, SANO & ASHIGAWA: Icterohaemorrhagic Spirochaetosis in Japan 208–9
ARCE & RIBEYRO: Icterohaemorrhagic Spirochaetosis in Peru 209

MISCELLANEOUS.

ACCRA: Laboratory Report for 1916 210
BOMBAY: Laboratory Report for 1915 & 1916 211
COONOOR: Report of the Pasteur Institute for 1916–17.. .. 211
NIJLAND: Report of the Pasteur Institute at Weltevreden .. 212
CASTELLANI: Tropical Diseases met with in the Balcanic and Adriatic Zones 212
MENDOZA-GUAZON: Post-Mortem Lesions in 1,000 Filipino Children 215
KERMORGANT: French Dispensaries in China and Siam 216

CONTENTS—*continued.*

MISCELLANEOUS—*continued.*

PAGE.

BUTLER & HAKANSSON : Medical Notes of the Virgin Islands .. 217
ESPINOSA-TAMAYO : The Geographical Pathology of Ecuador .. 217
MEDICAL MISSIONS IN INDIA : Symposium : Indigenous Drugs.. 218
GABBI : Fevers due to Filterable Viruses 218
SMITS : Syphilis and Gonorrhoea among the Javanese 218
GABBI ; GIUGNI : Rheumatic Purpura on the Italian Front ..219–20
IWANO : The Chemical Nature of Scorpion Poison 220
MACFIE : Leukaemia in Natives of West Africa 220
HESS & UNGER : Prevention of Rickets among Negroes.. .. 221
DE LANGEN & SCHUT : Glycosuria in the Tropics and Low Fever 221
PEACOCK : Salvarsan in Relapsing Fever and Malaria 222
MAYER : The Symbiosis of Spirochaetes and Fusiform Bacilli 222
GANGULI : Infantile Biliary Cirrhosis in India 222
GROTHUSEN : Acute Inflammation of the External Ear in East Africa 223
SUIDEY : Cerebro-Spinal Meningitis in Madagascar 223
STOCKMAN : Lathyrism 224
CHALMERS & ARCHIBALD : Generalized Vaccinia in Sudan Natives 224
DE RUYTER : Presbyopia in Natives of the Dutch Indies.. .. 224
VOGT : A Case of Arisaema Poisoning 225
WRIGHT : The Schick Test in the Negro 225
DE GRANADA : Study of Pneumonia in the Dutch Indies.. .. 225
BAUJEAN ; JOUIN : Pneumococcus Infections in Native Camps in France 226
MOSES : Complement Fixation in Blastomycosis.. 227
LOW ; MATTEI & RIBON ; PAVA : Emetine and its Administration 227–8
SWIFT : The Arneth Index in Eastern Australia 229
MACFIE : Arneth Counts in Various Conditions 229
GREIG : The Sprouting Capacity of Grains 230
TERBURGH : Vaccination in Java 231
BUSSIÈRE : The Effect of Cold on Tropical Natives 231
FOUREST : Sun Cure in Tunis 232
TALBOT ; WAKISAKA : Trachoma in Indo-China and Japan .. 232
ANDERSON : Yeast-Like Fungi of the Human Intestine 233
WILLCOX : Rations and Disease in Mesopotamia 234
BRUCE ; SIMPSON : Camping in the Tropics 234
VAN DEN BRANDEN : A Bat as Laboratory Animal in Tropical Africa 235
BLAU : Campaign against Insects in Russia 235
NUTTALL : The Louse and Disease.. 236
FOREMAN & GRAHAM-SMITH : Prevention of Nuisances from Flies and Putrefaction 236
HILL : The Culicidae of the Northern Provinces 237
MACFIE : Insects collected at Accra in 1916 238
PITTALUGA & DE BUEN : Phlebotomus Species in Spain 238
TAKATSUKI : Petroleum and Mosquito Larvae 239

BOOK REVIEW.

DANIELS & NEWHAM : Laboratory Studies in Tropical Medicine 240

The INDEX and TITLE PAGE to Vol. 10 (Nos. 1–6 and Reference Number) will be issued shortly.

pp. 243-316.] [April 15, 1918.

TROPICAL DISEASES BULLETIN

E&D.

Vol. 11. 1918. No. 4.

ISSUED UNDER
THE DIRECTION OF THE
HONORARY MANAGING COMMITTEE
OF THE
TROPICAL DISEASES
BUREAU.

General Editor:
THE DIRECTOR OF THE BUREAU.

London:
TROPICAL DISEASES BUREAU,
Imperial Institute, S.W.7.

Sold by BAILLIÈRE, TINDALL & COX,
8, Henrietta Street, Covent Garden, W.C. 2.

HONORARY MANAGING COMMITTEE.

Chairman:

The Right Honourable Sir J. West Ridgeway, G.C.B., G.C.M.G., K.C.S.I., LL.D.
(who is also Chairman of the Advisory Committee of the Tropical Diseases Research Fund).

Sir John Rose Bradford, K.C.M.G., C.B., F.R.S.
(representing the Royal Society).

Surgeon-General Sir David Bruce, K.C.B., F.R.S.
Surgeon-General Sir R. Havelock Charles, I.M.S., G.C.V.O.
Colonel Sir William B. Leishman, C.B., F.R.S., K.H.P.
Sir John M'Fadyean, M.R.C.V.S.
Sir Patrick Manson, G.C.M.G., F.R.S.
Sir S. Stockman, M.R.C.V.S.

Mr. R. A. C. Sperling.
(representing the Foreign Office and Sudan Government).

Sir H. J. Read, K.C.M.G., C.B.
(representing the Colonial Office),
with

of the Colonial Office, as Secretary.

STAFF OF THE BUREAU.

Director:
A. G. Bagshawe, C.M.G., M.B., D.P.H. Cantab.,
of the Uganda Medical Staff.

Assistant Director:

Librarian and Secretary:
R. L. Sheppard.

Sectional Editors:
P. S. Abraham, M.D., B.Sc.
Andrew Balfour, C.B., C.M.G., M.D., D.P.H. Cantab.
Deputy Surg.-Gen. P.W. Bassett-Smith, R.N., C.B., M.R.C.P.
B. Blacklock, M.D., D.T.M. & H.
R. T. St. John Brooks, M.D., D.T.M. & H.
Edward Hindle, Ph.D.
Colonel W. G. King, C.I.E., I.M.S. (retd.).
J. C. G. Ledingham, C.M.G., M.B. Ch.B., D.Sc.
R. T. Leiper, D.Sc., M.D., Ch.B.
E. G. Graham Little, M.D., F.R.C.P.
J. B. Nias, M.D., M.R.C.P.
H. Schütze, M.D.
Lt.-Col. J. H. Tull Walsh, I.M.S. (retd.).
C. M. Wenyon, C.M.G., M.B., B.S., B.Sc.
Warrington Yorke, M.D.

Editor of the Tropical Veterinary Bulletin:
Captain J. T. Edwards, B.Sc., M.R.C.V.S.

AMOEBIASIS AND DYSENTERY—*continued.*

PAGE.

HURST: Clinical Lectures on Dysentery 265
KRUSE: The Variability of Typhoid and Dysentery 266
UMNUS; HEINRICHSDORFF: Dysentery in Germany 267
GASBARRINI: Dysenteric Diarrhoea in Italian Troops 268
FIESSINGER & LEROY: Dysentery Epidemic on the Somme .. 268
NOBÉCOURT: Dysentery in Prisoners of War 269
OLER & KELSO: Dysentery in Quebec 270
GRAHAM; MELLANBY: Dysentery in the British Salonika Force 270–1
FLORAND & BENSAUDE: Radiological Examination in Dysentery 271
HOWELL; SCHROEDER: Dysentery Convalescence and its Complications 271–2
FOGES: Dysentery Recurrences after Abdominal Operations .. 272
BRILL; MARTENS; KULKA: Treatment of Dysentery 272–3
ENGEL; CZAPLEWSKI: Dysentery of Unusual Causation .. 273
ABDULLA; ANDRUZZI: Notes on Dysentery 274
MANLOVE: Balantidial Colitis in the Philippines 275

SPRUE.

ASHFORD; DOLD; MICHEL; WATERFIELD; HIATT: 276–9

MALARIA.

PUNJAB: Report for 1916 280
SULDEY: Endemic Malarial Index in Madagascar 280
SIMPSON-WELLS: Notes on Malaria in South Africa 281
ANDREOTTI: Anti-Malarial Prophylaxis in Italy.. 281
MOLA; FIORITO: Anti-Malarial Campaign at Valona 282
ROSSI; FERMI: Anti-Mosquito Campaigns and Intensive Tillage 282–3
KISSKALT; KABELIK: The Causation of Relapses 283
GRALL: Malaria of Armies 284
VON HEINRICH: Mixed Infections and Latency 284
MUEHLENS; MUNK; KELLER: Notes on Malaria 285–6
PIELSTICKER: Malaria in Roumania 287
CARNOT; LAGRIFFOUL & PICARD; MARCHOUX: Malaria from Macedonia 287–8
LACASSAGNE: Malaria in Macedonia 288
ROUSSEAU; RAYMOND; MALLOIZEL & BONNARD: Autochthonous Malaria in France.. 289
JAMES: *A. maculipennis* as Host of Benign Tertian in England 289
FULLER; MOREAU: Malaria in Relation to Surgery 290
DUNLEY-OWEN: Malarial Wards in Hospitals 290
ULLMANN: Observations on Malarial Parasites 291
FREEBORN: Rice Fields and Malaria 291
GARIN & GIRARD; GARIN & SARROUY; GARIN & PASQUIER: Blood Examinations in Malaria 291–2
GARIN, SARROUY & POUGET: Suprarenal Complications in Malaria 292
GARIN & PASQUIER: Urticaria and Malaria 293
MIGLIORINI: Retinal Haemorrhages in Malaria 293
ZUELZER: Liver Percussion in Malaria 293
MOREAU; MCWALTER: Parotitis and Malaria 293–4
DE BRUN: Malarial Amnesia 294

MALARIA—*continued.*

PAGE.

MARCHAND: Tremor consecutive to Malaria 294
KAMAR: Malarial Mimicry 295
MOREAU: Malarial Gangrene 295
LEGER & RYCKEWAERT: A Fatal Case of Quartan 295
WURTZ & VAN MALLEGHEM: Cerebral Symptoms in Benign Tertian 295
BARTOLOTTI: Malaria and Sepsis 296
LEINER: Malaria from Albania 296
MACGILCHRIST: How to give Quinine 296
ROGERS; FOX; GRIFFIN; STEPHENS, YORKE, BLACKLOCK, MACFIE, COOPER & CARTER; MOULINIER: Treatment by Quinine 297–9
GIEMSA & HALBERKANN; HARTMANN & ZILA: Quinine Habituation 299
RAZZAK: Use of Quinoidine 300
HATIEGAN & DOERI: Treatment by Optochin 300
SCHILLING: A Personal Observation 301
MANAUD: General Treatment of Malaria.. 301
FALCONER & ANDERSON: Tartar Emetic in the Treatment of Malaria 301
SOTIRIADÈS: Trials of Serotherapy.. 302
NETTER: Globular Resistance and Malaria 302–3
CHATTON: The Genesis of Globular Stigmata in Malaria .. 303
APPEL: Staining of Malarial Parasites 303
STEVENSON: The Solubility of Malaria Pigment.. 303
DE JONG & MARTIN; KIMURA: The Wassermann Reaction in Malaria 304
DERIVAUX, TAYLOR & HAAS; DERIVAUX: Malaria Control in U.S.A. 304–5
DE GOYON & BOUVIER: Anti-Malarial Measures in Macedonia.. 306
ROCHE: Prophylaxis of Malaria in East Africa 306
DOFLEIN; COT & HOVASSE: Anophelines in Macedonia and Malaria 307
VOGEL: Anopheles in Stables 307
INGRAM: Key to the Anopheles of the Gold Coast 308
GENUARDI; GALATA; MELTZER; LABADENS; MEMMI; AUFRECHT-Magdeburg; HUELSE; HIRSCHFELD; FRAGA; LÉGER & MOURIQUAND; DE MASSARY & TOCKMANN; LABBÉ; MONTEZ; LEHOTAY; BLANC; GALLI-VALÉRIO: Miscellanea 308–11

BOOK REVIEWS.

FISCHER: Maatregelen tegen Malaria 312
MANSON: Tropical Diseases. A Manual of the Diseases of Warm Climates 313
WENYON & O'CONNOR: Human Intestinal Protozoa in the Near East 314
DANIELS & NEWHAM: Laboratory Studies in Tropical Medicine 315

For CONTENTS, see pp. iii and iv of Cover.

pp. 317-386.] [May 15, 1918.

TROPICAL DISEASES BULLETIN

E & A

Vol. 11. 1918. No. 5.

IMP. BUREAU ENTOM.
2 MAY 1918

SANITATION NUMBER

ISSUED UNDER
THE DIRECTION OF THE
HONORARY MANAGING COMMITTEE
OF THE
TROPICAL DISEASES
BUREAU.

General Editor:
THE DIRECTOR OF THE BUREAU.

London:
TROPICAL DISEASES BUREAU,
Imperial Institute, S.W.7.

Sold by BAILLIÈRE, TINDALL & COX,
8, Henrietta Street, Covent Garden, W.C. 2.

HONORARY MANAGING COMMITTEE.

Chairman:

The Right Honourable Sir J. West Ridgeway,
G.C.B., G.C.M.G., K.C.S.I., LL.D.
(who is also Chairman of the Advisory Committee of the Tropical Diseases Research Fund).

Sir John Rose Bradford, K.C.M.G., C.B., F.R.S.
(representing the Royal Society).

Major-General Sir David Bruce, K.C.B., F.R.S.
Surgeon-General Sir R. Havelock Charles, I.M.S., G.C.V.O.
Colonel Sir William B. Leishman, C.B., F.R.S., K.H.P.
Sir John M'Fadyean, M.R.C.V.S.
Sir Patrick Manson, G.C.M.G., F.R.S.
Sir S. Stockman, M.R.C.V.S.

Mr. R. A. C. Sperling.
(representing the Foreign Office and Sudan Government).

Sir H. J. Read, K.C.M.G., C.B.
(representing the Colonial Office),
with

of the Colonial Office, as Secretary.

STAFF OF THE BUREAU.

Director:
A. G. Bagshawe, C.M.G., M.B., D.P.H. Cantab.,
of the Uganda Medical Staff.

Assistant Director:

Librarian and Secretary:
R. L. Sheppard.

Sectional Editors:
P. S. Abraham, M.D., B.Sc.
Andrew Balfour, C.B., C.M.G., M.D., D.P.H. Cantab.
Deputy Surg.-Gen. P.W. Bassett-Smith, R.N., C.B., F.R.C.P.
B. Blacklock, M.D., D.T.M. & H.
R. T. St. John Brooks, M.D., D.T.M. & H.
Edward Hindle, Ph.D.
Colonel W. G. King, C.I.E., I.M.S. (retd.).
J. C. G. Ledingham, C.M.G., M.B. Ch.B., D.Sc.
R. T. Leiper, D.Sc., M.D., Ch.B.
E. G. Graham Little, M.D., F.R.C.P.
J. B. Nias, M.D., M.R.C.P.
H. Schütze, M.D.
Lt.-Col. J. H. Tull Walsh, I.M.S. (retd.).
C. M. Wenyon, C.M.G., M.B., B.S., B.Sc.
Warrington Yorke, M.D.

Editor of the Tropical Veterinary Bulletin:
Captain J. T. Edwards, B.Sc., M.R.C.V.S.

CONTENTS.

REPORTS.

PAGE.

Korea 1915–16. 317

DISEASE PREVENTION.

Malaria 319
Yellow Fever 327
Dysentery 327
Yaws 330
Smallpox 331
Rocky Mountain Spotted Fever 332
Beriberi 333
Ankylostomiasis 333
Vomiting Sickness 335
Plague 336
Typhoid 337
Leprosy 338
Pneumonia 338
Food 339
Water 340

SANITARY ORGANISATION.

Sanitary Staffs 344
Sanitary Inspectors 345
Railway Laboratory Car 349
Delousing a Population 350
Interstate Sanitation 350
Sanitary Dwellings 351
Town Development in Egypt 352
Markets. (figs.) 352
Sanitation of Gaols 353
Arboriculture 353

SANITARY RULINGS.

Queensland 355
Eugenics 355

TREATMENT OF WASTE.

Soil and Night Soil 356
Type Conservancy System 359
Sawdust for Urine Purification 359

CONTENTS—*continued.*

SANITARY WORKS.

	PAGE.
Water Supply of Cantonments	361
Makeshift Waterworks. (figs.)	362
Cost of Water	364
Cost of Pumping	367
Prevention of Water Waste	370
Water Purification Plant	370
Water Purification	371
Water Supply as an Antimalarial Measure. (figs.)	373
Experimental Antimalarial Measures	376
Reinforced Concrete Roofs	377
Economy in Structure	378
Overcrowding and Tramways	378
Meteorology and Town Planning	379

VITAL STATISTICS.

East Africa	380
Anguilla	382
Fiji	382
Venezuela	383

BOOK REVIEW.

Standard Methods for the Examination of Water and Sewage	384
DANIELS & NEWHAM: Laboratory Studies in Tropical Medicine. Correspondence	386

For CONTENTS, see pp. iii and iv of Cover.

pp. 387-471.] [June 15, 1918.

IMP. INST.
20 JUN 1918
EX.D.

TROPICAL DISEASES BULLETIN

Vol. 11. 1918. No. 6.

ISSUED UNDER
THE DIRECTION OF THE
HONORARY MANAGING COMMITTEE
OF THE
TROPICAL DISEASES
BUREAU.

General Editor:
THE DIRECTOR OF THE BUREAU.

London:
TROPICAL DISEASES BUREAU,
Imperial Institute, S.W.7.

Sold by BAILLIÈRE, TINDALL & COX,
8, Henrietta Street, Covent Garden, W.C. 2.

HONORARY MANAGING COMMITTEE.

Chairman:

The Right Honourable Sir J. West Ridgeway, G.C.B., G.C.M.G., K.C.S.I., LL.D.
(who is also Chairman of the Advisory Committee of the Tropical Diseases Research Fund).

Sir John Rose Bradford, K.C.M.G., C.B., F.R.S.
(representing the Royal Society).

Major-General Sir David Bruce, K.C.B., F.R.S.
Surgeon-General Sir R. Havelock Charles, I.M.S., G.C.V.O.
Col. Sir William B. Leishman, K.C.M.G., C.B., F.R.S., K.H.P.
Sir John M'Fadyean, M.R.C.V.S.
Sir Patrick Manson, G.C.M.G., F.R.S.
Sir S. Stockman, M.R.C.V.S.

Mr. R. A. C. Sperling.
(representing the Foreign Office and Sudan Government).

Sir H. J. Read, K.C.M.G., C.B.
(representing the Colonial Office),
with

of the Colonial Office, as Secretary.

STAFF OF THE BUREAU.

Director:
A. G. Bagshawe, C.M.G., M.B., D.P.H. Cantab.,
of the Uganda Medical Staff.

Assistant Director:

Librarian and Secretary:
R. L. Sheppard.

Sectional Editors:
P. S. Abraham, M.D., B.Sc.
Andrew Balfour, C.B., C.M.G., M.D., D.P.H. Cantab.
Deputy Surg.-Gen. P.W. Bassett-Smith, R.N., C.B., C.M.G., F.R.C.P.
B. Blacklock, M.D., D.T.M. & H.
R. T. St. John Brooks, M.D., D.T.M. & H.
Edward Hindle, Ph.D.
Colonel W. G. King, C.I.E., I.M.S. (retd.).
J. C. G. Ledingham, C.M.G., M.B. Ch.B., D.Sc.
R. T. Leiper, D.Sc., M.D., Ch.B.
E. G. Graham Little, M.D., F.R.C.P.
J. B. Nias, M.D., M.R.C.P.
H. Schütze, M.D.
Lt.-Col. J. H. Tull Walsh, I.M.S. (retd.).
C. M. Wenyon, C.M.G., M.B., B.S., B.Sc.
Warrington Yorke, M.D.

Editor of the Tropical Veterinary Bulletin:
Captain J. T. Edwards, B.Sc., M.R.C.V.S.

CONTENTS—*continued.*

TUBERCULOSIS IN NATIVE RACES.

PAGE.

WANLESS; COCHRANE & SPRAWSON; WILKINSON; LANKESTER: Tuberculosis in Indians 411–3
DE LANGEN & SCHUT: Tuberculosis in Java 414
PARROT: Tuberculosis in the Constantine Steppe 414
LOISELET: Tuberculosis in Madagascar 415
BARBOSA: Tuberculosis in the City of Rio 415
LEGER: Tuberculosis in French Guiana 415
SLOAN: Hospital Facilities for Tuberculous Negroes 416

PROTOZOOLOGY.

FANTHAM: Parasitic Protozoa of Man 417
KUENEN & SWELLENGREBEL: Less-known Protozoa from the Human Gut 417
LEGER: Blood Parasites of Birds in French Guiana 417
COMMES: Parasites of a Raptorial Bird in West Africa .. 418
JOHNSTON: Bodies found in the Blood of African Snakes .. 418
CHALMERS & PEKKOLA; SWELLENGREBEL: *Chilomastix mesnili.* (diagram) 419–20
ARAGÃO: *Copromastix prowazeki,* a Flagellate of Faeces .. 421
CHALMERS & PEKKOLA: *Enteromonas hominis* 421
BRUG: Trichomonas Cysts 422
MARTOGLIO; LANFRANCHI: A New Blood Flagellate of Fowls 422
FRANÇA: Notes on the Triconymphidae.. 423
DA FONSECA: Parasitic Flagellates 424
RODHAIN & Van den BRANDEN: Plurality of Flagellate Species of Invertebrates 425
CHATTON & BLANC: Toxoplasmosis 425
FRANÇA: The Classification of the Haemosporidia 425
FRANÇA: Schizogony in Haemogregarines 427
KREMPF: A Haemogregarine of Man 427
D'UTRA E SILVA & ARANTES; ESCOMEL: Haemogregarines of the Opossum and a Platydactyl 428
CLARK; STEFKO; VELU: Piroplasmosis in Panama, Turkey and Morocco 429
SERGENT: Leucocytozoon of an Algerian Partridge 430
LEGER & MOUZELS: Non-Pigmented Endoglobular Parasite of a Duck 430
DA CUNHA: a Balantidium in a Horse 430
PAPPENHEIMER, VERMILYE & MUELLER; LOW; DOBELL; HENRY: The Etiology of Trench Fever 430–1

ENTERIC FEVERS IN THE TROPICS.

MILLER: Lectures on Paratyphoid Infections 432
BOURGES: Typhoid and Paratyphoid 432
MEDICAL RESEARCH COMMITTEE; MASON: Atropin as a Diagnostic Agent (Charts) 432–5
BRITISH MEDICAL JOURNAL: Diagnosis of P.U.O. from Enteric 438
HORÁK; SLUKA & STRISOWER: Observations on Paratyphoid A 438
ÉTIENNE: Mixed Typhoid and Paratyphoid A 439
GILDEMEISTER: Long Duration of Excretion in Paratyphoid B 439

CONTENTS—*continued.*

ENTERIC FEVERS IN THE TROPICS—*continued.*

PAGE.

BANKS & EVANS: Thrombosis of Cerebral Arteries in Paratyphoid B 440
GAY: Treatment by Injection of Sensitized Typhoid Vaccine 440
DIACONO: Diagnosis by a Urine Test 441
NICOLLE, RAPHAEL & DEBAINS: The Typhoid and Paratyphoid Bacilli 442
MACKIE; HULTON-FRANKEL & MACDONALD: Differentiating Media 444
BENIANS: The Preservation of Enteric Bacilli in Glycerine Emulsion (charts) 444
HOOKER: Antigenic Properties of Strains of *B. Typhosus* Compared 446
GARROW: Studies in Agglutination (charts) 446
TAYLOR: Castellani's Absorption Test 451
ECKER: Study of a Toxin Produced by Paratyphosus B .. 452
FORCE & STEVENS; GAY & LAMB: Studies on the use of Typhoidin 452
ARMAND-DELILLE, PAISSEAU & LEMAIRE: Anti-Enteric Vaccination in the French Eastern Army. (fig.) 453
DREYER, GARDNER, GIBSON & WALKER: Prophylactic Triple Inoculation 454
TAKANO; TOYODA; SAKAGAMI: Typhoid Inoculation in the Loochoo Islands and an Enrichment Method 454
BOURGES; BASSETT-SMITH; LAROCHE & MAZET: Anti-Typhoid Inoculation 455–7
GAUDUCHEAU; MIRGUET; LE ROY DES BARRES: Miscellanea 457–8

PLAGUE.

CORNWALL & MENON: Can the Bed-Bug Transmit? 459
OTTEN: Duration of Infection of the Indian Rat Flea .. 460
HATA: Dissemination by Fleas 460
DE RAADT: The House Rat and the Epidemiology of Plague 462
GENEESKUNDIG TIJDSCHRIFT VOOR NEDERLANDSCH-INDIE: Report of Plague Prevention Service 462
DE RAADT: Plague Prevention Methods 463
PARRY: Pneumonic Plague Prevention on China-Tibetan Border 463
DAVIES: Plague in Bristol in 1916 464
CREEL & SIMPSON: Rodent Destruction on Ships 464
BRAYNE: Intravenous Eusol in Plague 465
EBERSON: Production of Active Immunity 466
DRENNAN & TEAGUE: Selective Medium for Isolation of *B. pestis* 468
SAMESHIMA: Plague Bacilli in a Cat 469
SUKEGAWA: Rat Septicaemia by a Bacillus Resembling *B. pestis* 469

BOOK REVIEW.

WATERS: Diabetes. Its Causation and Treatment (with Special Reference to India) 470